API NUMBER:	071	24924	

**Directional Hole** 

Oil & Gas

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

 Approval Date:
 02/10/2021

 Expiration Date:
 08/10/2022


PERMIT TO DRILL


WELL LOCATION: Section: 32 Township: 26N Range: 2E County:	KAY					
SPOT LOCATION: SW SE NE NE FEET FROM QUARTER: FROM NORTH	FROM EAST					
SECTION LINES: 1245	600					
Lease Name: OTTO Well No: 3-33	Well will be 600 feet from nearest unit or lease boundary.					
Operator Name: AEXCO PETROLEUM INC Telephone: 3038319	226 OTC/OCC Number: 17342 0					
AEXCO PETROLEUM INC	MCDONALD SERVICES, LLC					
1675 BROADWAY STE 1900	339 SOUTH PINE STREET					
DENVER, CO 80202-4631	PONCA CITY OK 74601					
Formation(s) (Permit Valid for Listed Formations Only):						
Name Code Depth						
1 MISSISSIPPI CHAT 401MSSCT 3670						
2 MISSISSIPPI LIME 351MSSLM 3680						
Spacing Orders: 423430 Location Exception Order	s: 716408 Increased Density Orders: 716513					
Pending CD Numbers: No Pending Working interest own	ors' notified: *** Special Orders: No Special Orders					
Total Dooth: 4475 Ground Elevation: 975 Surface Casing:	450 Depth to base of Treatable Water-Bearing FM: 210					
	Total Depth:4475Ground Elevation:975Surface Casing:450Depth to base of Treatable Water-Bearing FM:210					
Under Federal Jurisdiction: No	Approved Method for disposal of Drilling Fluids:					
Fresh Water Supply Well Drilled: No	Approved Method for disposal of Drilling Fluids:         D. One time land application (REQUIRES PERMIT)         PERMIT NO: 21-37521					
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes	D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37521 H. (Other) CLOSED SYSTEM - STEEL PITS PER OPERATOR REQUEST					
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION	D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37521 H. (Other) CLOSED SYSTEM - STEEL PITS PER OPERATOR REQUEST Category of Pit: C					
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes	D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37521 H. (Other) CLOSED SYSTEM - STEEL PITS PER OPERATOR REQUEST					
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes           PIT 1 INFORMATION           Type of Pit System: CLOSED Closed System Means Steel Pits	D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37521 H. (Other) CLOSED SYSTEM - STEEL PITS PER OPERATOR REQUEST Category of Pit: C Liner not required for Category: C					
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED	D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37521 H. (Other) CLOSED SYSTEM - STEEL PITS PER OPERATOR REQUEST Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT					
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000	D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37521 H. (Other) CLOSED SYSTEM - STEEL PITS PER OPERATOR REQUEST Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT					
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y	D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37521 H. (Other) CLOSED SYSTEM - STEEL PITS PER OPERATOR REQUEST Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT					
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N	D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37521 H. (Other) CLOSED SYSTEM - STEEL PITS PER OPERATOR REQUEST Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT					
Fresh Water Supply Well Drilled: No         Surface Water used to Drill: Yes         PIT 1 INFORMATION         Type of Pit System: CLOSED Closed System Means Steel Pits         Type of Mud System: WATER BASED         Chlorides Max: 5000 Average: 3000         Is depth to top of ground water greater than 10ft below base of pit? Y         Within 1 mile of municipal water well? N         Wellhead Protection Area? N         Pit       is         Is cated in a Hydrologically Sensitive Area.	D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37521 H. (Other) CLOSED SYSTEM - STEEL PITS PER OPERATOR REQUEST Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT					
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N	D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37521 H. (Other) CLOSED SYSTEM - STEEL PITS PER OPERATOR REQUEST Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT					
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit <u>is</u> located in a Hydrologically Sensitive Area.	D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37521 H. (Other) CLOSED SYSTEM - STEEL PITS PER OPERATOR REQUEST Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT					
Fresh Water Supply Well Drilled: No         Surface Water used to Drill: Yes         PIT 1 INFORMATION         Type of Pit System: CLOSED Closed System Means Steel Pits         Type of Mud System: WATER BASED         Chlorides Max: 5000 Average: 3000         Is depth to top of ground water greater than 10ft below base of pit? Y         Within 1 mile of municipal water well? N         Wellhead Protection Area? N         Pit       is         Is coated in a Hydrologically Sensitive Area.	D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37521 H. (Other) CLOSED SYSTEM - STEEL PITS PER OPERATOR REQUEST Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT					
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. DIRECTIONAL HOLE 1 Section: 33 Township: 26N Range: 2E Meridian: IM	D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37521 H. (Other) CLOSED SYSTEM - STEEL PITS PER OPERATOR REQUEST Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT Pit Location Formation: TERRACE					
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit <u>is</u> located in a Hydrologically Sensitive Area. DIRECTIONAL HOLE 1 Section: 33 Township: 26N Range: 2E Meridian: IM County: KAY	D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37521 H. (Other) CLOSED SYSTEM - STEEL PITS PER OPERATOR Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT Pit Location Formation: TERRACE Measured Total Depth: 4475					
Fresh Water Supply Well Drilled: No         Surface Water used to Drill: Yes         PIT 1 INFORMATION         Type of Pit System: CLOSED Closed System Means Steel Pits         Type of Mud System: WATER BASED         Chlorides Max: 5000 Average: 3000         Is depth to top of ground water greater than 10ft below base of pit? Y         Within 1 mile of municipal water well? N         Wellhead Protection Area? N         Pit       is         Is cated in a Hydrologically Sensitive Area.         DIRECTIONAL HOLE 1         Section: 33       Township: 26N         Range: 2E       Meridian: IM         County: KAY         Spot Location of End Point: SW       NE	D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37521 H. (Other) CLOSED SYSTEM - STEEL PITS PER OPERATOR REQUEST Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT Pit Location Formation: TERRACE Measured Total Depth: 4475 True Vertical Depth: 4100					


NOTES:

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category	Description
HYDRAULIC FRACTURING	[2/4/2021 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 716513 (202002032)	[2/8/2021 - GC2] - (IRR UNIT) N2, SE4, & E2 SW4 33 & W2 NW4 34-26N-2E X423430 MSSLM N2 33-26N-2E 1 WELL NO OP. NAMED 1-22-2021
LOCATION EXCEPTION - 716408 (202002033)	[2/8/2021 - GC2] - (I.O.)(IRR UNIT) N2, SE4, & E2 SW4 33 & W2 NW4 34-26N-2E X423430 MSSCT, MSSLM N2 33-26N-2E COMPL. INT. NCT 660' FNL, NCT 660' FWL NO OP. NAMED 1-14-2021
SPACING - 423430	[2/8/2021 - GC2] - (640)(IRR UNIT) N2, SE4, & E2 SW4 33 & W2NW4 34-26N-2E EST MSSCT, MISSLM, OTHERS








THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY AXECO PETROLEUM INC.. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, NORTH ZONE OF THE NORTH AMERICAN DATUM 1927, U.S. SURVEY FEET AND THE NATIONAL GEODETIC VERTICAL DATUM OF 1929.

O:\SURVEY\AEXCO\_PETROLEUM\_INC\OTTO\_3-33\FINAL\_PRODUCTS\LO\_OTTO\_#3-33\_NAD27\_REV2.DWG 2/3/2021 7:29:06 AM kunderwoor

LOYALTY INNOVATION LEGACY 13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134

## VICINITY MAP



LEASE NAME & WELL NO.	OTTO #3-33				
SECTION 32 TWP 26N	RGE_	2E	MERIDIAN	I.M.	
COUNTY KAY		STATE _	OKLAHO	DMA	
DESCRIPTION					
DISTANCE & DIRECTION					
FROM THE JCT OF US HWY 177 AND US HWY 60 ON THE SOUTH					
SIDE OF PONCA CITY, OK, GO WEST ON US HWY 60 FOR 1.8					
MILES, THEN GO NORTH 1.0 MILE TO THE NE CORNER OF					
SECTION 32, T26N, R2E.					

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY AXECO PETROLEUM INC.. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, NORTH ZONE OF THE NORTH AMERICAN DATUM 1927, U.S. SURVEY FEET AND THE NATIONAL GEODETIC VERTICAL DATUM OF 1929.

