PI NUMBER: 049 25289 A izontal Hole Oil & Gas	OIL & GAS OKLAHO	CORPORATION COMMISS CONSERVATION DIVISION P.O. BOX 52000 MA CITY, OK 73152-2000 (Rule 165:10-3-1)		04/24/2019 10/24/2020		
nd reason: AMENDING DISPOSAL METHOD	AME	ND PERMIT TO DRILL				
WELL LOCATION: Sec: 34 Twp: 4N Rge: 4W						
SPOT LOCATION: SW SE SE	SECTION LINES	SOUTH FROM EAST				
		280 1105				
Lease Name: JIMMIE DELL 0404	Well No: 1	1-35MH	Well will be 280 feet from neare	est unit or lease boundary.		
Operator MARATHON OIL COMPANY Name:		Telephone: 4057205508	OTC/OCC Number:	1363 0		
MARATHON OIL COMPANY						
7301 NW EXPRESSWAY STE 225		CARL & P	CARL & KATHRYN DUTTON			
	70400 4500	14408 E.	14408 E. COUNTRY ROAD 1550			
OKLAHOMA CITY, OK	73132-1590	LINDASY	́ ОК 7	3052		
2 3 4 5 Spacing Orders: No Spacing	Location Exception O	8 9 10 rders:	Increased Density Orders:			
Pending CD Numbers: 201807409			Special Orders:			
201807408						
Total Depth: 16621 Ground Elevation: 11	02 Surface C	asing: 1500	Depth to base of Treatable Wate	er-Bearing FM: 270		
Under Federal Jurisdiction: No	Fresh Water S	Supply Well Drilled: No	Surface Water	used to Drill: Yes		
PIT 1 INFORMATION		Approved Method for	disposal of Drilling Fluids:			
Type of Pit System: CLOSED Closed System Means S Type of Mud System: WATER BASED	iteel Pits		D. One time land application (REQUIRES PERMIT) PERMIT NO: 19-364			
Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below ba	se of pit? Y	H. SEE MEMO				
Within 1 mile of municipal water well? N						
Wellhead Protection Area? N						
Wellhead Protection Area? N Pit <b>is</b> located in a Hydrologically Sensitive Area.						
Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: C						
Wellhead Protection Area? N Pit <b>is</b> located in a Hydrologically Sensitive Area.						

 PIT 2 INFORMATION

 Type of Pit System:
 CLOSED Closed System Means Steel Pits

 Type of Mud System:
 OIL BASED

 Chlorides Max: 300000
 Average: 200000

 Is depth to top of ground water greater than 10ft below base of pit?
 Y

 Within 1 mile of municipal water well?
 N

 Wellhead Protection Area?
 N

 Pit
 is
 located in a Hydrologically Sensitive Area.

 Category of Pit:
 C

 Liner not required for Category: C
 C

Pit Location is BED AQUIFER Pit Location Formation: DUNCAN

## HORIZONTAL HOLE 1

Sec	35	Twp	4N	Rge	4W	County	GARVIN
Spot I	_ocatior	n of En	d Poin	t: NI	E NV	V NW	NW
Feet I	From:	NOF	RTH	1/4 Se	ction Lir	ne: 50	)
Feet I	From:	WE	ST	1/4 Se	ction Lir	ne: 37	75
Depth of Deviation: 10832							
Radius of Turn: 462							
Direction: 10							
Total Length: 5064							
Measured Total Depth: 16621							
True Vertical Depth: 12118							
End Point Location from Lease,							
Unit, or Property Line: 50							

Notes:	
Category	Description
DEEP SURFACE CASING	4/19/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	4/19/2019 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
МЕМО	4/19/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 201807408	4/24/2019 - G58 - (I.O.) 35-4N-4W X201807409 MSSP COMPL. INT. NCT 150' FSL, NCT 150' FNL, NCT 330' FWL NO OP. NAMED REC 3/26/2019 (P. PORTER)

049 25289 JIMMIE DELL 0404 1-35MH

PENDING CD - 201807409

Description

4/24/2019 - G58 - (640)(HOR) 35-4N-4W VAC 352690 CNEY VAC OTHER VAC 346706 SCMR, OTHERS VAC 348297 SCMR, OTHERS EXT 677569 MSSP, OTHERS POE TO BHL NCT 660' FB (COEXIST SP ORDER 341273 SCMR; SP ORDER 348705 SCMR) REC 3/26/2019 (P.PORTER)