API NUMBER: 049 25290 A

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	04/30/2019
Expiration Date:	10/30/2020

Horizontal Hole Oil & Gas

Amend reason: AMENDING DISPOSAL METHOD

AMEND PERMIT TO DRILL

	<u></u>		<u>. </u>		
WELL LOCATION: Sec: 34 Twp: 4N Rge: 4W	County: GAR\	/IN			
SPOT LOCATION: SW SW SE SE	FEET FROM QUARTER: FROM	SOUTH FROM	EAST		
	SECTION LINES:	280	1080		
Lease Name: HOLLYLUJAH 0404	Well No:	1-35WH	,	Well will be 280 feet from neares	t unit or lease boundary.
Operator MARATHON OIL COMPANY Name:		Telephone: 4	057205508	OTC/OCC Number:	1363 0
MARATHON OIL COMPANY			CARL & KA	THRYN DUTTON	
7301 NW EXPRESSWAY STE 225					
OKLAHOMA CITY, OK	73132-1590		14408 E. COUNTRY ROAD 1550		
			LINDASY	OK 73	3052
Formation(s) (Permit Valid for Listed Formation Name	Depth		Name	Depth	
1 WOODFORD	12100		5		
2 3			3		
4			9		
5			10		
Spacing Orders: No Spacing	Location Exception			Increased Density Orders:	
Pending CD Numbers: 201807409				Special Orders:	
Total Depth: 16851 Ground Elevation: 11	Surface (Casing: 1500		Depth to base of Treatable Water-	Bearing FM: 270
Under Federal Jurisdiction: No	Fresh Water	Supply Well Drilled	l: No	Surface Water us	sed to Drill: Yes
PIT 1 INFORMATION		А	oproved Method for disp	oosal of Drilling Fluids:	
Type of Pit System: CLOSED Closed System Means S	teel Pits	,	·	-	
Type of Mud System: WATER BASED		ſ). One time land applica	ation (REQUIRES PERMIT)	PERMIT NO: 19-36485
Chlorides Max: 5000 Average: 3000			H. SEE MEMO	(113. 13 30400
Is depth to top of ground water greater than 10ft below ba	se of pit? Y	_			
Within 1 mile of municipal water well? N	1				
Wellhead Protection Area? N					
Pit is located in a Hydrologically Sensitive Area.					
Category of Pit: C					
Liner not required for Category: C					
Pit Location is BED AQUIFER					
Did of E of BUNDAN					

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: DUNCAN

HORIZONTAL HOLE 1

Sec 35 Twp 4N Rge 4W County GARVIN Spot Location of End Point: N2 N2 NW NW

Feet From: NORTH 1/4 Section Line: 50
Feet From: WEST 1/4 Section Line: 660

Depth of Deviation: 11060 Radius of Turn: 462

Direction: 15

Total Length: 5066

Measured Total Depth: 16851

True Vertical Depth: 12348

End Point Location from Lease,
Unit, or Property Line: 50

Notes:

MEMO

Category Description

DEEP SURFACE CASING 4/19/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 4/19/2019 - GB6 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

4/19/2019 - GB6 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR OPTION, PIT 2 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DEQ REGULATED COMMERCIAL

PIT, R360 OKLAHOMA, INC. #587498, 31-T12N-R8W, CANADIAN CO

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Description Category

4/30/2019 - G58 - (640)(HOR) 35-4N-4W VAC OTHERS PENDING CD - 201807409

VAC 341273 WDFD VAC 346706 WDFD, OTHERS VAC 348297 WDFD, OTHERS VAC 348705 WDFD

EXT 677569 WDFD, OTHERS COMPL. INT. NLT 165' FNL & FSL, NLT 330' FEL & FWL

REC 3/26/2019 (P. PORTER)