

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

API NUMBER: 093 25219

Approval Date: 04/16/2019

Expiration Date: 10/16/2020

Horizontal Hole Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Sec: 12 Twp: 21N Rge: 9W

County: MAJOR

SPOT LOCATION: ☐ SW ☐ SW ☐ SE ☐ SW

FEET FROM QUARTER: FROM SOUTH FROM WEST

SECTION LINES: 215 1500

Lease Name: HOT SAW 21N-9W

Well No: 12-1H

Well will be 215 feet from nearest unit or lease boundary.

Operator Name: INTERSTATE EXPLORATIONS LLC

Telephone: 8178503600

OTC/OCC Number: 24089 0

INTERSTATE EXPLORATIONS LLC
PO BOX 984
CISCO , TX 76437-0984

RODNEY & KIMBERLY STOTTS
PO BOX 197
MENO OK 73760

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MISSISSIPPIAN	7050	6	
2	WOODFORD	7657	7	
3			8	
4			9	
5			10	

Spacing Orders: 669084

Location Exception Orders: 675283

Increased Density Orders:

Pending CD Numbers:

Special Orders:

Total Depth: 12600

Ground Elevation: 1271

Surface Casing: 490

Depth to base of Treatable Water-Bearing FM: 440

Under Federal Jurisdiction: No

Fresh Water Supply Well Drilled: No

Surface Water used to Drill: Yes

PIT 1 INFORMATION

Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? Y

Wellhead Protection Area? Y

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is AP/TE DEPOSIT

Pit Location Formation: TERRACE

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 19-36467

H. CLOSED SYSTEM=STEEL PITS (REQUIRED - ORDER 287231)

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

HORIZONTAL HOLE 1

Sec 13 Twp 21N Rge 9W County MAJOR

Spot Location of End Point: S2 S2 SW SW

Feet From: SOUTH 1/4 Section Line: 200

Feet From: WEST 1/4 Section Line: 660

Depth of Deviation: 6850

Radius of Turn: 561

Direction: 185

Total Length: 4868

Measured Total Depth: 12600

True Vertical Depth: 7657

End Point Location from Lease,
Unit, or Property Line: 200

Notes:

Category

Description

HYDRAULIC FRACTURING

4/9/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

LOCATION EXCEPTION - 675283

4/10/2019 - G56 - (I.O.) 13-21-9W
X669084 MSSP, WDFD
COMPL INT NCT 165' FNL, NCT 165' FSL, NCT 330' FWL
NO OP NAMED
3/27/2018

PUBLIC WATER SUPPLY WELL

4/9/2019 - G71 - ENID - 1 PWS/WPA, NE/4 14-21N-9W & 1 PWS/WPA, SE/4 11-21N-9W

SPACING - 669084

4/10/2019 - G56 - (640)(HOR) 13-21N-9W
EST MSSP, WDFD
POE TO BHL (MSSP) NLT 660' FB
POE TO BHL (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL
(COEXIST WITH SP # 123489 MNNG LIME, MSSP***)

*** S/B MNNG, MSSLM, WILL BE CORRECTED VIA NUNC PRO TUNC PER ATTORNEY FOR OPERATOR

