API NUMBER: 017 25961

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 05/19/2023

Expiration Date: 11/19/2024

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Section: 17 Township: 14N Range: 9W County	r: CANADIAN
SPOT LOCATION: SE NW NW NE FEET FROM QUARTER: FROM NORT	H FROM EAST
SECTION LINES: 405	2292
Lease Name: RHINO 8_5-14N-9W Well No: 4HX	Well will be 405 feet from nearest unit or lease boundary.
Operator Name: DEVON ENERGY PRODUCTION CO LP Telephone: 40523	53611; 4052353611; OTC/OCC Number: 20751 0
DEVON ENERGY PRODUCTION CO LP	NOA, LLC
333 W SHERIDAN AVE	PO BOX 21625
OKLAHOMA CITY, OK 73102-5015	OKLAHOMA CITY OK 73156
Formation(s) (Permit Valid for Listed Formations Only):	
Name Code Depth	
1 MISSISSIPPIAN (LESS CHESTER) 359MSNLC 10326	
Spacing Orders: 731231 Location Exception Orders	ders: 731786 Increased Density Orders: 731231
731232	ders: 731786 Increased Density Orders: 731231 731232
731779	
Pending CD Numbers: No Pending Working interest ov	vners' notified: DNA Special Orders: No Special
Total Depth: 21655 Ground Elevation: 1430 Surface Casing	g: 640 Depth to base of Treatable Water-Bearing FM: 390
Under Federal Jurisdiction: No	Approved Method for disposal of Drilling Fluids:
Fresh Water Supply Well Drilled: No	D. One time land application (REQUIRES PERMIT) PERMIT NO: 23-38949
Surface Water used to Drill: Yes	H. (Other) see memo
PIT 1 INFORMATION	Category of Pit: C
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C
Type of Mud System: WATER BASED	Pit Location is: AP/TE DEPOSIT
Chlorides Max: 5000 Average: 3000	Pit Location Formation: terrace
Is depth to top of ground water greater than 10ft below base of pit? Y	
Within 1 mile of municipal water well? Y	
Wellhead Protection Area? Y	
Pit <u>is</u> located in a Hydrologically Sensitive Area.	
PIT 2 INFORMATION	Category of Pit: C
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C
Type of Mud System: OIL BASED	Pit Location is: AP/TE DEPOSIT
Chlorides Max: 300000 Average: 200000	Pit Location Formation: terrace
lo donth to top of ground water greater than 40ft halous have of nit?	
Is depth to top of ground water greater than 10ft below base of pit? Y	
Within 1 mile of municipal water well? Y	

MULTI UNIT HOLE 1

Section: 5 Township: 14N Range: 9W Meridian: IM Total Length: 10400

County: CANADIAN Measured Total Depth: 21655

Spot Location of End Point: NW NE NE NW True Vertical Depth: 10982

Feet From: NORTH 1/4 Section Line: 50 End Point Location from
Feet From: WEST 1/4 Section Line: 2264 Lease,Unit, or Property Line: 50

NOTES:

Category	Description
HYDRAULIC FRACTURING	[5/18/2023 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 731231	[5/19/2023 - G56] - (I.O.) 5-14N-9W X663424 MSNLC 3 WELLS DEVON ENERGY PROD CO, LP 1/9/2023
INCREASED DENSITY - 731232	[5/19/2023 - G56] - 8-14N-9W X663022 MSNLC 3 WELLS DEVON ENERGY PROD CO, LP 1/9/2023
INTERMEDIATE CASING	[5/18/2023 - GC2] - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER- PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES
LOCATION EXCEPTION - 731786	[5/19/2023 - G56] - (I.O.) 5 & 8-14N-9W X663424 MSNLC 5-14N-9W X663022 MSNLC 8-14N-9W X165:10-3-28(C)(2)(B) MSNLC MAY BE CLOSER THAN 600' TO TECH TRUST 1-8 (017-23730) COMPL INT (5-14N-9W) NCT 0' FSL, NCT 165' FNL, NCT 1650' FWL COMPL INT (8-14N-9W) NCT 165' FSL, NCT 0' FNL, NCT 1650' FWL DEVON ENERGY PROD CO, LP 1/30/2023
МЕМО	[5/18/2023 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PUBLIC WATER SUPPLY	[5/18/2023 - GC2] - OKARCHE - 2 WELLS N2 17-14N-9W AND OKARCHE RWD, INC - 2 WELLS SW4 8-14N-9W
SPACING - 663022	[5/19/2023 - G56] - (640)(HOR) 8-14N-9W VAC 641050 MSSP EXT 641963 MSNLC COMPL INT NCT 660' FB (COEXIST WITH SP # 197963 MSSSD)
SPACING - 663424	[5/19/2023 - G56] - (640)(HOR) 5-14N-9W VAC 641050 MSSP EXT 641963 MSNLC COMPL INT NCT 660' FB (COEXIST WITH SP # 185925 MSSSD)
SPACING - 731779	[5/19/2023 - G56] - (I.O.) 5 & 8-14N-9W EST MULTIUNIT HORIZONTAL WELL X663424 MSNLC 5-14N-9W X663022 MSNLC 8-14N-9W 50% 5-14N-9W 50% 8-14N-9W DEVON ENERGY PROD CO, LP 1/30/2023
SURFACE CASING	[5/18/2023 - GC2] - NO DEEP SURFACE CASING DUE TO BEING INSIDE PUBLIC WATER SUPPLY WELLS