

API NUMBER: 017 25918

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

Approval Date: 02/08/2023
Expiration Date: 08/08/2024

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Section: 32 Township: 14N Range: 7W County: CANADIAN

SPOT LOCATION: ☐ NW ☐ SW ☐ SE ☐ SE FEET FROM QUARTER: FROM SOUTH FROM EAST
SECTION LINES: 378 1319

Lease Name: KUNNEMAN 1407 Well No: 2H-29X Well will be 378 feet from nearest unit or lease boundary.
Operator Name: OVINTIV USA INC Telephone: 2812105100 OTC/OCC Number: 21713 0

OVINTIV USA INC

THE WOODLANDS, TX 77380-3197

RONALD J BAUSTERT AND BRENDA J. BAUSTERT

P.O. BOX 244

OKARCHE OK 73762

Formation(s) (Permit Valid for Listed Formations Only):

Name	Code	Depth
1 MISSISSIPPIAN	359MSSP	9127

Spacing Orders: 640025

Location Exception Orders: No Exceptions

Increased Density Orders: No Density

Pending CD Numbers: 202300093
202300092
202300098

Working interest owners' notified: ***

Special Orders: No Special

Total Depth: 20073

Ground Elevation: 1265

Surface Casing: 1500

Depth to base of Treatable Water-Bearing FM: 260

Deep surface casing has been approved

Under Federal Jurisdiction: No
Fresh Water Supply Well Drilled: No
Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT)		PERMIT NO: 23-38855
E. Haul to Commercial pit facility	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498	
H. (Other)	SEE MEMO	

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: NON HSA

Pit Location Formation: CHICKASHA

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: NON HSA

Pit Location Formation: CHICKASHA

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1

Section: 29	Township: 14N	Range: 7W	Meridian: IM	Total Length: 10243
County: CANADIAN				Measured Total Depth: 20073
Spot Location of End Point: NW	NW	NE	NW	True Vertical Depth: 10000
Feet From: NORTH	1/4 Section Line: 85			End Point Location from
Feet From: WEST	1/4 Section Line: 1550			Lease, Unit, or Property Line: 85

NOTES:

Category	Description
DEEP SURFACE CASING	[2/1/2023 - GC2] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[2/1/2023 - GC2] - OCC 165:10-3-10 REQUIRES: 1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN; 2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS ; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
MEMO	[2/1/2023 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING - CD2023-000092	[2/3/2023 - GB7] - (I.O.) 29 & 32-14N-7W EST MULTIUNIT HORIZONTAL WELL X640025 MSSP, OTHERS 29 & 32-14N-7W 50% 29-14N-7W 50% 32-14N-7W OVINTIV USA INC REC 02/07/2023 (PORTER)
PENDING - CD2023-000093	[2/3/2023 - GB7] - (I.O.) 29 & 32-14N-7W X640025 MSSP, OTHERS 29 & 32-14N-7W COMPL. INT. (32-14N-7W) NCT 0' FNL, NCT 165' FSL, NCT 1320' FWL COMPL. INT. (29-14N-7W) NCT 165' FNL, NCT 0' FSL, NCT 1320' FWL OVINTIV USA INC REC 02/07/2023 (PORTER)
PENDING - CD2023-000098	[2/3/2023 - GB7] - (I.O.) 29 & 32-14N-7W X165:10-3-28(C)(2)(B) MSSP MAY BE CLOSER THAN 600' TO EKUNNEMAN 1H-29X (API# 017-24782), SCHIEBER 29-2 (API# 017-21326), KUNNEMAN 2-32 (API# 017-21306) OVINTIV USA INC REC 02/07/2023 (PORTER)
SPACING - 640025	[2/3/2023 - GB7] - (640)(HOR) 32 & 29-14N-7W VAC 69937 MSCST 29-14N-7W VAC 130883 MISS N2 & SE4 29-14N-7W VAC OTHER VAC 146183 MCSMN, OTHER N2 & SE4 29-14N-7W VAC 146187 MCSMN, OTHER N2 7 SE4 32-14N-7W EXT 631989 MSSP, OTHERS COMPL INT NCT 660' FB (COEXIST EXISTING NON-HORIZONTAL SPACING 146183 & 146187)

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

017 25918 KUNNEMAN 1407 2H-29X