PI NUMBER:	017	25444 Oil & Gas		OIL & GA	S CONSERV P.O. BOX 5	0K 73152-2000		Approval Date: Expiration Date:	04/16/2019 10/16/2020	
					PERMIT TO	DRILL				
WELL LOCATION	Sec:	20 Twp: 14N	Rge: 6W	County: CAN	ADIAN					
SPOT LOCATION	NE	SW SE	SW FEET FRO	M QUARTER: FROM	SOUTH FROM	WEST				
			SECTION	LINES:	365	1885				
Lease Name:	SLASH	IC		Well No:	1406 2H-17X		Well will be	e 365 feet from neares	t unit or lease boundary.	
Operator Name:	NE	WFIELD EXPLORATI	ON MID-CON INC		Telephone:	2812105100; 91887	81	OTC/OCC Number:	20944 0	
		PLORATION MI				ANNA BI		EMANN		
4 WATEF	RWAY	SQUARE PL S	TE 100			11721 N				
THE WO	ODLA	NDS,	TX 77380	-2764						
						YUKON		OK 73	0099	
2 3 4 5 Spacing Orders:	WOOD 6188			8548 Location Exception	n Orders: 69211	7 8 9 10		Increased Density Orders:		
	6921	09			69212	2				
Pending CD Num	bers:		_				:	Special Orders:		
Total Depth: 1	9243	Ground El	evation: 1268	Surface	Casing: 150	0	Dept	h to base of Treatable Water-	Bearing FM: 290	
Under Federal	Jurisdie	ction: No		Fresh Wate	r Supply Well Drill	ed: No		Surface Water us	ed to Drill: No	
PIT 1 INFORMA	TION					Approved Method for	disposal of Drill	ling Fluids:		
Type of Pit Syste	em: Cl	LOSED Closed Syste	em Means Steel Pits							
Type of Mud Sys						D. One time land ap	plication (REC	QUIRES PERMIT)	PERMIT NO: 19-3612	
Chlorides Max: 5	000 A	verage: 3000				E. Haul to Commerce	cial pit facility: Se	ec. 31 Twn. 12N Rng. 8W Cn	ty. 17 Order No: 587498	
Is depth to top of	ground	water greater than 10	Oft below base of pit?	Y		H. SEE MEMO				
Within 1 mile of r	nunicip	al water well? N								
Wellhead Protec	tion Are	a? N								
Pit is loca	ated in a	a Hydrologically Sensit	live Area.							
Category of Pit:	С									
Liner not requir	ed for	Category: C								
Pit Location is	BED A	QUIFER								
	nation:	DUNCAN								

 PIT 2 INFORMATION

 Type of Pit System:
 CLOSED Closed System Means Steel Pits

 Type of Mud System:
 OIL BASED

 Chlorides Max: 300000
 Average: 200000

 Is depth to top of ground water greater than 10ft below base of pit?
 Y

 Within 1 mile of municipal water well?
 N

 Wellhead Protection Area?
 N

 Pit
 is located in a Hydrologically Sensitive Area.

 Category of Pit:
 C

 Liner not required for Category: C
 C

 Pit Location is
 BED AQUIFER

 Pit Location Formation:
 DUNCAN

HORIZONTAL HOLE 1

Sec	17	Twp	14N	Rge	6W	Cou	nty	CANADIAN
Spot	Locatior	n of En	d Poir	it: NE	E NE	N	W	NW
Feet	From:	NOF	RTH	1/4 Se	ction Lir	ne:	85	5
Feet	From:	WE	ST	1/4 Se	ction Lir	ne:	10)77
Depth of Deviation: 8064								
Radius of Turn: 546								
Direc	tion: 3	55						
Total Length: 10322								
Measured Total Depth: 19243								
True	Vertical	Depth	: 854	8				
End Point Location from Lease,								
	Unit, or	Proper	ty Line	e: 85				
Note	es:							
Cate								accriction

Notes.	
Category	Description
DEEP SURFACE CASING	4/5/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	4/5/2019 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
LOCATION EXCEPTION - 692110	4/15/2019 - G58 - (I.O.) 17 & 20-14N-6W X618894 MSSP, WDFD COMPL. INT. 20-14N-6W NCT 165' FSL, NCT 0' FNL, NCT 660' FWL COMPL. INT. 17-14N-6W NCT 0' FSL, NCT 165' FNL, NCT 660' FWL NEWFIELD EXPLORATION MID-CONTINENT INC. 2/27/2019
LOCATION EXCEPTION - 692122	4/15/2019 - G58 - (I.O.) 17 & 20-14N-6W X165:10-3-28(C)(2)(B) MSSP, WDFD (SLASH C 1406 2H-17X) MAY BE CLOSER THAN 600' TO EXISTING/PROPOSED WELL 2/27/2019

017 25444 SLASH C 1406 2H-17X

Category	Description
MEMO	4/5/2019 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST, WBM/CUTTINGS & OBM CUTTINGS CAPTURED IN STEEL HALF PITS, WBM CUTTINGS WILL BE SOIL FARMED, WBM/OBM CUTTINGS TRANSFERRED TO R360 587498 (31-12N-8W), CANADIAN CO; PIT 3 - OBM TO VENDOR
SPACING - 618894	4/15/2019 - G58 - (640)(HOR) 17 & 20-14N-6W VAC 121298 MISS, OTHER (SW4 SEC 20) VAC 127809 OTHER (SEC 17) VAC 127809 MISS (NW4 & S2 SEC 17) VAC 121298/186831 MISS, OTHER (W2, E2 NE4 & E2 SE4 SEC 20) EXT 608194 MSSP, WDFD, OTHER POE TO BHL (MSSP) NLT 660' FB POE TO BHL (WDFD) NLT 165 FNL/FSL, NLT 330 FEL/FWL (COEXIST WITH SP. 127809 MISS SE4 NE4 SEC 17; SP. 121298/186831 MISS SW4 SE4 SEC 20; SP. 121298/186831 MISS SW4 NE4 SEC 20)
SPACING - 692109	4/15/2019 - G58 - (I.O.) 17 & 20-14N-6W EST MULTIUNIT HORIZONTAL WELL X618894 MSSP, WDFD (WDFD IS ADJACENT CSS TO MSSP) 50% 17-14N-6W 50% 20-14N-6W NEWFIELD EXPLORATION MID-CONTINENT INC. 2/27/2019

017-25444

PERMIT PLAT

