API NUMBER: 139 24634

Oil & Gas

Straight Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 10/10/2019
Expiration Date: 04/10/2021

PERMIT TO DRILL

VELL LOCATION: Sec: 27 Twp: 1N Rge: 19 SPOT LOCATION: S2 N2 NW SW		SOUTH FROM WEST		
Lease Name: SNITKER	2	2186 660	Well will be 660 feet from nearest unit or lease boundary.	
Operator FOUNDATION ENERGY MANAGEM Name:	MENT LLC	Telephone: 3032448114	OTC/OCC Number: 22137 0	
FOUNDATION ENERGY MANAGEMEN 5057 KELLER SPRINGS RD STE 650 ADDISON, TX	IT LLC 75001-6583	COOK, DIA RT 1 BOX 2 HARDESTY		
Formation(s) (Permit Valid for Listed For	mations Only): Depth	Name	Depth	
1 TORONTO	4837	6		
2 LANSING 3 MARMATON	4889 5947	7 8		
4	3341	9		
5		10		
pacing Orders: 702790	Location Exception O	orders:	Increased Density Orders:	
ending CD Numbers: 201904561 201904583			Special Orders:	
Total Depth: 6100 Ground Elevation: 29	05 Surface C	asing: 1500	Depth to base of Treatable Water-Bearing FM: 690	
		Deep surface casing	has been approved	
Under Federal Jurisdiction: No	Fresh Water S	Supply Well Drilled: Yes	Surface Water used to Drill: No	
PIT 1 INFORMATION		Approved Method for disposal of Drilling Fluids:		
Type of Pit System: ON SITE		A. Evaporation/dewater and backfilling of reserve pit.		
Type of Mud System: WATER BASED				
Chlorides Max: 50000 Average: 5000 s depth to top of ground water greater than 10ft below ba	se of pit? Y	H. MIN. SOIL COMPAG	CTED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOIL PIT LINE	

Notes:

Within 1 mile of municipal water well? N

is located in a Hydrologically Sensitive Area.

Wellhead Protection Area?

Category of Pit: 1B

Liner required for Category: 1B

Pit Location is BED AQUIFER

Pit Location Formation: OGALLALA

Category Description 6/12/2019 - G71 - APPROVED: NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF **DEEP SURFACE CASING** CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING HYDRAULIC FRACTURING 6/10/2019 - G71 - OCC 165:10-3-10 REQUIRES: 1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE; 2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACEOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG 10/9/2019 - GB6 - (I.O.) 27-1N-19ECM PENDING CD - 201904561 X702790 TRNT, LNSG, MRMN NCT 1980' FSL, NCT 660' FWL NO OP. NAMED REC. 09/30/2019 (JOHNSON) PENDING CD - 201904583 10/9/2019 - GB6 - (I.O.) 27-1N-19ECM X702790 MRMN

X702790 MRMN

4 WELLS

NO OP. NAMED

REC. 09/30/2019 (JOHNSON)

SPACING - 702790

8/26/2019 - GB6 - (640) 27-1N-19ECM

EXT 625998 TRNT, LNSG, OTHER

EXT 608084 MRMN

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA

13800 Wireless Way, Okla. City, OK. 73134 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219

Certificate of Authorization No. 1293 LS

TEXAS County, Oklahoma 2186' FSL - 660' FWL Section 27 __ Range __19E_E.C.M. 1N _ Township X 1119084 Y 570292 X 1121723 Y 570212 X 1116445 Y 570372 EXISTING WELL EXISTING WELL X 1116363 Y 567728 1121645 Y 567563 459' GRID 1982' -660' NAD-27 OK NORTH US FEET Scale: 1" = 1000' 1000 2186 X 1118923 X 1121566 Y 564914 1116280 THE INFORMATION SHOWN HEREIN IS FOR CONSTRUCTION PURPOSES ONLY FOUNDATION ENERGY MANAGEMENT Operator: **ELEVATION:** SNITKER 2905' Gr. at Stake Lease Name:_ Well No .: _ Topography & Vegetation Location fell in level to sloping grass pasture. Reference Stakes or Alternate Location Good Drill Site? _ Stakes Set None From West off county road. Best Accessibility to Location ___ Distance & Direction from Hwy Jct or Town From Hardesty, Oklahoma, go East ±10.0 miles, then South ±7.0 miles to the Southwest Corner of Section 27-T1N-R19ECM. Revision X A July 23, 2019 Date of Drawing: _ DATUM: NAD-27 Project # 126622 Date Staked: July 22, 2019 36'31'14.8"N LONG: 101'00'19.3"W **CERTIFICATE:** 36.520765503°N SURVE Thomas L. Howell __an Oklahoma Licensed Land LONG: 101.005372877'W Surveyor and an authorized agent of Topographic Land STATE PLANE Surveyors of Oklahoma, do hereby certify to the COORDINATES: (US Feet) information shown herein. ZONE: OK NORTH X: 1117008 OKLAHOMA Z AHOM 567248

Oklahoma Reg. No.

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA

13800 Wireless Way, Okla, City, OK, 73134 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219

Certificate of Authorization No. 1293 LS County, Oklahoma 19E F.C.M 2186' FSL -660' FWL 1N Section Township. Range 111**6445** 570372 1121723 570212 EXISTING WELL EXISTING WELL 1121645 GRID NAD-27OK NORTH US FEET Scale: 1" = 1000' 1000' 111**8923** 564999 1121566 564914 X 1116280 Y 565085 THE INFORMATION SHOWN HEREIN IS FOR CONSTRUCTION PURPOSES ONLY FOUNDATION ENERGY MANAGEMENT Operator: _ **ELEVATION:** 2905' Gr. at Stake SNITKER Lease Name: _ Well No .: _ Topography & Vegetation _ Location fell in level to sloping grass pasture. Reference Stakes or Alternate Location Good Drill Site? _____ Stakes Set None From West off county road. Best Accessibility to Location ___ Distance & Direction from Hwy Jct or Town From Hardesty, Oklahoma, go East ±10.0 miles, then South ±7.0 miles to the Southwest Corner of Section 27-T1N-R19ECM.

DATUM: NAD-27 LAT: ____36'31'14.8"N LONG: 101°00'19.3"W LAT: <u>36.520765503°N</u> LONG: 101.005372877°W

STATE PLANE COORDINATES: (US Feet)

ZONE: OK NORTH 1117008 567248

Revision X A

Date of Drawing: _ Project # 126622 Date Staked: _

July 23, 2019 July 22, 2019

CERTIFICATE:

1, Thomas L. Howell an Oklahoma Licensed Land Surveyor and an authorized agent of Topographic Land Surveyors of Oklahoma, do hereby certify to the information shown herein.


Oklahoma Reg. No. 1433



TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA

Surveying and Mapping for the Energy Industry 13800 Wireless Way Oklahoma City, OK 73134 www.topographic.com Telephone Numbers: Local (405) 843-4847 Toll Free (800) 654-3219

LOCATION & ELEVATION VERIFICATION MAP



Sec. 27 Twp. 1N Rng. 19 E.C.M.

County TEXAS State OK

Operator FOUNDATION ENERGY MANAGEMENT

Description 2186' FSL - 660' FWL

Lease SNITKER #2

Elevation 2905' Gr. at Stake

Above Background Data from U.S.G.S. Topographic Map Scale: 1"=2000'

Contour Interval 10'

When elevation is shown hereon it is the ground elevation of the location stake. Review this plat and inform us immediately of any possible discrepancy.




LAND SURVEYORS OF OKLAHOMA
July 22, 2019

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA

Surveying and Mapping for the Energy Industry
13800 Wireless Way Oklahoma City, OK 73134 www.topographic.com
Telephone Numbers: Local (405) 843-4847 Toll Free (800) 654-3219

VICINITY MAP



Scale: 1'' = 3 Miles

Sec2	7 Twp	1N Rng.	19E E.C.M.
County	TEXAS	State_	OK
Operator_	FOUNDATION	ENERGY MA	NAGEMENT

