PERMIT TO DRILL WELL LOCATION: Section: OF Township: Range: SE County: ROGERS SDT LOCATION: WW SE NE Terrmon Quarters: month month Exast SDT LOCATION: WW SE NE Terrmon Quarters: month month Exast SDT LOCATION: WW SE NE Terrmon Quarters: month month Exast Constructions: QUARDAWDER NERROY LLC Telephone: 9183716514 OTC/OCC Number: 24722 0 GUNPOWDER ENERGY LLC Telephone: 9183716514 OTC/OCC Number: 24722 0 GUNPOWDER ENERGY LLC H1440 S 4080 RD OLOGAH OK 74053 0 </th <th>API NUMBER: Straight Hole</th> <th>131 25453 Oil & Gas</th> <th></th> <th>DIL & GAS CONSE P.O. BC OKLAHOMA CIT</th> <th>RATION COMMISSION RVATION DIVISION X 52000 Y, OK 73152-2000 5:10-3-1)</th> <th>Approval Date: 06/20/2022 Expiration Date: 12/20/2023</th>	API NUMBER: Straight Hole	131 25453 Oil & Gas		DIL & GAS CONSE P.O. BC OKLAHOMA CIT	RATION COMMISSION RVATION DIVISION X 52000 Y, OK 73152-2000 5:10-3-1)	Approval Date: 06/20/2022 Expiration Date: 12/20/2023
SPOT LOCATION: NW E NE PEET PROM QUARTER PROM NORTH PROM EAST sectox.Lxes 2260 385 Lease Name: GUNPOWDER Well No: 2 Well will be 385 feet from nearest unit or lease boundary. Operator Name: GUNPOWDER ENERGY LLC Telephone: 9183716514 OTC/OCC Number: 24722 0 GUNPOWDER ENERGY LLC 14440 S 4080 RD OK 74053 Formation(s) OK 74053 Formation(s) (Permit Valid for Listed Formations Only): Image: Code Depth 1 BURGESS 4048RGS 1100 Spacing Orders: No Spacing Location Exception Orders: No Exceptions Increased Density Orders: No Density Pending CD Numbers: No Pending Working interest owners' notified: *** Special Orders: No Special Total Depth: 1220 Ground Elevation:: 687 Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Under Federal Jurisdiction: No Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 PT1 INFORMATION <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>						
SETTION LINE 2260 385 Lease Name: GUNPOWDER Well No: 2 Well will be 385 feet from nearest unit or lease boundary. Operator Name: GUNPOWDER ENERGY LLC Telephone: 9183716514 OTC/OCC Number: 24722 0 GUNPOWDER ENERGY LLC Telephone: 9183716514 OTC/OCC Number: 24722 0 GUNPOWDER ENERGY LLC 14440 S 4080 RD OOLAGAH, OK 74053 0 OOLAGAH, OK 74053 OCLOGAH OK 74053 Formation(s) (Permit Valid for Listed Formations Only): Increased Density Orders: No Density Spacing Orders: No Spacing Location Exception Orders: No Exceptions Increased Density Orders: No Density Pending CD Numbers: No Pending Working interest owners' notified: *** Special Orders: No Special Total Depth: 1200 Ground Elevation: 687 Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Under Federal Jurisdiction: No Surface Water used to Drill: No Special Orders: 10 2				ge: 15E County: R	OGERS	
Lesse Name: GUNPOWDER Well No: 2 Well will be 385 feet from nearest unit or lease boundary. Operator Name: GUNPOWDER ENERGY LLC Telephone: 9183716514 OTC/OCC Number: 24722 0 GUNPOWDER ENERGY LLC 14440 S 4080 RD OK 74053 BYRON DYKES 14400 SOUTH 4080 ROAD OLOGAH OK 74053 Formation(s) (Permit Valid for Listed Formations Only): Image: Code Depth Depth Increased Density Orders: No Density Spacing Orders: No Spacing Location Exception Orders: No Exceptions Increased Density Orders: No Special Pending CD Numbers: No Pending Location Exception Orders: No Exceptions Increased Density Orders: No Special Total Depth: 1200 Ground Elevation: 687 Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Under Federal Jurisdiction: No Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 PT 1 INFORMATION Category of Ph: 2 Liner not required for Category: 2 Liner not required for Category: 2	SPOT LOCATION:	NW SE SE	NE FEET FROM QUAR	TER: FROM NORTH	FROM EAST	
Operator Name: GUNPOWDER ENERGY LLC Telephone: 9183716514 OTC/OCC Number: 24722 0 GUNPOWDER ENERGY LLC 14440 S 4080 RD OCAGAH, OK 74053 BYRON DYKES 14400 SOUTH 4080 ROAD OOLAGAH, OK 74053 DK 74053 DLOGAH OK 74053 Formation(s) (Permit Valid for Listed Formations Only): Mame Code Depth 1 BURGESS 404BRGS 1100 Spacing Orders: No Spacing Location Exception Orders: No Exceptions Increased Density Orders: No Density Pending CD Numbers: No Pending Working interest owners' notified: *** Special Orders: No Special Total Depth: 120 Ground Elevation: 687 Surface Casing: 180 Depth to base of Treetable Water-Bearing FM: 50 Under Federal Jurisdiction: No Reproved Method for disposal of Drilling Fluids: A. Evaporation/dewater and backfilling of reserve pit. Per 1 INFORMATION Category of Pit: 2 Type of Pit System: ON SITE Liner not required for Category: 2			SECTION LI	NES: 2260	385	
GUNPOWDER ENERGY LLC 14440 S 4080 RD OOLAGAH, OK 74053 Formation(s) (Permit Valid for Listed Formations Only): Mame Code Depth 1 BURGESS 404BRGS 1100 Spacing Orders: No Spacing Location Exception Orders: No Exceptions Increased Density Orders: No Density Pending CD Numbers: No Pending Location Exception Orders: No Exceptions Increased Density Orders: No Special Under Federal Jurisdiction: No Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Under Federal Jurisdiction: No Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Ptresh Water Supply Well Drillei: No Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Ptresh Water Supply Well Drillei: No Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Ptresh Water Supply Well Drillei: No Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Ptresh Water Supply Well Drillei: No Surface Casing: 180 Depth to base of Treatable Water-Bearing FM	Lease Name:	GUNPOWDER		Well No: 2	Well will be	385 feet from nearest unit or lease boundary.
14440 S 4080 RD OK 74053 14400 SOUTH 4080 ROAD OOLAGAH, OK 74053 OLOGAH OK 74053 Formation(s) (Permit Valid for Listed Formations Only): Mame Code Depth 1 BURGESS 404BRGS 1100 Spacing Orders: No Spacing Location Exception Orders: No Exceptions Mame Code Depth Special Orders: No Special Spacing Orders: No Pending Location Exception Orders: No Exceptions Increased Density Orders: No Special Pending CD Numbers: No Pending Working interest owners' notified: *** Special Orders: No Special Total Depth: 1200 Ground Elevation: 687 Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Under Federal Jurisdiction: No Special Order is No Special Order is No Special Order is No Surface Water used to Drill: No No Depth to base of Treatable Water-Bearing FM: 50 PT 1 INFORMATION Category of Pit: 2 Liner not required for Category: 2 Liner not required for Category: 2	Operator Name:	GUNPOWDER ENERGY	LLC	Telephone: 918371651	4	OTC/OCC Number: 24722 0
OOLAGAH, OK 74053 Formation (s) (Permit Valid for Listed Formations Only): Name Code 1 BURGESS 404BRGS 1100 Spacing Orders: No Spacing Location Exception Orders: No Exceptions Increased Density Orders: No Density Pending CD Numbers: No Pending Total Depth: 1200 Ground Elevation: 687 Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Under Federal Jurisdiction: No Surface Water used to Drill: No Surface Water used to Drill: No PT 1 INFORMATION Category of PII: 2 Type of PIt System: ON SITE Liner not required for Category: 2	GUNPOWDE	ER ENERGY LLC			BYRON DYKES	
Formation(s) (Permit Valid for Listed Formations Only): Name Code Depth 1 BURGESS 404BRGS 1100 Spacing Orders: No Spacing Location Exception Orders: No Exceptions Pending CD Numbers: No Pending Location Exception Orders: No Exceptions Increased Density Orders: No Density Pending CD Numbers: No Pending Location Exception Orders: No Exceptions Increased Density Orders: No Special Total Depth: 1200 Ground Elevation: 687 Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Under Federal Jurisdiction: No Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Under Federal Jurisdiction: No Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Under Federal Jurisdiction: No Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Under Federal Jurisdiction: No Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Fresh Water Supply Well Drillet:	14440 S 408	0 RD			14400 SOUTH 4080 ROAD	
Name Code Depth 1 BURGESS 404BRGS 1100 Spacing Orders: No Spacing Location Exception Orders: No Exceptions Increased Density Orders: No Density Pending CD Numbers: No Pending Location Exception Orders: No Exceptions Increased Density Orders: No Density Pending CD Numbers: No Pending Working interest owners' notified: *** Special Orders: No Special Total Depth: 1200 Ground Elevation: 687 Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Under Federal Jurisdiction: No Surface Water used to Drill: No Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Under Federal Jurisdiction: No Surface Water used to Drill: No Surface Water used to Drill: 50 Surface Water used to Drill: No Exception Orders: Category of Pit: 2 Type of Pit System: ON SITE Eategory of Pit: 2 Liner not required for Category: 2 Liner not required for Category: 2	OOLAGAH,		OK 74053		OOLOGAH	OK 74053
Name Code Depth 1 BURGESS 404BRGS 1100 Spacing Orders: No Spacing Location Exception Orders: No Exceptions Increased Density Orders: No Density Pending CD Numbers: No Pending Working interest owners' notified: *** Special Orders: No Special Total Depth: 1200 Ground Elevation: 687 Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Under Federal Jurisdiction: No Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Under Federal Jurisdiction: No Surface Water used to Drill: No Approved Method for disposal of Drilling Fluids: A. A. Evaporation/dewater and backfilling of reserve pit. A. Evaporation/dewater and backfilling of reserve pit. PIT 1 INFORMATION Category of Pit: 2 Liner not required for Category: 2 Liner not required for Category: 2						
Pending CD Numbers: No Pending Working interest owners' notified: *** Special Orders: No Special Total Depth: 1200 Ground Elevation: 687 Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Under Federal Jurisdiction: No Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Under Federal Jurisdiction: No Surface Water Supply Well Drilled: No Surface Water and backfilling of reserve pit. Fresh Water used to Drill: No Surface Water used to Drill: No PIT 1 INFORMATION Category of Pit: 2 Type of Pit System: ON SITE Liner not required for Category: 2	Name	(Permit Valid for Li	Code	Depth		
Total Depth: 1200 Ground Elevation: 687 Surface Casing: 180 Depth to base of Treatable Water-Bearing FM: 50 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Category of Pit: 2 Type of Pit System: ON SITE	Spacing Orders:	No Spacing	L	ocation Exception Orders:	No Exceptions	Increased Density Orders: No Density
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Category of Pit: 2 Type of Pit System: ON SITE	Pending CD Numbers: No Pending Working interest			Working interest owners	s' notified: ***	Special Orders: No Special
Fresh Water Supply Well Drilled: No No Surface Water used to Drill: No A. Evaporation/dewater and backfilling of reserve pit. PIT 1 INFORMATION Category of Pit: 2 Type of Pit System: ON SITE Liner not required for Category: 2	Total Depth:	1200 Ground E	levation: 687	Surface Casing:	180 Depth	to base of Treatable Water-Bearing FM: 50
Surface Water used to Drill: No No PIT 1 INFORMATION Category of Pit: 2 Type of Pit System: ON SITE Liner not required for Category: 2	Under Federal Jurisdiction: No				Approved Method for disposal of Drilling Fluids:	
Type of Pit System: ON SITE Liner not required for Category: 2					A. Evaporation/dewater and backfilling of reserve pit.	
	PIT 1 INFOR	MATION			Category of Pit: 2	
Type of Mud System: AIR Bit Location is: NON HSA						
	Type of M	lud System: AIR			Pit Location is: NON H	
Pit Location Formation: SEMINOLE Is depth to top of ground water greater than 10ft below base of pit? Y Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).	Is depth to top of ground water greater than 10ft below base of pit? Y				Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form	
Within 1 mile of municipal water well? N	Within 1	mile of municipal water well	I? N			
Wellhead Protection Area? N		Wellhead Protection Area	? N			
Pit is not located in a Hydrologically Sensitive Area.	Pit <u>is not</u> l	ocated in a Hydrologically S	Sensitive Area.			

NOTES:

Category	Description
HYDRAULIC FRACTURING	[6/15/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
SPACING	[6/20/2022 - G56] - BRGS UNSPACED; 100-ACRE LEASE (SE4 NE4, NE4 SE4, N2 SE4 SE4)

