API NUMBER: 017 25473

Disposal

Straight Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	06/04/2019
Expiration Date:	12/04/2020

PERMIT TO DRILL

				_			_		
WELL LC	OCATION: Sec:	18 Twp: 14N Rg	e: 9W	County: CANAD	IAN				
SPOT LO	OCATION: SW	NW SW N	N FEET FRO	OM QUARTER: FROM N	ORTH FROM	и w	EST		
			SECTION	LINES:	767	31	7		
Lease	e Name: TROPIC	ANA SWD		Well No: 1			Well will b	e 317 feet from near	est unit or lease boundary.
Oper	ator LAG	OON WATER LOGISTIC	S LLC		Telephone:	40576	521105	OTC/OCC Number:	24110 0
Nam					releptione.	4037	331193	OTO/OCC Number.	24110 0
					-				
		-D 00 0T 00							
		ER LOGISTICS LLO	,				DANNY MOORE		
10	1 N ROBINS	ON AVE STE 400			15800 W 192NF		15800 W. 192ND ST	TREET	
Ol	KLAHOMA CI	TY, OI	K 73102	2-5502					73014
							CALOWE	OK I	73014
Form	ation(s) (Pe	ermit Valid for Listed	f Formation	s Only):					
	Name			Depth			Name	Dep	th
	1 COUNCI	IL GROVE		4000		6	COTTAGE GROVE	7600	0
:	2 HOOVE	R		5000		7	LAYTON	8200	0
	3 ELGIN			6300		8	CLEVELAND	8400	0
	4 LOVELL			6500		9			
;	5 TONKAV	VA		7000		10			
Spacing Orders: No Spacing Location Exception Or			Location Exception Or	ders:			Increased Density Orders:		
Pending CD Numbers:							Special Orders:		
Total	Depth: 8600	Ground Elevation	on: 1431	Surface Ca	asing: 550)	Dep	oth to base of Treatable Wate	er-Bearing FM: 300
Unde	er Federal Jurisdict	ion: No		Fresh Water St	upply Well Dri	led: N	No	Surface Water	used to Drill: Yes
PIT 1 INFORMATION				Approved Method for disposal of Drilling Fluids:					
		OSED Closed System M	eans Steel Pits						
Type of Mud System: WATER BASED					D. One time land application (REQUIRES PERMIT) PERMIT NO: 19-36403				
Chlorides Max: 8000 Average: 5000			H. CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST						

Notes:

Is depth to top of ground water greater than 10ft below base of pit? Y

is located in a Hydrologically Sensitive Area.

Within 1 mile of municipal water well?
Wellhead Protection Area? Y

Liner not required for Category: C
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

Category of Pit: C

Category Description

HYDRAULIC FRACTURING 5/24/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

PUBLIC WATER SUPPLY WELLS 5/24/2019 - G71 - GEARY, 3 PWS/WPA, NE4 13-14N-10W & CANADIAN CO. RWD #1, 8 PWS/WPA,

SE4 13-14N-10W & NE4 24-14N-10W

SPACING 5/24/2019 - G71 - N/A - DISPOSAL WELL


EXHIBIT: A

SHEET: 8.5x11

SHL: <u>18-14N-9W</u>




PROPOSED PAD SIZE = ± 7.20 ACRES



Section 18 Township 14N Range 9W I.M.

County CANADIAN State OK

Operator _____LAGOON WATER SOLUTIONS



CURRENT REV.: 0



Prepared By: Petro Land Services South 10400 Vineyard Blvd. Suite C Oklahoma City, OK 73120

EXHIBIT A

DRAWN BY:	JAS	SCALE:	1" = 500'
CHECKED BY:	MJL	JOB No.:	
APPROVED BY:	RJB	DWG. NO.:	AERIAL-1
DATE ISSUED:	05-06-19	SHEET:	1 OF 1