API NUMBER: 073 26584

Disposal

Horizontal Hole

Category of Pit: C

Liner not required for Category: C Pit Location is AP/TE DEPOSIT Pit Location Formation:

TERRACE

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 06/04/2019 Expiration Date: 12/04/2020

PERMIT TO DRILL

	0 Twp: 19N Rge: 8W	County: KING					
POT LOCATION: NE [145 145	FROM QUARTER: FROM ON LINES:	NORTH FROM 300	EAST 200			
Lease Name: MOCCASIN	SWD	Well No:	1	200	Well will be 20	00 feet from neares	st unit or lease boundary.
		Well No.					•
Operator COTTON Name:	IMOUTH SWD LLC		Telephone: 91	84886416	01	ΓC/OCC Number:	24157 0
COTTONMOUTH S	SWDIIC						
6100 S YALE AVE STE 1700				ROBERT AND RHONDA J. STOTTS			
				13082 EAST 600 ROAD			
TULSA,	OK 741:	36-1921		HENNESS	EY	OK 73	3742
Name 1 WILCOX 2 3 4 5	it Valid for Listed Formatic	Depth 8920 Location Exception	6 7 8 9 1		Incres	Depth ased Density Orders:	1
No Spacing	9		Olders.			disea Density Orders.	
ending CD Numbers:					Specia	al Orders:	
Total Depth: 11135 Ground Elevation: 1165 Surface Ca		Casing: 300		Depth to be	ase of Treatable Water	-Bearing FM: 250	
Under Federal Jurisdiction:	No	Fresh Water	r Supply Well Drilled:	Yes		Surface Water us	sed to Drill: No
PIT 1 INFORMATION			Ар	proved Method for di	sposal of Drilling FI	uids:	
Гуре of Pit System: CLOSE	D Closed System Means Steel P	its					
ype of Mud System: WATE	D	D. One time land application (REQUIRES PERMIT) PERMIT NO: 19-3667					
Chlorides Max: 5000 Average	e: 3000		Н	. CLOSED SYSTEM	=STEEL PITS PER	OPERATOR REQUES	ST
s depth to top of ground wate Nithin 1 mile of municipal wate	r greater than 10ft below base of per well? N	oit? Y					
Wellhead Protection Area?	N						
Pit is located in a Hydr	ologically Sensitive Area.						

HORIZONTAL HOLE 1

Sec 30 Twp 19N Rge 8W County KINGFISHER

Spot Location of End Point: SE SE SE NE
Feet From: NORTH 1/4 Section Line: 2619
Feet From: EAST 1/4 Section Line: 200

Depth of Deviation: 8579
Radius of Turn: 521
Direction: 180
Total Length: 1738

Measured Total Depth: 11135

True Vertical Depth: 9100

End Point Location from Lease,
Unit, or Property Line: 200

Notes:

Category Description

HYDRAULIC FRACTURING 5/30/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

SPACING 5/30/2019 - G71 - N/A - DISPOSAL WELL

Well Location Plat

Operator: CHISHOLM OIL & GAS OPERATING, LLC


Lease Name and No.: MOCCASIN SWD #1

Footage: 300' FNL - 200' FEL Gr. Elevation: 1165'

NE/4-NE/4-NE/4 Section: 30 Township: 19N Range: 8W

County: Kingfisher State of Oklahoma

Terrain at Loc.: Location fell in a flat open field, South of an existing pipeline.



1" = 1000 **GPS DATUM NAD 83 NAD 27** UTM - ZONE 14

Sec. 30-19N-8W I.M.

Surface Hole Loc.:

All bearings shown are grid bearings.

Lat: 36°06'02.19"N Lon: 98°05'13.59"W Lat: 36.10056973 Lon: -98.08676662 X:1910121 Y:13107876

Landing Point: Lat: 36°05'56.44"N Lon: 98°05'13.54"W Lat: 36.09897308 Lon: -98.08675434 X:1910130

Y:13107295 Bottom Hole Loc .: Lat: 36°05'39.25"N Lon: 98°05'13.41"W

Lat: 36.09419854 Lon: -98.08671766 X:1910157

Y:13105557

se note that this location was staked on the ground under the supervision -Prease note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined. GPS data is observed from RTK - GPS.

-NOTE: X and Y data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey.

-Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true boundary survey.

Arkoma Surveying and Mapping, PLLC P.O. Box 238 Wilburton, OK 74578

Ph. 918-465-5711 Fax 918-465-5030 Certificate of Authorization No. 5348 Expires June 30, 2020

Invoice # 7895-B

Date Staked: 04/03/19 Date Drawn: 04/08/19 By: E.W. Add LP & BHL: 04/13/19 By: C.K.

Certification:

This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.



