API NUMBER: 073 26926

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 09/16/2022
Expiration Date: 03/16/2024

Horizontal Hole Oil & Gas

## **PERMIT TO DRILL**

WELL LOCATION:	Section: 02	Township: 15N	Range: 9	9W County:	KINGFISHER					
SPOT LOCATION:	SW NE NE	NW FE	ET FROM QUARTER:	FROM <b>NORTH</b>	FROM WEST					
			SECTION LINES:	426	2071					
Lease Name:	STANGL 2-15N-9W		v	Vell No: 2H		Well will be	426 feet from	nearest unit or lea	ise boundary.	
Operator Name:	DEVON ENERGY PRO	DUCTION CO LP	Tele	ephone: 40523530	611; 4052353611;		ОТО	C/OCC Number:	20751 0	
DEVON ENERGY PRODUCTION CO LP					ANTHONY F. STANGL & MARY E. STANGL					
333 W SHERIDAN AVE					27432 N. 27	27432 N. 2750 ROAD				
OKLAHOMA CITY, OK 73102-5015					OKARCHE	OKARCHE OK 73762				
Formation(s)	(Permit Valid for L	isted Formation	ons Only):							
Name		Code	De	epth						
1 MISSISSIPF	PIAN (LESS CHESTER)	359MSNLC	92	225						
Spacing Orders:	664889		Locatio	on Exception Order	s: 725628		Increased De	nsity Orders: 725	5502	
Pending CD Number	ers: 202203693		Wo	rking interest owne	ers' notified: ***		Sp	ecial Orders: No	Special	
Total Depth: 1	4014 Ground	Sur	face Casing:	1999	Depth t	o base of Treatable	e Water-Bearing FM:	: 310		
				J			Deep surf	ace casing has	been approved	
Under Forderal living distings. No					Approved Method for disposal of Drilling Fluids:					
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No										
Surface Water used to Drill: Yes						,				
					H. (Other)		SEE MEMO			
PIT 1 INFORMATION					Category of Pit: C					
Type of Pit System: CLOSED Closed System Means Steel Pits					Liner not required for Category: C					
Type of Mud System: WATER BASED					Pit	Pit Location is: NON HSA				
Chlorides Max: 8000 Average: 5000					Pit Location	Pit Location Formation: CHICKASHA				
Is depth to	top of ground water great	er than 10ft below	base of pit? Y							
Within 1 i	mile of municipal water we	ell? N								
	Wellhead Protection Are									
Pit <u>is not</u> lo	ocated in a Hydrologically	Sensitive Area.								
PIT 2 INFOR	MATION				Cat	tegory of Pit: C				
Type of Pit System: CLOSED Closed System Means Steel Pits					Liner not requir	Liner not required for Category: C				
Type of Mud System: OIL BASED					Pit	Pit Location is: NON HSA				
Chlorides Max: 300000 Average: 200000					Pit Location	Formation: CHICKA	ASHA			
Is depth to top of ground water greater than 10ft below base of pit? Y										
Within 1 mile of municipal water well? N										
	Wellhead Protection Are	a? N								
Pit <u>is not</u> located in a Hydrologically Sensitive Area.										

HORIZONTAL HOLE 1

Total Length: 4415 Section: 2 Township: 15N Range: 9W Meridian: IM

County: KINGFISHER Measured Total Depth: 14014 Spot Location of End Point: SE SW SW True Vertical Depth: 9327

> Feet From: SOUTH 1/4 Section Line: 50 End Point Location from

Lease, Unit, or Property Line: 50 1/4 Section Line: 1136 Feet From: WEST

NOTES:								
Category	Description							
DEEP SURFACE CASING	[9/6/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING							
HYDRAULIC FRACTURING	[9/6/2022 - GC2] - OCC 165:10-3-10 REQUIRES:							
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;							
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,							
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG							
INCREASED DENSITY - 725502	[9/7/2022 - GB7] - 2-15N-9W X664889 MSNLC 2 WELLS NO OP. NAMED 5/13/2022							
INTERMEDIATE CASING	[9/6/2022 - GC2] - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER- PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES							
LOCATION EXCEPTION - 725628	[9/8/2022 - GB7] - (I.O.) 2-15N-9W X664889 MSNLC, OTHER COMPL. INT. NCT 165' FNL, NCT 165' FSL, NCT 330' FWL NO OP. NAMED REC 5-13-2022 (THOMAS)							
MEMO	[9/6/2022 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT							
PENDING – CD2022-003693	[9/16/2022 - GB7] - (E.O.) 2-15N-9W X165:10-3-28(C)(2)(B) MSNLC (STANGL 2-15N-9W 2H) MAY BE CLOSER THAN 600' TO STANGLE 1-2 (API# 073-24540) AND/OR STANGLE 3-2 (API# 073- 24579) REC. 09/16/2022 (THOMAS)							
SPACING - 664889	[9/7/2022 - GB7] - (640)(HOR) 2-15N-9W EST MSNLC EXT OTHER COMPL. INT. NCT 660' FB (COEXIST SP. ORDER # 222684 MSSLM) REC 3/23/2017 (DUNN)							