API NUMBER: 017 25631 Α OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 09/30/2020 03/30/2022 **Expiration Date:**

feet from nearest unit or lease boundary.

21194 0

OTC/OCC Number:

Multi Unit Oil & Gas

Amend reason: AMEND BHL, TD, TVD, CHANGE WELL NAME, UPDATE OCC ORDERS

AMEND PERMIT TO DRILL

Telephone: 9185851100

	-									
WELL LOCATION:	Section:	25	Township:	11N	Range:	8W	County:	CANADIA	.N	
SPOT LOCATION:	SE SW	SW	SE	FEET	FROM QUARTER:	FROM	SOUTH	FROM	EAST	
					SECTION LINES:		240		2095	
Lease Name:	CAREL					Well No:	3H-2524	X		Well wi

CIMAREX ENERGY CO

Operator Name:

202 S CHEYENNE AVE STE 1000

TULSA. 74103-3001 OK

CIMAREX ENERGY CO

R & K CAREL PROPERTIES LLC

1201 59TH STREET SW

UNION CITY OK 73090

240

Formation(s) (Permit Valid for Listed Formations Only):

Name		Code	Depth				
1 WOODFO	RD	319WDFD	11330				
Spacing Orders:	662553		Location Exception Orders:	702988	Incre	eased Density Orders:	702350
	631118			714199			702351
	702983			703124			714200
	714193			714194			714201
Pending CD Numbers: No Pending		Working interest owners' notified: ***			Special Orders:	No Special Order	
Total Depth:	21870	Ground Elevation: 1282	Surface Casing: 1	500	Depth to base of	Treatable Water-Bearir	ng FM: 380

Deep surface casing has been approved

Approved Method for disposal of Drilling Fluids: Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 20-37412 Surface Water used to Drill: No H. (Other) CLOSED SYSTEM=STEEL PITS PER OPERATOR

PIT 1 INFORMATION

Category of Pit: C Type of Pit System: CLOSED Closed System Means Steel Pits Liner not required for Category: C Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Pit Location Formation: ALLUVIUM

Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit located in a Hydrologically Sensitive Area. Pit Location is: ALLUVIAL

MULTI UNIT HOLE 1

Section: 24 Township: 11N Range: 8W Meridian: IM Total Length: 9802

> Measured Total Depth: 21870 County: CANADIAN

Spot Location of End Point: NW NW NE True Vertical Depth: 12064

> Feet From: NORTH 1/4 Section Line: 150 End Point Location from Feet From: EAST 1/4 Section Line: 2492 Lease, Unit, or Property Line: 150

NOTES:

Category	Description
DEEP SURFACE CASING	9/23/2020 - GC2 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
EXCEPTION TO RULE – 702988 (201904135)	[9/30/2020 - GB6] - (I.O.) 24 & 25 11N-8W X165:10-3-28(C)(2)(B) WDFD (CAREL 3H-2524X) MAY BE CLOSER THAN 600' TO SWEENEY 8-24H (API# 017-25210) AND/OR STRAKA 1H-36X (API# 017-24696) AND/OR PROPOSED CAREL 1H-2524X, CAREL 2H-2524X, CAREL 4H-2524X, CAREL 5H-2524X, CAREL 6H-2524X NO OPER. NAMED 09/30/2019
EXCEPTION TO RULE – 714199 (201904135)	[9/30/2020 - GB6] - EXTENSION OF ORDER # 702988 UNTIL 09/30/2021
HYDRAULIC FRACTURING	[11/12/2020 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 702350	[9/30/2020 - GB6] - 24-11N-8W X662553 WDFD 6 WELLS CIMAREX ENERGY CO. 09/17/2019
INCREASED DENSITY – 702351	[9/30/2020 - GB6] - 25-11N-8W X631118 WDFD 6 WELLS CIMAREX ENERGY CO. 09/17/2019
INCREASED DENSITY - 714200	[9/30/2020 - GB6] - EXTENSION OF ORDER # 702350 UNTIL 09/17/2021
INCREASED DENSITY - 714201	[9/30/2020 - GB6] - EXTENSION OF ORDER # 702351 UNTIL 09/17/2021
LOCATION EXCEPTION – 703124 (201904130)	[9/30/2020 - GB6] - (I.O.) 24 & 25 -11N-8W X662553 WDFD 24-11N-8W X631118 WDFD 25-11N-8W COMPL. INT. (25-11N-8W) NCT 150' FSL, NCT 0' FNL, NCT 2000' FEL COMPL. INT. (24-11N-8W) NCT 0' FSL, NCT 150' FNL, NCT 2000' FEL CIMAREX ENERGY CO. 10/02/2019
LOCATION EXCEPTION - 714194 (201904130)	[9/30/2020 - GB6] - EXTENSION OF ORDER # 703124 UNTIL 10/02/2021
SPACING – 631118	[9/30/2020 - GB6] - (640)(HOR) 25-11N-8W VAC OTHER VAC 144210 MSSLM 25-11N-8W VAC 258100 CSTR 25-11N-8W EST MSSP EXT 595379 WDFD COMPL. INT. (MSSP) NLT 660' FB COMPL. INT. (WDFD) NLT 165' FSL, NLT 165' FNL, NLT 330' FEL, NLT 330' FWL
SPACING – 662553	[9/30/2020 - GB6] - (640)(HOR) 24-11N-8W EXT 646343 MSSP, WDFD COMPL. INT. (MSSP) NLT 660' FB COMPL. INT. (WDFD) NLT 165' FSL, NLT 165' FNL, NLT 330' FEL, NLT 330' FWL (COEXIST SP. ORDER# 144210 MSSLM, SP. ORDER# 258100 CSTR, SP. ORDER# 380183 WDFD)

SPACING - 702983 (201904129)	[9/30/2020 - GB6] - (I.O.) 24 & 25 -11N-8W EST MULTIUNIT HORIZONTAL WELL X 662553 WDFD 24-11N-8W X631118 WDFD 25-11N-8W 50% 24-11N-8W 50% 25-11N-8W CIMAREX ENERGY CO. 09/30/2019
SPACING - 714193 (201904129)	[9/30/2020 - GB6] - EXTENSION OF ORDER # 702983 UNTIL 09/30/2021

