API NUMBER: 017 25630 A	OIL & G	AS CONSER P.O. BOX	, OK 73152-2000	Approval Date: 09/30, Expiration Date: 03/30,	
ulti Unit Oil & Gas nend reason: AMEND SHL, BHL & WELL NAME, DATE OCC ORDERS	TD, TVD, <u>AMEN</u>		<u>AIT TO DRILL</u>		
WELL LOCATION: Section: 25 T	Fownship: 11N Range: 8W	County: CA	NADIAN		
SPOT LOCATION: SE SW SW	SE FEET FROM QUARTER: FROM SECTION LINES:	⁴ SOUTH F 260	ROM EAST 2095		
Lease Name: CAREL	Well N	lo: 2H-2524X	Well	vill be 260 feet from nearest unit or	lease boundary.
Operator Name: CIMAREX ENERGY CO	Telephor	ne: 9185851100)	OTC/OCC Numbe	er: 21194 0
CIMAREX ENERGY CO			R&K CAREL PROPERT	IES LLC	
202 S CHEYENNE AVE STE 1000)		1201 59TH STREET SV	V	
TULSA,	OK 74103-3001		UNION CITY	OK 73090	
., .	ted Formations Only):				
Name	Code Depth				
1 WOODFORD	319WDFD 11330				
Spacing Orders: 631118 662553	Location Exe	ception Orders:	702988		702350
702979			714199		702351 714200
714189			702980 714190		714200
Pending CD Numbers: No Pending	Working	interest owners'		Special Orders: N	lo Special Orders
Total Depth: 21900 Ground Ele	evation: 1282 Surface	e Casing: 1	500	Depth to base of Treatable Water-Bearing I	FM: 380
				Deep surface casing h	as been approved
Under Federal Jurisdiction: No			Approved Method for disposal	of Drilling Fluids:	
Fresh Water Supply Well Drilled: No			D. One time land application (F	EQUIRES PERMIT) PERMI	T NO: 20-37411
Surface Water used to Drill: No			H. (Other)	CLOSED SYSTEM=STEEL PITS P REQUEST	ER OPERATOR
PIT 1 INFORMATION Type of Pit System: CLOSED Close	sed System Means Steel Pits		Category of Pit: (
Type of Mud System: WATER BASE			Pit Location is:		
Chlorides Max: 5000 Average: 3000			Pit Location Formation:	ALLUVIUM	
Is depth to top of ground water greater	than 10ft below base of pit? Y				
Within 1 mile of municipal water well?					
Wellhead Protection Area? Pit <u>is</u> located in a Hydrologically Se					
Section: 24 Township: 11N	Range: 8W Meridi	ian: IM	Tota	Length: 9802	

Section: 24	Township:	11N	Ran	ge: 8W	Meridian:	IM	Total Length:	9802
	County:	CANA	DIAN				Measured Total Depth:	21900
Spot Location of	f End Point:	NE	NW	NE	NW		True Vertical Depth:	11538
I	Feet From:	NORTI	н	1/4 Sect	ion Line: 150		End Point Location from	
	Feet From:	WEST		1/4 Sect	ion Line: 1732		Lease, Unit, or Property Line:	150

NOTES:

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category	Description
DEEP SURFACE CASING	9/23/2020 - GC2 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
EXCEPTION TO RULE – 702988 (201904135)	[9/30/2020 - GB6] - (I.O.) 24 & 25 11N-8W X165:10-3-28(C)(2)(B) WDFD (CAREL 2H-2524X) MAY BE CLOSER THAN 600' TO SWEENEY 8-24H (API# 017-25210) AND/OR STRAKA 1H-36X (API# 017-24696) AND/OR PROPOSED CAREL 1H-2524X, CAREL 3H-2524X, CAREL 4H-2524X, CAREL 5H-2524X, CAREL 6H-2524X NO OPER. NAMED 09/30/2019
EXCEPTION TO RULE – 714199 (201904135)	[9/30/2020 - GB6] - EXTENSION OF ORDER # 702988 UNTIL 09/30/2021
HYDRAULIC FRACTURING	 [11/12/2020 - GC2] - OCC 165:10-3-10 REQUIRES: 1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY – 702350	[9/30/2020 - GB6] - 24-11N-8W X662553 WDFD 6 WELLS CIMAREX ENERGY CO. 09/17/2019
INCREASED DENSITY – 702351	[9/30/2020 - GB6] - 25-11N-8W X631118 WDFD 6 WELLS CIMAREX ENERGY CO. 09/17/2019
INCREASED DENSITY – 714200	[9/30/2020 - GB6] - EXTENSION OF ORDER # 702350 UNTIL 09/17/2021
INCREASED DENSITY – 714201	[9/30/2020 - GB6] - EXTENSION OF ORDER # 702351 UNTIL 09/17/2021
LOCATION EXCEPTION – 702980 (201904126)	[9/30/2020 - GB6] - (I.O.) 24 & 25 -11N-8W X662553 WDFD 24-11N-8W X631118 WDFD 25-11N-8W COMPL. INT. (25-11N-8W) NCT 150' FSL, NCT 0' FNL, NCT 900' FWL COMPL. INT. (24-11N-8W) NCT 0' FSL, NCT 150' FNL, NCT 900' FWL CIMAREX ENERGY CO. 09/30/2019
LOCATION EXCEPTION - 714190 (201904126)	[9/30/2020 - GB6] - EXTENSION OF ORDER # 702980 UNTIL 09/30/2021
SPACING – 631118	[9/30/2020 - GB6] - (640)(HOR) 25-11N-8W VAC OTHER VAC 144210 MSSLM 25-11N-8W VAC 258100 CSTR 25-11N-8W EST MSSP EXT 595379 WDFD COMPL. INT. (MSSP) NLT 660' FB COMPL. INT. (WDFD) NLT 165' FSL, NLT 165' FNL, NLT 330' FEL, NLT 330' FWL
SPACING – 662553	[9/30/2020 - GB6] - (640)(HOR) 24-11N-8W EXT 646343 MSSP, WDFD COMPL. INT. (MSSP) NLT 660' FB COMPL. INT. (WDFD) NLT 165' FSL, NLT 165' FNL, NLT 330' FEL, NLT 330' FWL (COEXIST SP. ORDER# 144210 MSSLM, SP. ORDER# 258100 CSTR, SP. ORDER# 380183 WDFD)

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

SPACING – 702979 (201904125)	[9/30/2020 - GB6] - (I.O.) 24 & 25 -11N-8W EST MULTIUNIT HORIZONTAL WELL X 662553 WDFD 24-11N-8W X631118 WDFD 25-11N-8W 50% 24-11N-8W 50% 25-11N-8W CIMAREX ENERGY CO. 09/30/2019
SPACING – 714189 (201904125)	[9/30/2020 - GB6] - EXTENSION OF ORDER # 702979 UNTIL 09/30/2021

