API NUMBER: 063 24912 **OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 03/27/2020 09/27/2021 Expiration Date:

Multi Unit Oil & Gas

## **PERMIT TO DRILL**

WELL LOCATION	N: Section:	14	Township	: 8N Ra	nge: 12E	County:	HUG	HES					
SPOT LOCATION	I: E2 W	2 SE	sw	FEET FROM QUA	RTER: FROM	SOUTH	FRO	DM WEST					
				SECTION L	INES:	660		1681					
Lease Name:	HAMILTON				Well No	o: 3-14-26V	VH		Well will be	660	feet fron	n nearest unit	or lease boundary.
Operator Name:	CALYX ENE	RGY III LLC	;		Telephone	e: 9189494	224				ОТ	C/OCC Num	ber: 23515 0
CALYX ENE	ERGY III LLC	;											
6120 S YAL	E AVE STE	1480					$  \  $	MIDDLE CREE	K LLC				
TULSA,			OK	74136-4226	5		Н	2798 NORTH 3	94				
								DUSTIN			OK	74839	
							JL						
Formation(s)	(Permit V	alid for Li	sted Fo	rmations Only	):								
Name			Code	•	Depth								
1 MAYES			353N	MYES	4700								
2 WOODFOR	RD		319V	VDFD	4800								
3 HUNTON			269F	INTN	4865								
4 SYLVAN			203S	SLVN	4865								
Spacing Orders:	670971			l	ocation Exce	eption Order	s:	709282		In	creased De	ensity Orders:	707348
	671206												707349
	671757												
	677910			_									
Pending CD Num	bers: 20190	5900									Sp	ecial Orders:	No Special Orders
	20190	5904											
Total Depth:	15500	Ground E	levation:	670	Surface	Casing:	75	0	Depth	to base	of Treatable	e Water-Beari	ng FM: 60
											Deep sur	face casino	g has been approved
Under Federal Jurisdiction: No					Ţ.	Approved Method for disposal of Drilling Fluids:							
Fresh Water Supply Well Drilled: No					Į.	A. Evaporation/dewater and backfilling of reserve pit.							
Surface Water used to Drill: Yes						B. Solidification of pit contents.							
								D. One time land appl	ication (REQUII	RES PE	RMIT)	PE	RMIT NO: 20-37330
								H. PIT 2 - CLOSED S	YSTEM=STEEL F	PITS PEF	R OPERAT	OR REQUEST	7
PIT 1 INFO	RMATION							Categor	ry of Pit: 4				

Type of Pit System: ON SITE Type of Mud System: AIR

Pit

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area? N

located in a Hydrologically Sensitive Area.

Liner not required for Category: 4

Pit Location is: ALLUVIAL Pit Location Formation: ALLUVIUM

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form

**PIT 2 INFORMATION** 

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N located in a Hydrologically Sensitive Area.

Category of Pit: C Liner not required for Category: C

Pit Location is: ALLUVIAL Pit Location Formation: ALLUVIUM

MULTI UNIT HOLE 1

Pit

Section: 26 Township: 8N Range: 12E Total Length: 10200

> County: HUGHES Measured Total Depth: 15500

SW True Vertical Depth: 4950 Spot Location of End Point: SW SE

> Feet From: SOUTH 1/4 Section Line: 165 End Point Location from Lease, Unit, or Property Line: 165 Feet From: WEST 1/4 Section Line: 1600

NOTES:	
Category	Description
DEEP SURFACE CASING	3/18/2020 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	3/18/2020 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
INCREASED DENSITY - 707348 (201905606)	3/26/2020 - GB6 - 23-8N-12E X671206 WDFD 3 WELLS CALYX ENERGY III, LLC 01/09/2020
INCREASED DENSITY - 707349 (201905607)	3/26/2020 - GB6 - 26-8N-12E X670971 WDFD 3 WELLS CALYX ENERGY III, LLC 01/09/2020
LOCATION EXCEPTION – 709282 (201905901)	3/26/2020 - GB6 - (I.O.) 14, 23, 26 -8N-12E X671757 MYES, WDFD, HNTN 14-8N-12E X671206 MYES, WDFD, HNTN 23-8N-12E X670971 MYES, WDFD, HNTN 26-8N-12E X677910 SLVN 14, 23, 26 -8N-12E COMPL. INT. (14-8N-12E) NFT 165' FSL, NCT 0' FSL, NCT 1400' FWL COMPL. INT. (23-8N-12E) NCT 0' FNL, NCT 0' FSL, NCT 1400' FWL COMPL. INT. (26-8N-12E) NCT 0' FNL, NCT 165' FSL, NCT 1400' FWL CALYX ENERGY III, LLC 02/27/2020
PENDING CD - 201905904	3/26/2020 - GB6 - 14-8N-12E X671757 WDFD 3 WELLS NO OP. NAMED REC. 01/27/2020 (JOHNSON)

PENDING CD – 201905900	3/26/2020 - GB6 - (I.O.) 14, 23, 26 -8N-12E EST MULTIUNIT HORIZONTAL WELL X671757 MYES, WDFD, HNTN 14-8N-12E X671206 MYES, WDFD, HNTN 23-8N-12E X670971 MYES, WDFD, HNTN 26-8N-12E X677910 SLVN 14, 23, 26 -8N-12E (MYES, HNTN, SLVN ADJACENT COMMON SOURCES OF SUPPLY TO WDFD. IN THIS AREA THE HNTN IS ERRATIC AND THE SLVN SHOULD BE CONSIDERED AN ADJACENT COMMON SOURCE OF SUPPLY) 2% 14-8N-12E 49% 23-8N-12E 49% 26-8N-12E NO OP. NAMED REC. 03/23/2020 (JOHNSON)
SPACING - 670971	3/26/2020 - GB6 - (640)(HOR) 26-8N-12E EST MYES, WDFD, HNTN, OTHER COMPL. INT. (WDFD) NCT 165' FSL, NCT 165' FNL, NCT 330' FEL, NCT 330' FWL COMPL. INT. (MYES, HNTN) NCT 660' FB
SPACING – 671206	3/26/2020 - GB6 - (640)(HOR) 23-8N-12E EST MYES, WDFD, HNTN, OTHER COMPL. INT. (WDFD) NCT 165' FSL, NCT 165' FNL, NCT 330' FEL, NCT 330' FWL COMPL. INT. (MYES, HNTN) NCT 660' FB
SPACING – 671757	3/26/2020 - GB6 - (640)(HOR) 14-8N-12E EST MYES, WDFD, HNTN, OTHER COMPL. INT. (WDFD) NCT 165' FSL, NCT 165' FNL, NCT 330' FEL, NCT 330' FWL COMPL. INT. (MYES, HNTN) NCT 660' FB
SPACING - 677910	3/26/2020 - GB6 - (640)(HOR) 14, 23, 26 -8N-12E EXT 671213 SLVN COMPL. INT. NCT 330' FB

