

OKLAHOMA CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
P.O. BOX 52000  
OKLAHOMA CITY, OK 73152-2000  
(Rule 165:10-3-1)

API NUMBER: 051 24750

Approval Date: 01/24/2020

Expiration Date: 07/24/2021

Horizontal Hole  
Multi Unit

Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Sec: 36 Twp: 10N Rge: 6W

County: GRADY

SPOT LOCATION: ☐ NW ☐ NW ☐ NE ☐ NW

FEET FROM QUARTER: FROM NORTH FROM WEST

SECTION LINES: 240 1365

Lease Name: TYLER

Well No: 1H-36-1

Well will be 240 feet from nearest unit or lease boundary.

Operator  
Name: CITIZEN ENERGY III LLC

Telephone: 9189494680

OTC/OCC Number: 24120 0

CITIZEN ENERGY III LLC  
320 S BOSTON AVE STE 900  
TULSA, OK 74103-3729

ANNA JENELL CAMPBELL OWNER OF CAMPBELL  
FARMS, INC  
810 W. MAIN STREET  
TUTTLE OK 73089

Formation(s) (Permit Valid for Listed Formations Only):

Name	Depth	Name	Depth
1 MISSISSIPPIAN	9800	6	
2		7	
3		8	
4		9	
5		10	

Spacing Orders: 256715

Location Exception Orders:

Increased Density Orders: 707527

707528

Pending CD Numbers: 201905637  
201905636

Special Orders:

Total Depth: 9850

Ground Elevation: 1281

**Surface Casing: 1000**

Depth to base of Treatable Water-Bearing FM: 140

Deep surface casing has been approved

Under Federal Jurisdiction: No

Fresh Water Supply Well Drilled: No

Surface Water used to Drill: No

**PIT 1 INFORMATION**

Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is AP/TE DEPOSIT

Pit Location Formation: TERRACE

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 20-37205

H. SEE MEMO

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is AP/TE DEPOSIT

Pit Location Formation: TERRACE

HORIZONTAL HOLE 1

Sec 01 Twp 9N Rge 6W County GRADY

Spot Location of End Point: S2 S2 SW SW

Feet From: NORTH 1/4 Section Line: 165

Feet From: WEST 1/4 Section Line: 660

Depth of Deviation: 9373

Radius of Turn: 477

Direction: 180

Total Length: 10253

Measured Total Depth: 20376

True Vertical Depth: 9850

End Point Location from Lease,  
Unit, or Property Line: 165

Additional Surface Owner	Address	City, State, Zip
JAY DEAN SPANN	5800 INDIANWOOD LANE	FORT WORTH, TX 76132
DAL RAY SPANN	1501 SHRILL CT	NORMAN, OK 73071

Notes:

Category

Description

DEEP SURFACE CASING

1/22/2020 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING

HYDRAULIC FRACTURING

1/22/2020 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: [OCCEWEB.COM/OG/OGFORMS.HTML](http://OCCEWEB.COM/OG/OGFORMS.HTML); AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: [FRACFOCUS.ORG](http://FRACFOCUS.ORG)

INCREASED DENSITY - 707527 (201905634) 1/24/2020 - GC2 - 1-9N-6W  
X256715 MSSP  
2 WELLS  
CITIZEN ENERGY III, LLC  
1-14-2020

This permit does not address the right of entry or settlement of surface damages.

051 24750 TYLER 1H-36-1

The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

INCREASED DENSITY - 707528 (201905635)	1/24/2020 - GC2 - 36-10N-6W X256715 MSSP 2 WELLS CITIZEN ENERGY III, LLC 1-14-2020
MEMO	1/22/2020 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 201905636	1/24/2020 - GC2 - (I.O.) 1-9N-6W & 36-10N-6W EST MULTIUNIT HORIZONTAL WELL X256715 MSSP 50% 1-9N-6W 50% 36-10N-6W NO OP. NAMED REC. 12-23-2019 (MOORE)
PENDING CD - 201905637	1/24/2020 - GC2 - (I.O.) 1-9N-6W & 36-10N-6W X256715 MSSP COMPL. INT. (1-9N-6W) NCT 165' FSL, NCT 0' FNL, NCT 330' FWL COMPL. INT (36-10N-6W) NCT 165' FNL, NCT 0' FSL, NCT 330' FWL NO OP. NAMED REC. 12-23-2019 (MOORE)
SPACING - 256715	1/24/2020 - GC2 - (640) 1-9N-6W & 36-10N-6W EXT 253223 MSSP, OTHERS EXT OTHERS EST OTHER




# Well Location Plat

S.H.L. Sec. 36-10N-6W I.M.  
B.H.L. Sec. 1-9N-6W I.M.

Operator: CITIZEN ENERGY, LLC  
Lease Name and No.: TYLER 1H-36-1  
Footage: 240' FNL - 1365' FWL Gr. Elevation: 1281'  
Section: 36 Township: 10N Range: 6W I.M.  
County: Grady State of Oklahoma  
Terrain at Loc.: Location fell in a cultivated crop field.




All bearings shown  
are grid bearings.



GPS DATUM  
NAD 83  
NAD 27  
OK SOUTH ZONE

Surface Hole Loc.:
Lat: 35°18'16.92"N
Lon: 97°47'24.02"W
Lat: 35.30469900
Lon: -97.79000429
X: 2031161
Y: 717515
Surface Hole Loc.:
Lat: 35°18'16.70"N
Lon: 97°47'22.86"W
Lat: 35.30463783
Lon: -97.78968329
X: 2062758
Y: 717472
Landing Point:
Lat: 35°18'17.65"N
Lon: 97°47'32.52"W
Lat: 35.30490352
Lon: -97.79236693
X: 2030456
Y: 717588
Landing Point:
Lat: 35°18'17.43"N
Lon: 97°47'30.37"W
Lat: 35.30484238
Lon: -97.79204587
X: 2062053
Y: 717545
Bottom Hole Loc.:
Lat: 35°16'36.25"N
Lon: 97°47'32.43"W
Lat: 35.27673598
Lon: -97.79234231
X: 2030484
Y: 707335
Bottom Hole Loc.:
Lat: 35°16'36.03"N
Lon: 97°47'31.28"W
Lat: 35.27667392
Lon: -97.79202148
X: 2062081
Y: 707292



-Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined. GPS data is observed from RTK - GPS.  
-NOTE: X and Y data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey.  
-Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true boundary survey.

Survey and plat by:  
Arkoma Surveying and Mapping, PLLC  
P.O. Box 238 Wilburton, OK 74578  
Ph. 918-465-5711 Fax 918-465-5030  
Certificate of Authorization No. 5348  
Expires June 30, 2020

## Certification:


This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.

Invoice #8953-A-A  
Date Staked: 01/06/19 By: B.A.  
Date Drawn: 01/07/20 By: J.K.

LANCE G. MATHIS

01/08/20

OK LPLS 1664






# Well Location Plat

S.H.L. Sec. 36-10N-6W I.M.  
B.H.L. Sec. 1-9N-6W I.M.

Operator: CITIZEN ENERGY, LLC  
Lease Name and No.: TYLER 1H-36-1  
Footage: 240' FNL - 1365' FWL Gr. Elevation: 1281' API: 051-24750  
Section: 36 Township: 10N Range: 6W I.M.  
County: Grady State of Oklahoma  
Terrain at Loc.: Location fell in a cultivated crop field.




All bearings shown  
are grid bearings.



GPS DATUM  
NAD 83  
NAD 27  
OK SOUTH ZONE

Surface Hole Loc.:
Lat: 35°18'16.92"N
Lon: 97°47'24.02"W
Lat: 35.30469900
Lon: -97.79000429
X: 2031161
Y: 717515
Surface Hole Loc.:
Lat: 35°18'16.70"N
Lon: 97°47'22.86"W
Lat: 35.30463783
Lon: -97.78968329
X: 2062758
Y: 717472
Landing Point:
Lat: 35°18'17.65"N
Lon: 97°47'32.52"W
Lat: 35.30490352
Lon: -97.79236693
X: 2030456
Y: 717588
Landing Point:
Lat: 35°18'17.43"N
Lon: 97°47'30.37"W
Lat: 35.30484238
Lon: -97.79204587
X: 2062053
Y: 717545
Bottom Hole Loc.:
Lat: 35°16'36.25"N
Lon: 97°47'32.43"W
Lat: 35.27673598
Lon: -97.79234231
X: 2030484
Y: 707335
Bottom Hole Loc.:
Lat: 35°16'36.03"N
Lon: 97°47'31.28"W
Lat: 35.27667392
Lon: -97.79202148
X: 2062081
Y: 707292



-Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined. GPS data is observed from RTK - GPS.  
-NOTE: X and Y data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey.  
-Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true boundary survey.

Survey and plat by:  
Arkoma Surveying and Mapping, PLLC  
P.O. Box 238 Wilburton, OK 74578  
Ph. 918-465-5711 Fax 918-465-5030  
Certificate of Authorization No. 5348  
Expires June 30, 2020


## Certification:

This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.

LANCE G. MATHIS

01/08/20

OK LPLS 1664



Invoice #8953-A-A

Date Staked: 01/06/19 By: B.A.  
Date Drawn: 01/07/20 By: J.K.





# Anti-Collision


Sec. 36-10N-6W I.M.

Operator: CITIZEN ENERGY, LLC  
Lease Name and No.: TYLER 1H-36-1  
Surface Hole Location: 240' FNL - 1365' FWL  
Landing Point: 165' FNL - 660' FWL  
Sec. 36 Twp. 10N Rng. 6W I.M.  
Bottom Hole Location: 165' FSL - 660' FWL  
Sec. 1 Twp. 9N Rng. 6W I.M.  
County: Grady State of Oklahoma

- SHL, LP, & BHL
- Bore Path
- Pad
- OCC Wells
- Counties
- Township-Range
- Sections



0 750 1,500  
Feet








# Topographic Vicinity Map

Operator: CITIZEN ENERGY, LLC  
Lease Name and No.: TYLER 1H-36-1  
Surface Hole Location: 240' FNL - 1365' FWL  
Landing Point: 165' FNL - 660' FWL  
Sec. 36 Twp. 10N Rng. 6W I.M.  
Bottom Hole Location: 165' FSL - 660' FWL  
Sec. 1 Twp. 9N Rng. 6W I.M.  
County: Grady State of Oklahoma



Scale 1" = 2000'  
Contour Interval: 10'

Ground Elevation at Surface Hole Location: 1281'



Provided by:  
Arkoma Surveying and Mapping, PLLC  
P.O. Box 238 Wilburton, OK 74578  
Ph. 918-465-5711 Fax 918-465-5030

Certificate of Authorization No. 5348  
Expires June 30, 2020

Date Staked: 01/06/19

The purpose of this map is to verify the location and elevation as staked on the ground and to show the surrounding Topographic features. The footage shown hereon is only as SCALED onto a U.S.G.S. Topographic Map.

Please note that this location was staked carefully on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed.

Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined.

# County Highway Vicinity Map

Job #: 8953-A-A

Operator: CITIZEN ENERGY, LLC

Lease Name and No.: TYLER 1H-36-1

Accessibility: From the South.

Directions: From the junction of State HWY 92 & State HWY 37 in the town of Tuttle, OK, go 1.3 miles East on State HWY 37, 1.0 mile North on "N Richland Rd", then go 0.3 miles East on "EW 118 RD." to the Northwest Quarter of Section 36-10N-6W on the South side of the road.



1 inch = 0.5 mile

provided by:  
Arkoma Surveying and Mapping, PLLC  
P.O. Box 238 Wilburton, OK 74578  
Ph. 918-465-5711 Fax 918-465-5030  
Certificate of Authorization No. 5348  
Expires June 30, 2020

