API NUMBER: 011 24364

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 06/08/2023

Expiration Date: 12/08/2024

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Section: 17 Township: 13N Range: 12W County: BL	AINE
SPOT LOCATION: NE NW NW NE FEET FROM QUARTER: FROM NORTH	FROM EAST
SECTION LINES: 328	2000
Lease Name: MCKINLEY Well No: 1-17-20MX	
Operator Name: CRAWLEY PETROLEUM CORPORATION Telephone: 405232970	0 OTC/OCC Number: 7980 0
CRAWLEY PETROLEUM CORPORATION	STERLING C. HARDIN
	17892 S HIGHWAY 51A
OKLAHOMA CITY, OK 73102-4803	WATONGA OK 73772
Formation(s) (Permit Valid for Listed Formations Only):	
Name Code Depth	
1 MISSISSIPPIAN 359MSSP 13900	
Spacing Orders: 734506 Location Exception Orders:	734507 Increased Density Orders: No Density
703226 733873	
133013	
Pending CD Numbers: No Pending Working interest owners	notified: DNA Special Orders: No Special
Total Depth: 23728 Ground Elevation: 1642 Surface Casing: 1	Depth to base of Treatable Water-Bearing FM: 240
	Deep surface casing has been approved
Under Federal Jurisdiction: No	Approved Method for disposal of Drilling Fluids:
Fresh Water Supply Well Drilled: No	D. One time land application (REQUIRES PERMIT) PERMIT NO: 23-39074
Surface Water used to Drill: Yes	H. (Other) SEE MEMO
PIT 1 INFORMATION	Category of Pit: 1B
Type of Pit System: ON SITE	Liner required for Category: 1B
Type of Mud System: WATER BASED	Pit Location is: BED AQUIFER
Chlorides Max: 8000 Average: 5000	Pit Location Formation: RUSH SPRINGS
Is depth to top of ground water greater than 10ft below base of pit? Y	
Within 1 mile of municipal water well? N	
Wellhead Protection Area? N	
Pit <u>is</u> located in a Hydrologically Sensitive Area.	
PIT 2 INFORMATION	Category of Pit: 3
Type of Pit System: ON SITE	Liner required for Category: 3
Type of Mud System: OIL BASED	Pit Location is: BED AQUIFER
Chlorides Max: 300000 Average: 200000	Pit Location Formation: RUSH SPRINGS
Is depth to top of ground water greater than 10ft below base of pit? Y	
Within 1 mile of municipal water well? N Wellhead Protection Area? N	
Pit <u>is</u> located in a Hydrologically Sensitive Area.	
in in the located in a rigorologically Sensitive Area.	

MULTI UNIT HOLE 1

Section: 20 Township: 13N Range: 12W Meridian: IM Total Length: 9495

County: BLAINE Measured Total Depth: 23728 True Vertical Depth: 14117 Spot Location of End Point: SW SWSE SE

> Feet From: SOUTH 1/4 Section Line: 165 End Point Location from

Lease, Unit, or Property Line: 165 Feet From: EAST 1/4 Section Line: 1200

NOTES:

NOTES:	
Category	Description
DEEP SURFACE CASING	[6/2/2023 - GE7] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[6/2/2023 - GE7] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
LOCATION EXCEPTION - 734507	[6/8/2023 - G56] - (I.O.) 17 & 20-13N-12W X703226 MSSP 17-13N-12W X733873 MSSP 20-13N-12W COMPL INT (17-13N-12W) NCT 330' FNL, NCT 0' FSL, NCT 660' FEL COMPL INT (20-13N-12W) NCT 0' FNL, NCT 165' FSL, NCT 660' FEL CRAWLEY PETRO CORP 5/22/2023
МЕМО	[6/2/2023 - GE7] - PITS 1 & 2 - CONCRETE LINED PIT PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 703226	[6/8/2023 - G56] - (640)(HOR) 17-13N-12W EST MSSP, OTHERS POE TO BHL NLT 660' FB
SPACING - 733873	[6/8/2023 - G56] - (640)(HOR) 20-13N-12W EST OTHER EXT 703226 MSSP COMPL INT NCT 660' FB
SPACING - 734506	[6/8/2023 - G56] - (I.O.) 17 & 20-13N-12W EST MULTIUNIT HORIZONTAL WELL X703226 MSSP 17-13N-12W X733873 MSSP 20-13N-12W 50% 17-13N-12W 50% 20-13N-12W CRAWLEY PETRO CORP 5/22/2023