	OIL & GAS CONSEL P.O. BO OKLAHOMA CITY (Rule 163 AMEND PERM	X 52000 (, OK 73152-2000 5:10-3-1) MIT TO DRILL CCLAIN FROM EAST 2104	Approval Date: 02/22/2023 Expiration Date: 08/22/2024
Lease Name: STURGELL 172008 Operator Name: EOG RESOURCES INC	Well No: 8H Telephone: 405246324	Well will be	 944 feet from nearest unit or lease boundary. OTC/OCC Number: 16231 0
EOG RESOURCES INC 14701 BOGERT PARKWAY OKLAHOMA CITY, OK 73134-2	646	EARL J FLEMING 24581 ROCKWELL AVE BLANCHARD	OK 73010
Formation(s) (Permit Valid for Listed Formations C	Only):		
NameCode1MISSISSIPPIAN359MSSP2WOODFORD319WDFD	Depth 10200 10900		
Spacing Orders: 676640 671787 671043	Location Exception Orders:	731457	Increased Density Orders: 732319 732317 732315
Pending CD Numbers: 202204727 Total Deoth: 26560 Ground Elevation: 1289	Working interest owners		Special Orders: No Special
Pending CD Numbers: 202204727 Total Depth: 26560 Ground Elevation: 1289	Working interest owners		n to base of Treatable Water-Bearing FM: 430
Total Depth: 26560 Ground Elevation: 1289	-	500 Deptr	n to base of Treatable Water-Bearing FM: 430 Deep surface casing has been approved
	-		n to base of Treatable Water-Bearing FM: 430 Deep surface casing has been approved
Total Depth: 26560 Ground Elevation: 1289 Under Federal Jurisdiction: No	-	500 Deptr	n to base of Treatable Water-Bearing FM: 430 Deep surface casing has been approved
Total Depth: 26560 Ground Elevation: 1289 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No	-	500 Depth Approved Method for disposal of Dri E. Haul to Commercial pit facility F. Haul to Commercial soil farming facility H. (Other)	A to base of Treatable Water-Bearing FM: 430 Deep surface casing has been approved Illing Fluids: Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 717427 Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 665063 SEE MEMO
Total Depth: 26560 Ground Elevation: 1289 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes	Surface Casing: 1	500 Depth Approved Method for disposal of Dri E. Haul to Commercial pit facility F. Haul to Commercial soil farming facility H. (Other) G. Haul to recycling/re-use facility	A to base of Treatable Water-Bearing FM: 430 Deep surface casing has been approved Illing Fluids: Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 717427 Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 665063 SEE MEMO
Total Depth: 26560 Ground Elevation: 1289 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Ste Type of Mud System: WATER BASED	Surface Casing: 1	500 Depth Approved Method for disposal of Dri E. Haul to Commercial pit facility F. Haul to Commercial soil farming facility H. (Other) G. Haul to recycling/re-use facility Category of Pit: C Liner not required for Category: C Pit Location is: BED A	A to base of Treatable Water-Bearing FM: 430 Deep surface casing has been approved Illing Fluids: Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 717427 Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 665063 SEE MEMO Sec. 22 Twn. 16N Rng. 9W Cnty. 73 Order No: 647741
Total Depth: 26560 Ground Elevation: 1289 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Ste Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000	Surface Casing: 1	500 Depth Approved Method for disposal of Dri E. Haul to Commercial pit facility F. Haul to Commercial soil farming facility H. (Other) G. Haul to recycling/re-use facility Category of Pit: C Liner not required for Category: C	A to base of Treatable Water-Bearing FM: 430 Deep surface casing has been approved Illing Fluids: Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 717427 Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 665063 SEE MEMO Sec. 22 Twn. 16N Rng. 9W Cnty. 73 Order No: 647741
Total Depth: 26560 Ground Elevation: 1289 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Ste Type of Mud System: WATER BASED	Surface Casing: 1	500 Depth Approved Method for disposal of Dri E. Haul to Commercial pit facility F. Haul to Commercial soil farming facility H. (Other) G. Haul to recycling/re-use facility Category of Pit: C Liner not required for Category: C Pit Location is: BED A	A to base of Treatable Water-Bearing FM: 430 Deep surface casing has been approved Illing Fluids: Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 717427 Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 665063 SEE MEMO Sec. 22 Twn. 16N Rng. 9W Cnty. 73 Order No: 647741
Total Depth: 26560 Ground Elevation: 1289 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Ster Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base or	Surface Casing: 1	500 Depth Approved Method for disposal of Dri E. Haul to Commercial pit facility F. Haul to Commercial soil farming facility H. (Other) G. Haul to recycling/re-use facility Category of Pit: C Liner not required for Category: C Pit Location is: BED A	A to base of Treatable Water-Bearing FM: 430 Deep surface casing has been approved Illing Fluids: Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 717427 Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 665063 SEE MEMO Sec. 22 Twn. 16N Rng. 9W Cnty. 73 Order No: 647741
Total Depth: 26560 Ground Elevation: 1289 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Ster Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of Within 1 mile of municipal water well? N	Surface Casing: 1	500 Depth Approved Method for disposal of Dri E. Haul to Commercial pit facility F. Haul to Commercial soil farming facility H. (Other) G. Haul to recycling/re-use facility Category of Pit: C Liner not required for Category: C Pit Location is: BED A	A to base of Treatable Water-Bearing FM: 430 Deep surface casing has been approved Illing Fluids: Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 717427 Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 665063 SEE MEMO Sec. 22 Twn. 16N Rng. 9W Cnty. 73 Order No: 647741
Total Depth: 26560 Ground Elevation: 1289 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Ster Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of Within 1 mile of municipal water well? N Wellhead Protection Area? N	Surface Casing: 1	500 Depth Approved Method for disposal of Dri E. Haul to Commercial pit facility F. Haul to Commercial soil farming facility H. (Other) G. Haul to recycling/re-use facility Category of Pit: C Liner not required for Category: C Pit Location is: BED A	A to base of Treatable Water-Bearing FM: 430 Deep surface casing has been approved Illing Fluids: Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 717427 Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 665063 SEE MEMO Sec. 22 Twn. 16N Rng. 9W Cnty. 73 Order No: 647741
Total Depth: 26560 Ground Elevation: 1289 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Ster Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is	Surface Casing: 1	500 Depth Approved Method for disposal of Dri E. Haul to Commercial pit facility F. Haul to Commercial soil farming facility H. (Other) G. Haul to recycling/re-use facility Category of Pit: C Liner not required for Category: C Pit Location is: BED A Pit Location Formation: DUNC	A to base of Treatable Water-Bearing FM: 430 Deep surface casing has been approved Illing Fluids: Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 717427 Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 665063 SEE MEMO Sec. 22 Twn. 16N Rng. 9W Cnty. 73 Order No: 647741
Total Depth: 26560 Ground Elevation: 1289 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Ster Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is Iocated in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Ster Type of Pit System: CLOSED Closed System Means Ster Type of Pit System: CLOSED Closed System Means Ster Type of Pit System: CLOSED Closed System Means Ster	Surface Casing: 1	500 Depth Approved Method for disposal of Dri E. Haul to Commercial pit facility F. Haul to Commercial soil farming facility H. (Other) G. Haul to recycling/re-use facility Category of Pit: C Liner not required for Category: C Pit Location Formation: DUNC Category of Pit: C Liner not required for Category: C Pit Location Formation: DUNC	A to base of Treatable Water-Bearing FM: 430 Deep surface casing has been approved Illing Fluids: Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 717427 Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 665063 SEE MEMO Sec. 22 Twn. 16N Rng. 9W Cnty. 73 Order No: 647741
Total Depth: 26560 Ground Elevation: 1289 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED: Closed System Means Ster Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is Is cated in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED: Closed System Means Ster Type of Pit System: CLOSED Closed System Means Ster Type of Pit System: OIL BASED Chorides Max: 300000 Average: 200000	Surface Casing: 1	500 Depth Approved Method for disposal of Dri E. Haul to Commercial pit facility F. Haul to Commercial soil farming facility H. (Other) G. Haul to recycling/re-use facility Category of Pit: C Liner not required for Category: C Pit Location is: BED A Pit Location Formation: DUNC Category of Pit: C Liner not required for Category: C	A to base of Treatable Water-Bearing FM: 430 Deep surface casing has been approved Illing Fluids: Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 717427 Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 665063 SEE MEMO Sec. 22 Twn. 16N Rng. 9W Cnty. 73 Order No: 647741
Total Depth: 26560 Ground Elevation: 1289 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Ster Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is Is cated in a Hydrologically Sensitive Area. Pit 2 INFORMATION Type of Pit System: CLOSED Closed System Means Ster Type of Mud System: OLL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base o	Surface Casing: 1	500 Depth Approved Method for disposal of Dri E. Haul to Commercial pit facility F. Haul to Commercial soil farming facility H. (Other) G. Haul to recycling/re-use facility Category of Pit: C Liner not required for Category: C Pit Location Formation: DUNC Category of Pit: C Liner not required for Category: C Pit Location Formation: DUNC	A to base of Treatable Water-Bearing FM: 430 Deep surface casing has been approved Illing Fluids: Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 717427 Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 665063 SEE MEMO Sec. 22 Twn. 16N Rng. 9W Cnty. 73 Order No: 647741
Total Depth: 26560 Ground Elevation: 1289 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means State Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is Is coated in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means State Type of Pit System: CLOSED Closed System Means State Is depth to top of ground water greater than 10ft below base of Within 1 mile of municipal water well? N State of Pit System: CLOSED Closed System Means State Is depth to top of ground water greater than 10ft below base of Within 1 mile of municipal water well? N	Surface Casing: 1	500 Depth Approved Method for disposal of Dri E. Haul to Commercial pit facility F. Haul to Commercial soil farming facility H. (Other) G. Haul to recycling/re-use facility Category of Pit: C Liner not required for Category: C Pit Location Formation: DUNC Category of Pit: C Liner not required for Category: C Pit Location Formation: DUNC	A to base of Treatable Water-Bearing FM: 430 Deep surface casing has been approved Illing Fluids: Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 717427 Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 665063 SEE MEMO Sec. 22 Twn. 16N Rng. 9W Cnty. 73 Order No: 647741
Total Depth: 26560 Ground Elevation: 1289 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Ster Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is Is cated in a Hydrologically Sensitive Area. Pit 2 INFORMATION Type of Pit System: CLOSED Closed System Means Ster Type of Mud System: OLL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base o	Surface Casing: 1	500 Depth Approved Method for disposal of Dri E. Haul to Commercial pit facility F. Haul to Commercial soil farming facility H. (Other) G. Haul to recycling/re-use facility Category of Pit: C Liner not required for Category: C Pit Location Formation: DUNC Category of Pit: C Liner not required for Category: C Pit Location Formation: DUNC	A to base of Treatable Water-Bearing FM: 430 Deep surface casing has been approved Illing Fluids: Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 717427 Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 665063 SEE MEMO Sec. 22 Twn. 16N Rng. 9W Cnty. 73 Order No: 647741 AQUIFER AN

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1			
Section: 8 Township: 7N Rang	ge: 4W Meridian: IM	Total Length: 15750	
County: MCCLAIN		Measured Total Depth: 26560	
Spot Location of End Point: NE NW	NE NW	True Vertical Depth: 11000	
Feet From: NORTH	1/4 Section Line: 50	End Point Location from	
Feet From: WEST	1/4 Section Line: 2104	Lease,Unit, or Property Line: 50	
Additional Surface Owner(s)	Address	City, State, Zip	
EARL J FLEMING	24581 ROCKWELL AVE	BLANCHARD, OK 73010	
NOTES:			
Category	Description		
DEEP SURFACE CASING	OF CIRCULATION OR FAI SURFACE CASING. (2) SU SURFACE CASING IN THE	OVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS LURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OF IBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP E EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE N ANY CONDUCTOR OR SURFACE CASING.	
HYDRAULIC FRACTURING	[2/17/2023 - GC2] - OCC 10	65:10-3-10 REQUIRES:	
	HYDRAULIC FRACTURIN WELLS WITHIN 1 MILE OF TO SUCH OPERATORS S HYDRAULIC FRACTURIN PROVIDED, RESULTING I	EN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF G OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCIN THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE HALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE G OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN N A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE TICE IS REQUIRED TO BE GIVEN;	
	LÉAST 48 HOURS PRIOR SHALL BE FOUND HERE: AND,	N TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; DSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS I	
	TO BE REPORTED TO FR	ACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC NS, FOUND AT FRACFOCUS.ORG	
INCREASED DENSITY - 732315	[5/17/2023 - GB7] - (I.O.) & X676640 MSSP, OTHERS 2 WELLS EOG RESOURCES INC 02/22/2023	7N-4W	
INCREASED DENSITY - 732317	[2/22/2023 - GB7] - (I.O.) 1 X671787 MSSP, OTHERS 3 WELLS EOG RESOURCES INC 02/22/2023	7-7N-4W	
INCREASED DENSITY - 732319	[2/22/2023 - GB7] - (I.O.) 2/ X671043 MSSP, OTHERS 3 WELLS EOG RESOURCES INC 02/22/2023	D-7N-4W	
LOCATION EXCEPTION - 731457 (CD2022- 004730)	[2/22/2023 - GB7] - (I.O.) 5, X671043 MSSP, WDFD, O X671787 MSSP, WDFD, O X676640 MSSP, WDFD, O X675220 MSSP, WDFD, O X165:10-3-28(C)(2)(B) MSS STURGELL 7 (API# TBD) COMPL. INT. (20-7N-4W) N COMPL. INT. (8-7N-4W) N	THER 20-7N-4W THER 17-7N-4W THER 8-7N-4W	
МЕМО	[2/17/2023 - GC2] - CLOSE TO VENDOR, CUTTINGS	D SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED	

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PENDING CD - CD2022-004727	[5/17/2023 - GB7] - (I.O.) 5,8,17 & 20-7N-4W EST MULTIUNIT HORIZONTAL WELL X671043 MSSP, WDFD 20-7N-4W X671787 MSSP, WDFD 17-7N-4W X676640 MSSP, WDFD 8-7N-4W (WDFD IS ADJACENT CSS TO MSSP) 33% 20-7N-4W 34% 17-7N-4W 33% 8-7N-4W EOG RESOURCES INC REC 5/15/2023 (MILLER)
SPACING - 671043	[2/22/2023 - GB7] - (640)(HOR) 20-7N-4W EXT 635145 MSSP, WDFD, OTHER POE TO BHL NCT 660' FB (MSSP) POE TO BHL NCT 165' FNL & FSL, NCT 330' FEL & FWL (WDFD)
SPACING - 671787	[2/22/2023 - GB7] - (640)(HOR) 17-7N-4W EXT 635145 MSSP, WDFD, OTHER POE TO BHL NCT 660' FB (MSSP) POE TO BHL NCT 165' FNL & FSL, NCT 330' FEL & FWL (WDFD)
SPACING - 676640	[2/22/2023 - GB7] - (640)(HOR) 8-7N-4W EXT 655159 MSSP, WDFD, OTHER POE TO BHL NCT 660' FB (MSSP) POE TO BHL NCT 165' FNL & FSL, NCT 330' FEL & FWL (WDFD)