API NUMBER: 017 25935

Horizontal Hole Oil & Gas

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 03/17/2023

Expiration Date: 09/17/2024

		PERMIT 1	O DRILL	
WELL LOCATION: Section: 25 To	ownship: 12N Rar	nge: 10W County: CA	NADIAN	
SPOT LOCATION: NE NE NW	NW FEET FROM QUAR	TER: FROM NORTH	FROM WEST	
	SECTION LI	NES: 225	1043	
Lease Name: HALE		Well No: 2-25H	Well will be	feet from nearest unit or lease boundary.
Operator Name: CIMAREX ENERGY CO		Telephone: 9185851100		OTC/OCC Number: 21194 0
CIMAREX ENERGY CO			GREGORY ALAN NITZEL, TI REVOCABLE TRUST DATED	RUSTEE OF THE GREGORY NITZEL D 2/2/17
202 S CHEYENNE AVE STE 1000		23849 JENSEN RD W		
TULSA,	OK 74103-3001		CALUMET	OK 73014
Formation(s) (Permit Valid for Listed Formations Only):				
Name	Code	Depth		
1 MISSISSIPPIAN 2 WOODFORD	359MSSP 319WDFD	11550 13350		
Spacing Orders: 732208	L	ocation Exception Orders:	732807	Increased Density Orders: No Density
Pending CD Numbers: No Pending		Working interest owners'	notified: ***	Special Orders: No Special
Total Depth: 18900 Ground Ele	vation: 1408	Surface Casing: 1	500 Depth :	to base of Treatable Water-Bearing FM: 170
				Deep surface casing has been approved
Under Federal Jurisdiction: No			Approved Method for disposal of Drilling Fluids:	
Fresh Water Supply Well Drilled: No			D. One time land application (REQUIR	RES PERMIT) PERMIT NO: 23-38928
Surface Water used to Drill: Yes			H. (Other)	SEE MEMO
PIT 1 INFORMATION			Category of Pit: C	

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? $\,\,$ Y

Within 1 mile of municipal water well? $\,$ N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Liner not required for Category: C

Pit Location is: NON HSA
Pit Location Formation: DOG CREEK

Weineda'i Totodion 7 tod. 14

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? $\,\,$ Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit <u>is not</u> located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: NON HSA

Pit Location Formation: DOG CREEK

HORIZONTAL HOLE 1

Section: 25 Township: 12N Range: 10W Meridian: IM Total Length: 4947

County: CANADIAN Measured Total Depth: 18900

Spot Location of End Point: SE SW SW SW True Vertical Depth: 13450

Feet From: SOUTH

1/4 Section Line: 165

End Point Location from
Lease,Unit, or Property Line: 165

NOTES:			
Category	Description		
DEEP SURFACE CASING	[3/13/2023 - GC2] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.		
HYDRAULIC FRACTURING	[3/13/2023 - GC2] - OCC 165:10-3-10 REQUIRES:		
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;		
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,		
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG		
LOCATION EXCEPTION - 732807	[3/17/2023 - G56] - (I.O.) 25-12N-10W X732208 MSSP, WDFD COMPL INT NCT 150' FNL, NCT 150' FSL, NCT 330' FWL CIMAREX ENERGY CO 3/14/2023		
МЕМО	[3/13/2023 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT		
SPACING - 732208	[3/17/2023 - G56] - (640)(HOR) 25-12N-10W EST MSSP, WDFD POE TO BHL (MSSP) NCT 660' FB POE TO BHL (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL (COEXIST WITH SP # 561980)		