API NUMBER: 049 25412

Oil & Gas

Multi Unit

Pit

is not located in a Hydrologically Sensitive Area.

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 03/17/2023

Expiration Date: 09/17/2024

PERMIT TO DRILL

										_				
WELL LOCATION:	Section:	18	Township:	: 2N	Range: 3W	County	: GAF	RVIN						
SPOT LOCATION:	SE SE	SE	SW	FEET FROM (UARTER: FR	ом SOUTI	H FF	ROM WEST						
				SECTI	ON LINES:	226		2361						
Lease Name:	STETSON 020	13			Wel	l No: 2H-19)	ΧX		We	ell will be	226	feet from nearest unit	t or lease boundary	
					***	. 110. 211 107			****	50	220			
Operator Name:	OVINTIV USA	INC			Teleph	none: 281210	05100					OTC/OCC Num	nber: 21713 0	
0) (1) (1) (1) (1)									TD1014 0 4	00101	4 N I D . E		NDV	
OVINTIV USA INC								HARRY PATRICK CASSIDY AND PATSI JEAN CASSIDY						
4 WATERWAY SQUARE PLACE, STE 100								P.O. BOX 154						
THE WOODLANDS, TX 77380-3197								JUSTIN				TX 76247		
Formation(s) (Permit Valid for Listed Formations Only):														
Name			Code	•	Dept	h								
1 WOODFOR	D		319\	VDFD	1268	0								
Spacing Orders:	209358				Location E	Exception Ord	lers:	No Excep	tions		Inc	creased Density Orders:	No Density	
	623702							110 -1100		_				
Pending CD Number	ers: 2023004	59			Workii	ng interest ow	mers' i	notified: ***				Special Orders:	No Special	
. chang ob Hamb	2023004					.g		iotiliou.					·	
	2023004													
202300465														
	2023004													
	2023004	78												
Total Depth: 2	28523	Ground	Elevation:	1096	Surfa	ce Casing	g: 15	500		Depth t	to base o	of Treatable Water-Bearin	ng FM: 800	
							Deep surface casing has been approved							
Under Forders Living Saferica. No								Approved Method for disposal of Drilling Fluids:						
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No								D. One time land application (REQUIRES PERMIT) PERMIT NO: 23-38940						
Surface Water used to Drill: Yes								E. Haul to Commercial pit facility Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498						
								H. (Other) SEE MEMO						
								n. (Other)			SEE IVIE	EIVIO		
PIT 1 INFOR	MATION							C	ategory of Pit:	. C				
Type of Pit System: CLOSED Closed System Means Steel Pits								Liner not required for Category: C						
Type of Mud System: WATER BASED								Pit Location is: NON HSA						
Chlorides Max: 5000 Average: 3000								Pit Location Formation: BISON						
Is depth to top of ground water greater than 10ft below base of pit? Y														
Within 1 mile of municipal water well? N														
	Wellhead Prote	ction Are	a? N											
Pit <u>is not</u> lo	ocated in a Hydro	ologically	Sensitive A	rea.										
DIT 2 INCOD	MATION								ategory of Pit:					
PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits								Liner not required for Category: C						
Type of Mud System: OIL BASED								Pit Location is: NON HSA						
Chlorides Max: 30								Pit Location Formation: BISON						
Is depth to top of ground water greater than 10ft below base of pit? Y								000110						
Within 1 mile of municipal water well? N														
Wellhead Protection Area? N														

MULTI UNIT HOLE 1

Section: 31 Township: 2N Range: 3W Meridian: IM Total Length: 15618

County: GARVIN Measured Total Depth: 28523

Spot Location of End Point: SE SW SE SW True Vertical Depth: 12975

Feet From: SOUTH

1/4 Section Line: 85

End Point Location from
Lease, Unit, or Property Line: 85

NOTES:

Category	Description
DEEP SURFACE CASING	[3/15/2023 - GC2] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[3/15/2023 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
MEMO	[3/15/2023 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING - CD2023-000459	[3/17/2023 - GB7] - (I.O.) 19-2N-3W X209358 WDFD 2 WELLS OVINTIV USA INC 03/01/2023
PENDING - CD2023-000461	[3/17/2023 - GB7] - (I.O.) 30-2N-3W X623702 WDFD 2 WELLS OVINTIV USA INC 03/01/2023
PENDING - CD2023-000463	[3/17/2023 - GB7] - (I.O.) 31-2N-3W X623702 WDFD 2 WELLS OVINTIV USA INC 03/01/2023
PENDING - CD2023-000465	[3/15/2023 - GB7] - (I.O.) 19, 30, 31-2N-3W EST MULTIUNIT HORIZONTAL WELL X591050 OTHER 19-2N-3W X209358 WDFD 19-2N-3W X623702 WDFD, OTHER 30, 31-2N-3W 39% 19-2N-3W 41% 30-2N-3W 20% 31-2N-3W OVINTIV USA INC REC 03/02/2023 (MILLER)
PENDING - CD2023-000469	[3/15/2023 - GB7] - (I.O.) 19, 30, 31-2N-3W X591050 OTHER 19-2N-3W X209358 WDFD 19-2N-3W X623702 WDFD, OTHER 30, 31-2N-3W COMPL INT NCT 165' FNL, NCT 0' FSL, NCT 660' FWL (19-2N-3W) COMPL INT NCT 0' FNL, NCT 0' FSL, NCT 660' FWL (30-2N-3W) COMPL INT NCT 0' FNL, NCT 2640' FSL, NCT 660' FWL (31-2N-3W) OVINTIV USA INC REC 03/02/2023 (MILLER)
PENDING - CD2023-000478	[3/17/2023 - GB7] - (I.O.) 19, 30 & 31-2N-3W X165:10-3-28(C)(2)(B) MSSP MAY BE CLOSER THAN 600' TO WILLIAMS 1H-19 (API# 049-24880), STETSON 1H-19X (API# 049-25130), HUFFMAN 1H-30X (API# 049-24996) OVINTIV USA INC REC 03/02/2023 (MILLER)
SPACING - 209358	[3/15/2023 - GB7] - (640) 19-2N-3W EXT OTHER EST WDFD, OTHERS
SPACING - 623702	[3/15/2023 - GB7] - (640)(HOR) 30-2N-3W, 31-2N-3W EST WDFD, OTHERS COMPL INT NCT 330' FB