API NUMBER: 087 22390

Oil & Gas

Multi Unit

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 09/13/2022 **Expiration Date:** 03/13/2024

				<u>PE</u>	RMIT	ТО	<u>DRILL</u>					
WELL LOCATION:	: Section:	10 Township	o: 8N Ra	inge: 4W	County: 1	MCCLAII	N					
SPOT LOCATION:	NE NE	NW NW	FEET FROM QUA	RTER: FROM	NORTH	FROM	WEST					
			SECTION	LINES:	325		1258					
Lease Name:	LEFLORE 1015			Well No	: 6H			Well will b	e 325	feet from nearest uni	t or lease	boundary.
Operator Name:	EOG RESOURC	ES INC		Telephone	: 40524632	248				OTC/OCC Nun	nber:	16231 0
EOG RESOURCES INC						LC	LOUIS EDWARD LEFLORE TESTAMENTARY TRUST					
14701 BOGERT PARKWAY						CAROL JEAN WILSON LEFLORE, TRUSTEE						
OKLAHOMA CITY, OK 73134-2646						28	2825 NW GRAND BLVD, UNIT 21					
						OI	KLAHOMA	CITY		OK 73116		
Formation(s)	(Permit Valid	for Listed Fo	rmations Only	/):								
Name		Cod	Code Depth									
1 MISSISSIPPIAN 3		3591	359MSSP 9225									
2 WOODFORD 319WDFD 92			9290									
3 HUNTON		2691	HNTN	9405								
Spacing Orders:	627628			Location Exce	ption Orders	s: 706	383		In	creased Density Orders:	707332	
	207975					722	034				706381	
	616337										722031	
	706382										722032	

Special Orders: No Special Pending CD Numbers: No Pending Working interest owners' notified:

Total Depth: 19900 Ground Elevation: 1235 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 440

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes Approved Method for disposal of Drilling Fluids: D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 22-38545 H. (Other) SEE MEMO G. Haul to recycling/re-use facility Sec. 36 Twn. 5N Rng. 11W Cnty. 15 Order No: 727771

Deep surface casing has been approved

**PIT 1 INFORMATION** Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area? N

located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: AP/TE DEPOSIT Pit Location Formation: TERRACE

**PIT 2 INFORMATION** 

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area? N

Pit located in a Hydrologically Sensitive Area. Category of Pit: C

Liner not required for Category: C

Pit Location is: AP/TE DEPOSIT Pit Location Formation: TERRACE

**MULTI UNIT HOLE 1** 

Section: 15 Township: 8N Range: 4W Meridian: IM Total Length: 10500

> County: MCCLAIN Measured Total Depth: 19900

Spot Location of End Point: SE SW SE SW True Vertical Depth: 9440

> Feet From: SOUTH 1/4 Section Line: 50 End Point Location from Lease, Unit, or Property Line: 50 Feet From: WEST 1/4 Section Line: 1904

Additional Surface Owner(s) City, State, Zip Address

OKLAHOMA CITY, OK 73116 6601 N HARVEY

MARY LEFLORE CLEMENTS GRANDCHILDREN'S COPELAND GRAHAM FARM, LLC, ROBERT H CLEMENTS, MANAGER

NOTES:

Category	Description							
DEEP SURFACE CASING	[8/26/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING							
HYDRAULIC FRACTURING	[8/26/2022 - GC2] - OCC 165:10-3-10 REQUIRES:							
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;							
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,							
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG							
INCREASED DENSITY - 706381	[9/13/2022 - G56] - 15-8N-4W X616337 WDFD 4 WELLS EOG RESOURCES, INC 12/13/2019							
INCREASED DENSITY - 707332	[9/13/2022 - G56] - 10-8N-4W X627628 WDFD 4 WELLS EOG RESOURCES, INC 1/9/2020							
INCREASED DENSITY - 722031	[9/13/2022 - G56] - EXT OF TIME FOR ORDER # 707332							
INCREASED DENSITY - 722032	[9/13/2022 - G56] - EXT OF TIME FOR ORDER # 706381							
LOCATION EXCEPTION - 706383	[9/13/2022 - G56] - (E.O.) 10 & 15-8N-4W X207975 HNTN 10-8N-4W X627628 MSSP, WDFD 10-8N-4W X616337 MSSP, WDFD, HNTN 15-8N-4W X165:10-3-28(C)(2)(B) WDFD MAY BE CLOSER THAN 600' TO OLIVER 1-15 COMPL. INT. (10-8N-4W) NCT 165' FNL, NCT 0' FSL, NCT 1320' FWL COMPL. INT. (15-8N-4W) NCT 0' FNL, NCT 165' FSL, NCT 1320' FWL EOG RESOURCES, INC 12/13/2019							
LOCATION EXCEPTION - 722034	[9/13/2022 - G56] - EXT OF TIME FOR ORDER # 706383							
МЕМО	[8/26/2022 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT							
SPACING - 207975	[9/13/2022 - G56] - (640) 10 & 15-8N-4W EXT 188079 HNTN (VAC 15-8N-4W BY 272478), OTHERS EXT OTHER							
SPACING - 616337	[9/13/2022 - G56] - (640) 15-8N-4W VAC 272478 HNTN, OTHERS EXT 601388 MSSP, WDFD, OTHER EXT 207975 HNTN, OTHERS EST OTHERS							
SPACING - 627628	[9/13/2022 - G56] - (640) 10-8N-4W VAC OTHER EXT 616337 MSSP, WDFD, OTHERS							
SPACING - 706382	[9/13/2022 - G56] - (I.O.) 10 & 15-8N-4W EST MULTIUNIT HORIZONTAL WELL X207975 HNTN 10-8N-4W X627628 MSSP, WDFD 10-8N-4W X616337 MSSP, WDFD, HNTN 15-8N-4W (MSSP, HNTN ADJACENT COMMON SOURCES OF SUPPLY TO WDFD) 50% 10-8N-4W 50% 15-8N-4W EOG RESOURCES, INC 12/13/2019							