

API NUMBER: 121 24894 A Iorizontal Hole Oil & Gas	OKLAHOMA CORPOR OIL & GAS CONSEI P.O. BO OKLAHOMA CITY (Rule 16	RVATION DIVISION X 52000 Y, OK 73152-2000	Approval Date: 04/20/2022 Expiration Date: 10/20/2023
mend reason: AMEND SHL	AMEND PERM	MIT TO DRILL	
WELL LOCATION: Section: 22 Township: 7N	Range: 13E County: PI	TTSBURG	
		FROM EAST	
SEC	TION LINES: 125	2235	
Lease Name: WHISKEY CREEK	Well No: 1-15/10H	Well	will be 125 feet from nearest unit or lease boundary.
Operator Name: SANGUINE GAS EXPLORATION LLC	Telephone: 9184964794	4	OTC/OCC Number: 21381 0
SANGUINE GAS EXPLORATION LLC		JAYSON COMBS, WY	LIE COMBS, CHRISTOPHER GRIFFITH
110 W 7TH ST STE 2700		15337 LEWIS LANE	
TULSA, OK 74119-1	100		OK 73446
		MADILL	OK 73446
Formation(s) (Permit Valid for Listed Formations C	only):		
Name Code	Depth		
1 MISSISSIPPIAN 359MSSP	5700		
2 WOODFORD 319WDFD	6200		
3 SYLVAN 203SLVN	6300		
Spacing Orders: 723312	Location Exception Orders:	723547	Increased Density Orders: No Density
Pending CD Numbers: No Pending Total Depth: 16750 Ground Elevation: 780	Working interest owners Surface Casing: 1		Special Orders: No Special Depth to base of Treatable Water-Bearing FM: 140
Under Federal Jurisdiction: No		Approved Method for disposa	al of Drilling Fluids:
Fresh Water Supply Well Drilled: No			
Surface Water used to Drill: Yes		H. (Other)	SEE MEMO
PIT 1 INFORMATION		Category of Pit:	C
Type of Pit System: CLOSED Closed System Means Ste	el Pits	Liner not required for Catego	pry: C
Type of Mud System: WATER BASED		Pit Location is:	
Chlorides Max: 8000 Average: 5000		Pit Location Formation:	THURMAN
Is depth to top of ground water greater than 10ft below base o	ipit? Y		
Within 1 mile of municipal water well? N			
Wellhead Protection Area? N			
Pit <u>is</u> located in a Hydrologically Sensitive Area.			
PIT 2 INFORMATION		Category of Pit:	
Type of Pit System: CLOSED Closed System Means Ste	el Pits	Liner not required for Catego	•
Type of Mud System: OIL BASED		Pit Location is:	
Chlorides Max: 300000 Average: 200000		Pit Location Formation:	INUKIMAN
Is depth to top of ground water greater than 10ft below base o	εριτε Υ		
Within 1 mile of municipal water well? N			
Wellhead Protection Area? N			
Pit <u>is</u> located in a Hydrologically Sensitive Area.			


This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

HORIZONTAL HOLE 1					
Section: 10 Township:	7N Rar	ge: 13E Meridia	an: IM	Total Length:	10222
County:	PITTSBURG			Measured Total Depth:	16750
Spot Location of End Point:	NE NE	NW NW		True Vertical Depth:	7000
Feet From:	NORTH	1/4 Section Line: 1	65	End Point Location from	
Feet From:	WEST	1/4 Section Line: 1	200	Lease,Unit, or Property Line: 165	

NOTES:	
Category	Description
HYDRAULIC FRACTURING	[4/18/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
LOCATION EXCEPTION - 723547	[4/19/2022 - GB1] - (I.O.) 10 & 15-7N-13E X723312 MSSP, WDFD, SLVN COMPL INT NCT 165' FSL, NCT 165' FNL, NCT 330' FWL SANGUINE GAS EXPLORATION, LLC 2/16/2022
МЕМО	[4/18/2022 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT VIA FORM 1014X
SPACING - 723312	[4/19/2022 - GB1] - (1280)(HOR) 10 & 15-7N-13E EST MSSP, WDFD, SLVN POE TO BHL (MSSP) NCT 660' FB POE TO BHL (SLVN) NCT 330' FB POE TO BHL (WDFD) NCT 165' FNL.FSL, NCT 330' FWL/FEL (COEXIST SP #536677 MSSP, WDFD 10-7N-13E)








Operator: SANGUINE GAS EXPLORATION, LLC Lease Name and No.: <u>WHISKEY CREEK 1-15-10H</u> Surface Hole Location: 125' FNL - 2235' FEL Sec. 22 Twp. 7N Rng. 13E I.M. Point of Entry: 165' FSL - 1200' FWL Sec. 15 Twp. 7N Rng. 13E I.M. Bottom Hole Location: 165' FNL - 1200' FWL Sec. 10 Twp. 7N Rng. 13E I.M. County: Pittsburg State of Oklahoma Ground Elevation at Surface Hole Location: ±781'



Scale 1" = 2000' Contour Interval: 20'



Provided by:

Arkoma Surveying and Mapping, PLLC P.O. Box 238 Wilburton, OK 74578 Ph. 918-465-5711 Fax 918-465-5030

Certificate of Authorization No. 5348 Expires June 30, 2022 The purpose of this map is to verify the location and elevation as staked on the ground and to show the surrounding Topographic features. The footage shown hereon is only as SCALED onto a U.S.G.S. Topographic Map.

Please note that this location was staked carefully on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed.

Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined.

