API NUMBER: 073 26763 A	OIL & GAS CONS P.O. B OKLAHOMA CI	DRATION COMMISSION ERVATION DIVISION OX 52000 TY, OK 73152-2000 65:10-3-1)	Approval Date: 06/28/2021 Expiration Date: 12/28/2022
nend reason: CHANGE BHL	AMEND PER	MIT TO DRILL	
WELL LOCATION: Section: 19 Township: 17N	Range: 5W County:	KINGFISHER	
SPOT LOCATION: SW NE NE NW F	EET FROM QUARTER: FROM NORTH	FROM WEST	
	SECTION LINES: 350	2077	
Lease Name: LINCOLN SOUTHEAST OSWEGO UNIT	Well No: 46-3HO	Well w	ill be 350 feet from nearest unit or lease boundary.
Operator Name: HINKLE OIL & GAS INC	Telephone: 4058480	924	OTC/OCC Number: 21639 0
HINKLE OIL & GAS INC		CHARLES DAVID SMIT	H TRUST
5600 N MAY AVE STE 295		13405 STATE HIGHWA	Y 33
OKLAHOMA CITY, OK 73	112-4275	KINGFISHER	OK 73750
		_	
Formation(s) (Permit Valid for Listed Formati	.,	1	
Name Code	Depth		
1 OSWEGO 404OSWG		No Forcentions	Increased Density Orders: No Density Orders
Spacing Orders: 52793	Location Exception Order	s: No Exceptions	Increased Density Orders: No Density Orders
Pending CD Numbers: No Pending	Location Exception Order		Special Orders: No Special Orders
		ers' notified: ***	
Pending CD Numbers: No Pending	Working interest owne	ers' notified: ***	Special Orders: No Special Orders Depth to base of Treatable Water-Bearing FM: 160
Pending CD Numbers: No Pending Total Depth: 11666 Ground Elevation: 1020 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No	Working interest owne	220	Special Orders: No Special Orders Depth to base of Treatable Water-Bearing FM: 160 of Drilling Fluids:
Pending CD Numbers: No Pending Total Depth: 11666 Ground Elevation: 1020 Under Federal Jurisdiction: No	Working interest owne	220 Approved Method for disposal	Special Orders: No Special Orders Depth to base of Treatable Water-Bearing FM: 160 of Drilling Fluids:
Pending CD Numbers: No Pending Total Depth: 11666 Ground Elevation: 1020 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No	Working interest owne	220 Approved Method for disposal D. One time land application (R	Special Orders: No Special Orders Depth to base of Treatable Water-Bearing FM: 160 of Drilling Fluids: EQUIRES PERMIT) PERMIT NO: 21-37658 CLOSED SYSTEM=STEEL PITS PER (REQUIRED - CIMARRON RIVER)
Pending CD Numbers: No Pending Total Depth: 11666 Ground Elevation: 1020 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No	Working interest owner	220 Approved Method for disposal D. One time land application (R H. (Other)	Special Orders: No Special Orders Depth to base of Treatable Water-Bearing FM: 160 of Drilling Fluids: EQUIRES PERMIT) EQUIRES PERMIT) PERMIT NO: 21-37658 CLOSED SYSTEM=STEEL PITS PER (REQUIRED - CIMARRON RIVER)
Pending CD Numbers: No Pending Total Depth: 11666 Ground Elevation: 1020 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Me Type of Mud System: WATER BASED	Working interest owner	ers' notified: *** 220 Approved Method for disposal D. One time land application (R H. (Other) Category of Pit: C Liner not required for Category Pit Location is: A	Special Orders: No Special Orders Depth to base of Treatable Water-Bearing FM: 160 of Drilling Fluids: EQUIRES PERMIT) PERMIT NO: 21-37658 CLOSED SYSTEM=STEEL PITS PER (REQUIRED - CIMARRON RIVER) C r: C NLLUVIAL
Pending CD Numbers: No Pending Total Depth: 11666 Ground Elevation: 1020 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Me Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000	Working interest owner Surface Casing:	Approved Method for disposal D. One time land application (R H. (Other) Category of Pit: C Liner not required for Category	Special Orders: No Special Orders Depth to base of Treatable Water-Bearing FM: 160 of Drilling Fluids: EQUIRES PERMIT) PERMIT NO: 21-37658 CLOSED SYSTEM=STEEL PITS PER (REQUIRED - CIMARRON RIVER) C r: C NLLUVIAL
Pending CD Numbers: No Pending Total Depth: 11666 Ground Elevation: 1020 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Me Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below	Working interest owner Surface Casing:	ers' notified: *** 220 Approved Method for disposal D. One time land application (R H. (Other) Category of Pit: C Liner not required for Category Pit Location is: A	Special Orders: No Special Orders Depth to base of Treatable Water-Bearing FM: 160 of Drilling Fluids: EQUIRES PERMIT) PERMIT NO: 21-37658 CLOSED SYSTEM=STEEL PITS PER (REQUIRED - CIMARRON RIVER) C r: C NLLUVIAL
Pending CD Numbers: No Pending Total Depth: 11666 Ground Elevation: 1020 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Met Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N	Working interest owner Surface Casing:	ers' notified: *** 220 Approved Method for disposal D. One time land application (R H. (Other) Category of Pit: C Liner not required for Category Pit Location is: A	Special Orders: No Special Orders Depth to base of Treatable Water-Bearing FM: 160 of Drilling Fluids: EQUIRES PERMIT) PERMIT NO: 21-37658 CLOSED SYSTEM=STEEL PITS PER (REQUIRED - CIMARRON RIVER) C Jr: C LLUVIAL
Pending CD Numbers: No Pending Total Depth: 11666 Ground Elevation: 1020 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Me Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below	Working interest owner Surface Casing:	ers' notified: *** 220 Approved Method for disposal D. One time land application (R H. (Other) Category of Pit: C Liner not required for Category Pit Location is: A	Special Orders: No Special Orders Depth to base of Treatable Water-Bearing FM: 160 of Drilling Fluids:
Pending CD Numbers: No Pending Total Depth: 11666 Ground Elevation: 1020 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Me Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit js located in a Hydrologically Sensitive Area.	Working interest owner Surface Casing:	ers' notified: *** 220 Approved Method for disposal D. One time land application (R H. (Other) Category of Pit: C Liner not required for Category Pit Location is: A	Special Orders: No Special Orders Depth to base of Treatable Water-Bearing FM: 160 of Drilling Fluids: EQUIRES PERMIT) PERMIT NO: 21-37658 CLOSED SYSTEM=STEEL PITS PER (REQUIRED - CIMARRON RIVER) C r: C NLLUVIAL
Pending CD Numbers: No Pending Total Depth: 11666 Ground Elevation: 1020 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Met Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N Wellhead Protection Area? N	Working interest owner Surface Casing:	ers' notified: *** 220 Approved Method for disposal D. One time land application (R H. (Other) Category of Pit: O Liner not required for Category Pit Location is: A Pit Location Formation: A	Special Orders: No Special Orders Depth to base of Treatable Water-Bearing FM: 160 of Drilling Fluids: EQUIRES PERMIT) EQUIRES PERMIT) PERMIT NO: 21-37658 CLOSED SYSTEM=STEEL PITS PER (REQUIRED - CIMARRON RIVER) 22-27: C ALLUVIAL ALLUVIUM
Pending CD Numbers: No Pending Total Depth: 11666 Ground Elevation: 1020 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit js located in a Hydrologically Sensitive Area.	Working interest owner Surface Casing: ans Steel Pits base of pit? Y	ers' notified: *** 220 Approved Method for disposal D. One time land application (R H. (Other) Category of Pit: O Liner not required for Category Pit Location is: A Pit Location Formation: A	Special Orders: No Special Orders Depth to base of Treatable Water-Bearing FM: 160 of Drilling Fluids: EQUIRES PERMIT) PERMIT NO: 21-37658 CLOSED SYSTEM=STEEL PITS PER (REQUIRED - CIMARRON RIVER) C r: C NLLUVIAL
Pending CD Numbers: No Pending Total Depth: 11666 Ground Elevation: 1020 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.	Working interest owner Surface Casing: ans Steel Pits base of pit? Y	ers' notified: *** 220 Approved Method for disposal D. One time land application (R H. (Other) Category of Pit: C Liner not required for Category Pit Location is: A Pit Location Formation: A Tota	Special Orders: No Special Orders Depth to base of Treatable Water-Bearing FM: 160 of Drilling Fluids: EQUIRES PERMIT) EQUIRES PERMIT) PERMIT NO: 21-37658 CLOSED SYSTEM=STEEL PITS PER (REQUIRED - CIMARRON RIVER) 22 /: C ALLUVIAL ALLUVIUM
Pending CD Numbers: No Pending Total Depth: 11666 Ground Elevation: 1020 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Clorides Max: 5000 Average: South to top of ground water greater than 10ft below Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. HORIZONTAL HOLE 1 Section: 19 Township: 17N Range	Working interest owner Surface Casing: ans Steel Pits base of pit? Y	ers' notified: *** 220 Approved Method for disposal D. One time land application (R H. (Other) Category of Pit: C Liner not required for Category Pit Location is: A Pit Location Formation: A Tota Measured Tota	Special Orders: No Special Orders Depth to base of Treatable Water-Bearing FM: 160 of Drilling Fluids:

NOTES:

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category	Description
HYDRAULIC FRACTURING	[6/22/2021 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
SPACING - 52793	[6/25/2021 - GB1] - (UNIT) 19-17N-5W EST LINCOLN SOUTHEAST OSWEGO UNIT FOR THE OSWG

