Ilti Unit end reason: UPDATE BHL/	24939 A Oil & Gas ORDERS/ATTACH R	EVISED	OIL & GAS CONSE P.O. BC OKLAHOMA CIT (Rule 16	RATION COMMISSION RVATION DIVISION DX 52000 Y, OK 73152-2000 5:10-3-1) MIT TO DRILL	Approval Date: 05/17/2022 Expiration Date: 11/17/2023
AT WELL LOCATION: Se SPOT LOCATION: SE	ction: 27 T	ownship: 8N	Range: 5W County: G	RADY	
SPOT LOCATION.			M QUARTER: FROM SOUTH CTION LINES: 162	FROM WEST 2605	
Lease Name: DAVI	S 0805		Well No: 3HW-34X	Well will be	e 162 feet from nearest unit or lease boundary.
Operator Name: OVIN	TIV USA INC		Telephone: 281210510	00	OTC/OCC Number: 21713 0
OVINTIV USA INC	5,	TX 77380-3	3197	OLIVER REAL ESTATE HO 1010 N. ROBINSON AVENU OKLAHOMA CITY	
	mit Valid for List	ted Formations (	•		
Name 1 MISSISSIPPIAN		Code 359MSSP	<b>Depth</b> 10650		
2 WOODFORD		319WDFD	10790		
Spacing Orders: 634538 670378 678728	5		Location Exception Orders:	No Exceptions	Increased Density Orders: No Density
-	202203513 202203514 202203510 202203511 202203512	_	Working interest owners	s' notified: ***	Special Orders: No Special
Total Depth: 23345	Ground Ele	vation: 1339	Surface Casing:	1500 Depth	n to base of Treatable Water-Bearing FM: 430
					Deep surface casing has been approved
Under Federa	Jurisdiction: No			Approved Method for disposal of Dri	illing Fluids:
Fresh Water Supply				D. One time land application (REQU	IRES PERMIT) PERMIT NO: 21-37734
Surface Water	used to Drill: Yes			E. Haul to Commercial pit facility	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498
				H. (Other)	SEE MEMO

T 1 INFORMATION	Category of Pit: C	
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C	
Type of Mud System: WATER BASED	Pit Location is: NON HSA	
Chlorides Max: 5000 Average: 3000	Pit Location Formation: CHICKASHA	
Is depth to top of ground water greater than 10ft below base of pit? Y		
Within 1 mile of municipal water well? N		
Wellhead Protection Area? N		
Pit <b>is not</b> located in a Hydrologically Sensitive Area.		
PIT 2 INFORMATION	Category of Pit: C	
PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits	Category of Pit: C Liner not required for Category: C	
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C	
Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED	Liner not required for Category: C Pit Location is: NON HSA	
Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000	Liner not required for Category: C Pit Location is: NON HSA	
Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y	Liner not required for Category: C Pit Location is: NON HSA	

MULTIUNIT HOLE I					
Section: 10 Townsh	p:7N Ra	ange: 5W	Meridian: IM	Total Length:	11841
Count	y: GRADY			Measured Total Depth:	23345
Spot Location of End Poir	nt: NW NE	SW	NE	True Vertical Depth:	10994
Feet Fron	: NORTH	1/4 Section	n Line: 1520	End Point Location from	
Feet From	n: EAST	1/4 Section	n Line: 1890	Lease,Unit, or Property Line:	1520

NOTES:	
Category	Description
DEEP SURFACE CASING	[5/12/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[5/12/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
МЕМО	[5/12/2022 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 202203510	[9/20/2022 - G56] - 3-7N-5W X670375 WDFD 2 WELLS NO OP NAMED REC 9/19/2022 (THOMAS)
PENDING CD - 202203511	[9/20/2022 - G56] - 10 & 15-7N-5W X678728 WDFD 2 WELLS NO OP NAMED REC 9/19/2022 (THOMAS)

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PENDING CD - 202203512	[9/20/2022 - G56] - 34-8N-5W X634535 WDFD 2 WELLS NO OP NAMED REC 9/19/2022 (THOMAS)
PENDING CD - 202203513	[9/20/2022 - G56] - (I.O.) 3, 10 & 15-7N-5W & 34-8N-5W EST MULTIUNIT HORIZONTAL WELL X670375 MSSP, WDFD 3-7N-5W X634535 MSSP, WDFD 34-8N-5W X678728 MSSP, WDFD 10 & 15-7N-5W (MSSP IS ADJACENT CSS TO WDFD) 43% 34-8N-5W 44% 3-7N-5W 13% 10 & 15-7N-5W NO OP NAMED REC 9/19/2022 (THOMAS)
PENDING CD - 202203514	[9/20/2022 - G56] - (I.O.) 3, 10 & 15-7N-5W & 34-8N-5W X670375 MSSP, WDFD 3-7N-5W X634535 MSSP, WDFD 34-8N-5W X678728 MSSP, WDFD 10 & 15-7N-5W COMPL INT (34-8N-5W) NCT 0' FSL, NCT 165' FNL, NCT 1320' FEL COMPL INT (3-7N-5W) NCT 0' FSL, NCT 0' FNL, NCT 1320' FEL COMPL INT (10 & 15-7N-5W) NCT 0' FNL, NFT 2640' FNL, NCT 1320' FEL NO OP NAMED REC 9/19/2022 (THOMAS)
SPACING - 634535	[5/17/2022 - G56] - (640)(HOR) 34-8N-5W EST MSSP, WDFD, OTHER COMPL INT (MSSP) NLT 660' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL (COEXIST WITH SP # 261471 MSSLM)
SPACING - 670375	[5/17/2022 - G56] - (640)(HOR) 3-7N-5W VAC 236078 MSSLM EXT 634535 MSSP, WDFD COMPL INT (MSSP) NCT 660' FB COMPL INT (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL
SPACING - 678728	[9/20/2022 - G56] - (1280)(HOR) 10 & 15-7N-5W VAC 633183 MSSP, WDFD EST MSSP, WDFD COMPL INT (MSSP) NLT 660' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL