| API NUMBER: 017 25389 Horizontal Hole Oil & Gas | OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1) | Approval Date:02/15/2019Expiration Date:08/15/2020 |
|--|---|---|
| Multi Unit | | |
| | PERMIT TO DRILL | |
| | | |
| WELL LOCATION: Sec: 26 Twp: 12N Rge: 6 | 6W County: CANADIAN | |
| SPOT LOCATION: SE SW SE SE | FEET FROM QUARTER: FROM SOUTH FROM EAST | |
| | SECTION LINES: 310 720 | |
| Lease Name: JUSTIFY 26-23-12-6 | Well No: 2MXH Well | will be 310 feet from nearest unit or lease boundary. |
| Operator ROAN RESOURCES LLC Name: | Telephone: 4058968453 | OTC/OCC Number: 24127 0 |
| ROAN RESOURCES LLC 14701 HERTZ QUAIL SPRINGS PKW | Y ELBERT VANCI 30773 N. 2976 F | E WINNINGHAM III RD. |
| OKLAHOMA CITY, OK | 73134-2641 CASHION | OK 73016 |
| | | |
| Formation(s) (Permit Valid for Listed For Name 1 MISSISSIPPIAN 2 3 4 5 Spacing Orders: 671192 671073 | Depth Name 8765 6 7 8 9 10 Location Exception Orders: | Depth Increased Density Orders: |
| Pending CD Numbers: 201810333 | | Special Orders: |
| 201810334 201810329 201810330 | | |
| Total Depth: 19325 Ground Elevation: | 1309 Surface Casing: 1500 | Depth to base of Treatable Water-Bearing FM: 830 |
| Under Federal Jurisdiction: No | Fresh Water Supply Well Drilled: No | Surface Water used to Drill: No |
| PIT 1 INFORMATION | Approved Method for disposal | of Drilling Fluids: |
| Type of Pit System: CLOSED Closed System Means Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 | D. One time land application H. SEE MEMO | (REQUIRES PERMIT) PERMIT NO: 18-35894 |
| Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N | base of pit / Y | |
| Wellhead Protection Area? N | | |
| Pit is located in a Hydrologically Sensitive Area. | | |
| Category of Pit: C | | |
| Liner not required for Category: C | | |
| | | |
| Pit Location is BED AQUIFER | | |

 PIT 2 INFORMATION

 Type of Pit System:
 CLOSED Closed System Means Steel Pits

 Type of Mud System:
 OIL BASED

 Chlorides Max: 300000
 Average: 200000

 Is depth to top of ground water greater than 10ft below base of pit?
 Y

 Within 1 mile of municipal water well?
 N

 Wellhead Protection Area?
 N

 Pit
 is located in a Hydrologically Sensitive Area.

 Category of Pit:
 C

 Liner not required for Category: C
 C

 Pit Location is
 BED AQUIFER

 Pit Location Formation:
 DUNCAN

HORIZONTAL HOLE 1

| Sec | 23 | Twp | 12N | Rge | 6W | c c | ounty | CANADIAN |
|--------------------------------|----------|---------|--------|---------|-------|-------|-------|----------|
| Spot | Locatior | n of En | d Poin | t: NE | E | NW | NE | NE |
| Feet | From: | NOF | RTH | 1/4 Sec | ction | Line: | 65 | |
| Feet | From: | EAS | т | 1/4 Se | ction | Line: | 80 | 0 |
| Depth of Deviation: 8121 | | | | | | | | |
| Radius of Turn: 573 | | | | | | | | |
| Direction: 359 | | | | | | | | |
| Total Length: 10304 | | | | | | | | |
| Measured Total Depth: 19325 | | | | | | | | |
| True Vertical Depth: 8765 | | | | | | | | |
| End Point Location from Lease, | | | | | | | | |
| Unit, or Property Line: 65 | | | | | | | | |
| | | | | | | | | |

| Notes: | |
|------------------------|---|
| Category | Description |
| DEEP SURFACE CASING | 12/21/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR SURFACE CASING |
| HYDRAULIC FRACTURING | 12/21/2018 - G71 - OCC 165:10-3-10 REQUIRES: |
| | 1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE; |
| | 2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, |
| | 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG |
| МЕМО | 12/21/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 2 - OBM TO VENDOR, OBM CUTTINGS PER DISTRICT |
| PENDING CD - 201810329 | 2/7/2019 - G75 - 23-12N-6W X671192 MSSP, OTHER 5 WELLS NO OP. NAMED REC 1-8-2019 (P. PORTER) |

017 25389 JUSTIFY 26-23-12-6 2MXH

Page 2 of 3

| Category | Description |
|------------------------|---|
| PENDING CD - 201810330 | 2/7/2019 - G75 - 26-12N-6W X671073 MSSP, OTHER 5 WELLS NO OP. NAMED REC 1-8-2019 (P. PORTER) |
| PENDING CD - 201810333 | 2/7/2019 - G75 - (I.O.) 26 & 23-12N-6W EST MULTIUNIT HORIZONTAL WELL X671073 MSSP 26-12N-6W X671192 MSSP 23-12N-6W 50% 26-12N-6W 50% 23-12N-6W NO OP. NAMED REC 1-8-2019 (P. PORTER) |
| PENDING CD - 201810334 | 2/7/2019 - G75 - (I.O.) 26 & 23-12N-6W X671073 MSSP 26-12N-6W X671192 MSSP 23-12N-6W X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO EXISTING/PROPOSED WELL COMPL. INT. (26-12N-6W) NCT 150' FSL, NCT 0' FNL, NCT 800' FEL COMPL. INT. (23-12N-6W) NCT 0' FSL, NCT 150' FNL, NCT 800' FEL NO OP. NAMED REC 1-8-2019 (P. PORTER) |
| SPACING - 671073 | 2/7/2019 - G75 - (640)(HOR) 26-12N-6W EXT 635714 MSSP, OTHERS COMPL. INT. NCT 660' FB |
| SPACING - 671192 | 2/7/2019 - G75 - (640)(HOR) 23-12N-6W EXT 635714 MSSP, OTHERS COMPL. INT. NCT 660' FB (COEXIST SP. ORDER # 140135/143956 MSSLM N2, SE4 & ORDER # 140135/143956/144365 MSSLM SW4) ** |
| | ** SHOULD ALSO COEXIST SP. ORDER # 141069/143956 MISS; NUNC PRO TUNC HAS BEEN PREPARED BY ATTORNEY AND A COPY REVIEWED BY OCC |

API 017-25389

