API NUMBER: 017 25392	OKLAHOMA CORPORATION COMM OIL & GAS CONSERVATION DIVI P.O. BOX 52000 OKLAHOMA CITY, OK 73152-20 (Rule 165:10-3-1)	SION Approval Date: 02/15/2019
Horizontal Hole Oil & Gas Multi Unit		
	PERMIT TO DRILL	
	<u>· =····· · · · · · · · · · · · · · · · </u>	
WELL LOCATION: Sec: 26 Twp: 12N Rge:	6W County: CANADIAN	
SPOT LOCATION: SE SW SE SE	FEET FROM QUARTER: FROM SOUTH FROM EAST	
	SECTION LINES: 310 780	
Lease Name: JUSTIFY 26-23-12-6	Well No: 5WXH	Well will be 310 feet from nearest unit or lease boundary.
Operator ROAN RESOURCES LLC Name:	Telephone: 4058968453	OTC/OCC Number: 24127 0
ROAN RESOURCES LLC	ELBE	ERT VANCE WINNINGHAM III
14701 HERTZ QUAIL SPRINGS PKW	3077	3 N. 2976 RD.
OKLAHOMA CITY, OK	73134-2641 CASI	HION OK 73016
Formation(s) (Permit Valid for Listed F	• •	
Name	Depth Nam	ne Depth
1 WOODFORD 2	8895 6 7	
2 3	7 8	
4	9	
5	10	
Spacing Orders: 671192 671073	Location Exception Orders:	Increased Density Orders:
Pending CD Numbers: 201810339		Special Orders:
201810340		
201810329		
201810330		
Total Depth: 19455 Ground Elevation:	1309 Surface Casing: 1500	Depth to base of Treatable Water-Bearing FM: 830
Under Federal Jurisdiction: No	Fresh Water Supply Well Drilled: No	Surface Water used to Drill: No
PIT 1 INFORMATION	Approved Metho	od for disposal of Drilling Fluids:
Type of Pit System: CLOSED Closed System Mean		
Type of Mud System: WATER BASED	D. One time la H. SEE MEMC	nd application (REQUIRES PERMIT) PERMIT NO: 18-35897
Chlorides Max: 5000 Average: 3000		
Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N		
Wellhead Protection Area? N		
Pit is located in a Hydrologically Sensitive Area		
Category of Pit: C		
Liner not required for Category: C		
Enter not required for outegory. o		
Pit Location is BED AQUIFER		

 PIT 2 INFORMATION

 Type of Pit System:
 CLOSED Closed System Means Steel Pits

 Type of Mud System:
 OIL BASED

 Chlorides Max: 300000
 Average: 200000

 Is depth to top of ground water greater than 10ft below base of pit?
 Y

 Within 1 mile of municipal water well?
 N

 Wellhead Protection Area?
 N

 Pit
 is located in a Hydrologically Sensitive Area.

 Category of Pit:
 C

 Liner not required for Category: C
 C

 Pit Location is
 BED AQUIFER

 Pit Location Formation:
 DUNCAN

HORIZONTAL HOLE 1

Sec	23	Twp	12N	Rge	6W	С	ounty	CANADIAN
Spot	Locatior	n of En	d Poin	it: Ni	ΞN	W	NW	NE
Feet	From:	NOF	RTH	1/4 Se	ction L	ine:	65	5
Feet	From:	EAS	бт	1/4 Se	ction L	ine:	23	300
Depth of Deviation: 8247								
Radius of Turn: 573								
Direction: 345								
Total Length: 10308								
Measured Total Depth: 19455								
True Vertical Depth: 8895								
End Point Location from Lease,								
Unit, or Property Line: 65								

Notes:	
Category	Description
DEEP SURFACE CASING	12/21/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	12/21/2018 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
МЕМО	12/21/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 2 - OBM TO VENDOR, OBM CUTTINGS PER DISTRICT
PENDING CD - 201810329	2/7/2019 - G75 - 23-12N-6W X671192 WDFD, OTHER 5 WELLS NO OP. NAMED REC 1-8-2019 (P. PORTER)

017 25392 JUSTIFY 26-23-12-6 5WXH

Category	Description
PENDING CD - 201810330	2/7/2019 - G75 - 26-12N-6W X671073 WDFD, OTHER 5 WELLS NO OP. NAMED REC 1-8-2019 (P. PORTER)
PENDING CD - 201810339	2/7/2019 - G75 - (I.O.) 26 & 23-12N-6W EST MULTIUNIT HORIZONTAL WELL X671073 WDFD 26-12N-6W X671192 WDFD 23-12N-6W 50% 26-12N-6W 50% 23-12N-6W NO OP. NAMED REC 1-8-2019 (P. PORTER)
PENDING CD - 201810340	2/7/2019 - G75 - (I.O.) 26 & 23-12N-6W X671073 WDFD 26-12N-6W X671192 WDFD 23-12N-6W COMPL. INT. (26-12N-6W) NCT 150' FSL, NCT 0' FNL, NCT 2250' FEL COMPL. INT. (23-12N-6W) NCT 0' FSL, NCT 150' FNL, NCT 2250' FEL NO OP. NAMED REC 1-8-2019 (P. PORTER)
SPACING - 671073	2/7/2019 - G75 - (640)(HOR) 26-12N-6W EXT 635714 WDFD, OTHERS COMPL. INT. NCT 165' FNL & FSL, NCT 330' FEL & FWL
SPACING - 671192	2/7/2019 - G75 - (640)(HOR) 23-12N-6W EXT 635714 WDFD, OTHERS COMPL. INT. NCT 165' FNL & FSL, NCT 330' FEL & FWL

API 017-25392

