API NUMBER: 017 25954

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 04/20/2023

Expiration Date: 10/20/2024

Multi Unit Oil & Gas

## **PERMIT TO DRILL**

				<del></del>							
WELL LOCATION:	Section:	35 Township	: 13N	Range: 9W	County: C	CANADIAN					
SPOT LOCATION:	SW NE	NW NW	FEET FROM	QUARTER: FROM	NORTH	FROM WEST					
			SECT	ION LINES:	364	780					
Lease Name:	BEARD 35_3-13	N-9W		Well No	o: 5HX		Well will be	364 f	eet from nearest unit	or lease boundary.	
Operator Name:	DEVON ENERGY	PRODUCTION (	CO LP	Telephone	e: 40523536	11: 4052353611:			OTC/OCC Numl	per: 20751 0	
Operator Name: DEVON ENERGY PRODUCTION CO LP Telephone: 4052353611; 4052353611; OTC/OCC Number: 20751 0											
DEVON ENERGY PRODUCTION CO LP						ALLEN & CINDY LOU STOVER					
333 W SHERIDAN AVE						PO BOX 66	PO BOX 66				
OKLAHOMA CITY, OK 73102-5015					CALLIMET	CALUMET OK 73014					
OK 75102 5015					CALOWET	CALOWET OR 73014					
Formation(s) (Permit Valid for Listed Formations Only):											
Name		Code	9	Depth							
1 WOODFOR	D	319	VDFD	12135							
Spacing Orders:	565986			Location Exce	eption Orders	: 733483		Incre	ased Density Orders:	733510	
	567547									733513	
	733477										
Pending CD Numbers: No Pending Working interest owners' notified: DNA Special Orders: No Special									No Special		
Total Donth:		round Elevation:	1444	Curtono	Casing:	1000	Denth t	to hase of T	Freatable Water-Bearin	a FM: 250	
Total Depth: 2	22132 G	Surrace	1000	Бериг							
								Dee	ep surface casing	has been approved	
Under Federal Jurisdiction: No					Approved Method for disposal of Drilling Fluids:						
Fresh Water Supply Well Drilled: No					D. One time land application (REQUIRES PERMIT) PERMIT NO: 23-38947						
Surface Water used to Drill: Yes						H. (Other)		SEE MEM	0		
DIT 4 INFOR	MATION					Cotos	sons of Bits C				
PIT 1 INFORMATION  Type of Pit System: CLOSED Closed System Means Steel Pits						Category of Pit: C  Liner not required for Category: C					
Type of Mud System: WATER BASED					Pit Location is: BED AQUIFER						
Chlorides Max: 8000 Average: 5000					Pit Location F	Pit Location Formation: MARLOW					
Is depth to top of ground water greater than 10ft below base of pit? Y											
Within 1	mile of municipal wa	ater well? N									
Wellhead Protection Area? N											
Pit <u>is</u> lo	ocated in a Hydrolog	gically Sensitive A	rea.								
PIT 2 INFORMATION						Categ	Category of Pit: C				
Type of Pit System: CLOSED Closed System Means Steel Pits					Liner not required for Category: C						
Type of Mud System: OIL BASED					Pit Location is: BED AQUIFER						
Chlorides Max: 300000 Average: 200000						Pit Location F	ormation: MARLO	W			
Is depth to top of ground water greater than 10ft below base of pit? Y											
Within 1	mile of municipal wa										
Wellhead Protection Area? N											
Pit <u>is</u> lo	ocated in a Hydrolog	gically Sensitive A	rea.								

**MULTI UNIT HOLE 1** 

Section: 3 Township: 12N Range: 9W Meridian: IM Total Length: 9644

County: CANADIAN Measured Total Depth: 22152

Spot Location of End Point: SE SW SE SE True Vertical Depth: 12235

Feet From: SOUTH 1/4 Section Line: 50 End Point Location from
Feet From: EAST 1/4 Section Line: 973 Lease,Unit, or Property Line: 50

## NOTES:

NOTES:	
Category	Description
DEEP SURFACE CASING	[4/12/2023 - GC2] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[4/12/2023 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 733510 (CD2023-000796)	[4/19/2023 - GB7] - 3-12N-9W X565986 WDFD, OTHER 3 WELLS WDFD 2 WELLS OTHER DEVON ENERGY PRODUCTION COMPANY LP 04/06/2023
INCREASED DENSITY - 733513	[4/19/2023 - GB7] - 35-13N-9W X567547 WDFD 1 WELL DEVON ENERGY PRODUCTION COMPANY LP 04/06/2023
LOCATION EXCEPTION 733483 (CD2023-000794)	[4/19/2023 - GB7] - (I.O.) 35-13N-9W & 3-12N-9W X565986 WDFD X567547 WDFD X567547 WDFD X165:10-3-28(C)(2)(B) WDFD MAY BE CLOSER THAN 600' TO MILLER 1-35H (API# 017-24281) COMPL INT NCT 165' FNL, NCT 0' FSL, NCT 330' FWL (35-13N-9W) COMPL INT NCT 0' FNL, NCT 165' FSL, NCT 660' FEL (3-12N-9W) DEVON ENERGY PRODUCTION COMPANY LP 04/05/2023
МЕМО	[4/12/2023 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 565986	[4/13/2023 - GB7] - (640) 3-12N-9W EXT OTHERS EXT 560331 WDFD, OTHERS
SPACING - 567547	[4/13/2023 - GB7] - (640) 35-13N-9W EXT OTHERS EXT 565986 WDFD, OTHERS EST OTHERS
SPACING - 733477 (CD2023-000788)	[4/19/2023 - GB7] - (I.O.) 35-13N-9W & 3-12N-9W EST MULTIUNIT HORIZONTAL WELL X565986 WDFD, OTHER X567547 WDFD, OTHER 50% 35-13N-9W 50% 3-12N-9W DEVON ENERGY PRODUCTION COMPANY LP 04/05/2023