API NUMBER: 019 26252 A

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 08/11/2020
Expiration Date: 02/11/2022

Straight Hole Oil & Gas

Amend reason: RENEW EXPIRED PERMIT

AMEND PERMIT TO DRILL

WELL LOCATION:	Section: 27	Township:	3S Ra	nge: 2W	County:	CART	FR						
SPOT LOCATION:		JE NW	1										
SPOT LOCATION:	SE SW N	IE INVV	FEET FROM QUA		SOUTH	FROM	11201						
			SECTION L	LINES:	1485		1815						
Lease Name:	OIL CITY UNIT			Well No	: 57			Well w	ill be 1	155 fee	t from nearest un	it or lease	e boundary.
Operator Name:	KODIAK OIL & GAS	INC		Telephone	: 9407594	001					OTC/OCC Nu	mber:	23226 0
KODIAK OIL	& GAS INC] [SHARP FAM	ILY TRUST					
204 N WALN	UT ST												
MUENSTER,		TX	76252-2766	3			101 FANNIN	SUITE 700					
							HOUSTON			T	X 77002		
						J L							
Formation(s)	(Permit Valid fo	r Listed For	mations Only	γ):									
Name		Code	<u> </u>	Depth		1							
1 PONTOTOC	:	419PI	NTC	850									
	47075					N	lo Exceptions				- d D it - O - d	No De	nsity Orders
· -	67235		-	_ocation Exce	ption Order	'S: IN	o exceptions		_	Increas	ed Density Orders	110 20	noity Ordero
Pending CD Number	ers: No Pending										Special Orders	No Spe	ecial Orders
Total Depth: 1150 Ground Elevation: 1065 Surface Casing: 0					0		[Depth to b	oase of Tre	atable Water-Bea	ring FM:	40	
Alternate Casi	ng Program]							
Cement will b	e circulated from	n Total De	pth to the Gr	ound Sur	face on	the I	Production C	Casing Strir	ng.				
Under	Federal Jurisdiction:	No				A	Approved Method	d for disposal o	of Drilling	Fluids:			
Fresh Water Supply Well Drilled: No							A. Evaporation/dewater and backfilling of reserve pit.						
Surface Water used to Drill: No													
						F	I. CBL REQUIRE	D					
DIT 4 INFOR	MATION						Cata	egory of Pit: 2	,				
PIT 1 INFORMATION Type of Pit System: ON SITE						Liner not required for Category: 2							
Type of Mud System: WATER BASED					Pit Location is: BED AQUIFER								
Chlorides Max: 5000 Average: 3000				Pit Location Formation: GARBER									
	top of ground water gro	eater than 10ft	below base of pit	? Y									
Within 1 mile of municipal water well? N													
	Wellhead Protection												
Pit <u>is</u> lo	ocated in a Hydrologica	ılly Sensitive Ar	rea.										

NOTES:	
Category	Description
ALTERNATE CASING	2/28/2017 - G71 - APPROVED; (1) MUDDING UP PRIOR TO TD TO PROTECT SHALLOW SANDS & (2) COPY OF CBL NEEDS TO BE SUBMITTED TO THE TECHNICAL STAFF IMMEDIATELY. A COMPLETION ATTEMPT, IN CASES WHERE THE PROTECTION OF THE TREATABLE WATER IS QUESTIONABLE, IS STRICTLY PROHIBITED. RULE 165: 10-3-4 (D)(4)(C)

HYDRAULIC FRACTURING	2/27/2017 - G71 - OCC 165:10-3-10 REQUIRES: 1) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS BE REPORTED TO FRACFOCUS USING THE FOLLOWING LINK HTTP://FRACFOCUS.ORG/ WITH NOTICE GIVEN 48 HOURS IN ADVANCE OF FRACTURING TO THE LOCAL OCC DISTRICT OFFICE; AND, 2) PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE ALSO GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE
SPACING - 47075	8/11/2020 - GB6 - (UNIT) NW4 27-3S-2W EST OIL CITY UNIT FOR PNTC
SPACING – 67235	8/11/2020 - GB6 - (UNIT) NW4 27-3S-2W AMD 47075 TO DEFINE PNTC CSS AS ALL FORMATIONS BETWEEN 800' AND 1200' IN ROY M. JOHNSON CALDWELL #6 WELL, & OTHER VARIOUS ITEMS.