API NUMBER: 017 25395

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date:	02/25/2019
Expiration Date:	08/25/2020

630 feet from nearest unit or lease boundary.

16896 0

OTC/OCC Number:

PERMIT TO DRILL

WELL LOCATION:	Sec:	21	Twp:	11N	Rge:	6W	County	y: CAN	ADIAN			
SPOT LOCATION:	: NE	SE	S	W	SW		FEET FROM QUARTER:	FROM	SOUTH	FROM	WEST	
							SECTION LINES:		630		1250	
Lease Name:	SHASTA	1106					W	ell No:	4LMH-28			
Operator Name:	CHAP	ARRA	L ENE	RGY L	LC				Teleph	ione:	4054788770; 405	4264

CHAPARRAL ENERGY LLC 701 CEDAR LAKE BLVD

OKLAHOMA CITY. 73114-7800 OK

JAMES TERRY & PHYLLIS ANN KOLAR 16145 SW 59TH STREET

Well will be

EL RENO OK 73036

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MISSISSIPPIAN	9310	3	
2		7	7	
3		8	3	
4		9	9	
5			10	
Spacing Orders:	674868	Location Exception Orders:		Increased Density Orders:

Pending CD Numbers: 201900479 Special Orders:

201900476

Total Depth: 14300 Ground Elevation: 1326 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 110

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 19-36266 H. SEE MEMO

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N

Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation: DUNCAN

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: DUNCAN

HORIZONTAL HOLE 1

Sec 28 Twp 11N Rge 6W County CANADIAN

Spot Location of End Point: SW SW SE SW
Feet From: SOUTH 1/4 Section Line: 165
Feet From: WEST 1/4 Section Line: 1555

Depth of Deviation: 8126 Radius of Turn: 573 Direction: 175

Total Length: 5274

Measured Total Depth: 14300

True Vertical Depth: 9425

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

MEMO

Category Description

DEEP SURFACE CASING 2/19/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 2/19/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

2/19/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201900476 2/25/2019 - GA8 - 28-11N-6W

X674868 MSSP 4 WELLS NO OP. NAMED

REC 2/11/2019 (M. PORTER)

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category Description

PENDING CD - 201900479 2/22/2019 - GA8 - (I.O.) 28-11N-6W

X674868 MSSP

X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO EXISTING/PROPOSED WELLS COMPL. INT. NCT 165' FNL, NCT 165' FSL, NCT 330' FWL

CHAPARRAL ENERGY, LLC REC 2/11/2019 (M. PORTER)

SPACING - 674868 2/22/2019 - GA8 - (640)(HOR) 28-11N-6W

EST MSSP, OTHERS

POE TO BHL (MSSP) NCT 660' FB (COEXIST SP. ORDÉR #231942)

THE INFORMATION SHOWN HEREIN IS FOR CONSTRUCTION PURPOSES ONLY DATUM: NAD-27

STATE PLANE

GRID

0

Best Accu Distance & Di from Hwy Jr

& Directi

Town to

junction South

of.

ş

152 œ

Hwy

00

3. Union Location

From the mile

Stakes

county road

Hwy

then From

North to

the

Southwest

Corner of S

Section

21, City

T11N-R6W.

Oklahoma,

90

miles

Good

Drill

Site?

LAT: <u>35°24'28.3" N</u> LONG: 97'50'38.4" W LAT: <u>35.407854909° N</u> LONG: 97.844003010' W

COORDINATES (US FEET): ZONE: OK NORTH 2046491

148502

CERTIFICATE:

Thomas L Howell an Oklahoma Licensed Land Surveyor and an authorized agent of Topographic Land Surveyors of Oklahoma, do hereby certify to the information shown herein.

Oklahoma Lic. No.

