API NUMBER: 051 24587

Wellhead Protection Area? N

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: DUNCAN

Category of Pit: C

is located in a Hydrologically Sensitive Area.

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 03/06/2019
Expiration Date: 09/06/2020

Horizontal Hole Multi Unit Oil & Gas

PERMIT TO DRILL

NELL LOCATION: Sec:		County: GRADY	TH FROM WEST		
SPOT LOCATION. [INV	1444 145	CTION LINES: 310	1569		
Lease Name: GREE	N ACRES	Well No: 4-36-	25XHW	Well will be 3	feet from nearest unit or lease boundary.
Operator CO Name:	NTINENTAL RESOURCES INC	Te	elephone: 4052349020; 40	52349 O	TC/OCC Number: 3186 0
CONTINENTA	L RESOURCES INC		CARO	LYN DELORES H	
PO BOX 26900	00			OX 345	
OKLAHOMA C	CITY, OK 73	126-9000	DIBBL		OK 73031
Name 1 WOOD 2 3 4 5 Spacing Orders: 6112		Depth 11320 Location Exception Orders	Name 6 7 8 9 10	Incre	Depth eased Density Orders:
6586	91				
Pending CD Numbers:	201900426 201900427 201900423 201900422			Spec	ial Orders:
Total Depth: 21356	Ground Elevation: 1230	Surface Casi	ng: 1500	Depth to b	pase of Treatable Water-Bearing FM: 380
Under Federal Jurisdi	ction: No	Fresh Water Suppl	y Well Drilled: No		Surface Water used to Drill: Yes
PIT 1 INFORMATION			Approved Method	I for disposal of Drilling F	Fluids:
Type of Pit System: C Type of Mud System: Chlorides Max: 3000 A		Pits	D. One time land	d application (REQUIR	ES PERMIT) PERMIT NO: 19-3625
Is depth to top of ground Within 1 mile of municip	d water greater than 10ft below base o al water well? N	f pit? Y			

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: DUNCAN

HORIZONTAL HOLE 1

Rge 5W Sec 25 Twp 7N County **GRADY** Spot Location of End Point: N2 N2 N2 NW Feet From: NORTH 1/4 Section Line: 50 Feet From: WEST 1/4 Section Line: 1320

Depth of Deviation: 10118
Radius of Turn: 477
Direction: 355

Total Length: 10489

Measured Total Depth: 21356

True Vertical Depth: 11466

End Point Location from Lease,
Unit, or Property Line: 50

Notes:

MEMO

Category Description

DEEP SURFACE CASING 2/14/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 2/14/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG 2/14/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201900422 3/6/2019 - G58 - 25-7N-5W

X658691 WDFD 4 WELLS NO OP. NAMED

REC 2/11/2019 (M. NORRIS)

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category Description

PENDING CD - 201900423 3/6/2019 - G58 - 36-7N-5W

X611235 WDFD 4 WELLS NO OP. NAMED

REC 3/4/2019 (MINMIER)

3/6/2019 - G58 - (I.O.) 25 & 36-7N-5W PENDING CD - 201900426

EST MULTIUNIT HORIZONTAL WELL

X611235 WDFD X658691 WDFD 50% 36-7N-5W 50% 25-7N-5W NO OP. NAMED

REC 2/11/2019 (M. NORRIS)

PENDING CD - 201900427 3/6/2019 - G58 - (I.O.) 25 & 36-7N-5W

X611235 WDFD X658691 WDFD

COMPL. INT. 36-7N-5W NCT 150' FSL, NCT O' FNL, NCT 660' FWL COMPL. INT. 25-7N-5W NCT 0' FSL, NCT 150' FNL, NCT 660' FWL

NO OP. NAMED

REC 2/11/2019 (M. NORRIS)

SPACING - 611235 3/6/2019 - G58 - (640) 36-7N-5W

EXT OTHERS

EXT 581222 WDFD, OTHERS

3/6/2019 - G58 - (640) 25-7N-5W EXT 630876 WDFD, OTHERS SPACING - 658691

EXHIBIT: A (1 of 2)

SHEET: _

8.5x11

SHL:

1 - 6N - 5W

BHL-4

25-7N-5W



051-24587

COVER SHEET

<u>CONTINENTAL</u> <u>RESOURCES</u>, <u>INC</u>. P.O. BOX 26900 OKLAHOMA CITY, OK 73126 * (T) 1-800-256-8955 (F) 405-234-9253

Section		NRange .	<u>5W</u> I.M.	Well:	GREEN ACRES 4	4-36-25XHW
County	GRADY	State	OK	Well:		-
Operator	CONTINENTAL	RESOURCES,	, INC.			

		NAD-	-83					
POINT	WELL NAME	NORTHING	EASTING	LATITUDE LONGITUDE	LATITUDE LONGITUDE		EXISTING ELEVATION	DESIGN ELEVATION
W4	GREEN ACRES 4-36-25XHW	617158	2063414	35' 01' 43,50" -97' 40' 58,69"	35.028751 -97.682970	310' FNL / 1589' FWL (NW4 SEC 1)	1230.94	1235.46
LP4	LANDING POINT	617518	2063164	35' 01' 47.07" 97' 41' 01.68"	35.029741 -97.683801	50' FSL / 1320' FWL (SW/4 SEC 36)		107 000
BHL-4	BOTTOM HOLE LOCATION	628007	2063127	35° 03′ 30.82" -97′ 41′ 01.74″	35.058560 -97.683817	50' FNL / 1320' FWL (NW/4 SEC 25)		
X1	SPARKS #1-25	626731	2065785	35' 03' 18.12" -97' 40' 29.81"	35.055033 97.674948	25-7N-5W TD: 11,862' 1,327' FNL / 1,327' FEL	some with	was also
X-2	ROMANOFF #1-25-24-13XH	623154	2063784	35' 02' 42.79" 97' 40' 54.02"	35.045220 -97.681672	25-7N-5W TD: 26,201' 390' FSL / 1,950' FWL	****	
X-3	GREEN ACRES #1-36H	617690	2063954	35' 01' 48.75" -97' 40' 52.18"	35.030208 -97.681161	36-7N-5W TD: 16,093' 220' FSL / 2,110' FWL		

		NAD-	-27					
POINT	WELL NAME	NORTHING	EASTING	LATITUDE LONGITUDE	LATITUDE LONGITUDE		EXISTING ELEVATION	DESIGN ELEVATION
W4	GREEN ACRES 4-36-25XHW	617116	2095011	35" 01" 43.26" -97" 40" 57.56"	35.028683 -97.682655	310' FNL / 1569' FWL (NW4 SEC 1)	1230.94	1235.46
LP-4	LANDING POINT	617475	2094761	35" 01" 46.82" -97" 41" 00.55"	35.029672 -97.683486	50' FSL / 1320' FWL (SW/4 SEC 36)		
BHL4	BOTTOM HOLE LOCATION	627965	2094723	35° 03′ 30.57″ -97° 41′ 00.60″	35.058493 97.683501	50' FNL / 1320' FWL (NW/4 SEC 25)		
X-1	SPARKS #1-25	626689	2097382	35° 03′ 17.87″ 97′ 40′ 28.68″	35.054965 -97.674633	257N5W TD: 11,862' 1,327' FNL / 1,327' FEL		
X-2	ROMANOFF #1-25-24-13XH	623111	2095381	35' 02' 42.55" -97' 40' 52.88"	35.045152 -97.681357	25-7N-5W TD: 26,201' 390' FSL / 1,950' FWL		
X-3	GREEN ACRES #1-36H	617648	2095551	35' 01' 48.51" -97' 40' 51.05"	35.030140 -97.680846	36-7N-5W TD: 16,093' 220' FSL / 2,110' FWL		

Certificate of Authorization No. 7318

Date Staked: 12-18-18 Date Drawn: 12-13-18



Prepared By: Petro Land Services South 10400 Vineyard Blvd. Suite C Oklahoma City, OK 73120

RE	EVISION	I S		
No.	DATE	BY	DESCRIPTION	COMMENTS
00	12-13-18	HDG	ISSUED FOR APPROVAL	

EXHIBIT: A (2 of 2)

PETRO LAND SERVICES SOUTH, LLC


10400 VINEYARD BLVD. SUITE C, OKLA. CITY, OKLA. 73120 * OFFICE (405) 212-3108 Certificate of Authorization No. 7318

Continental

CONTINENTAL RESOURCES,INC (OPERATOR)

8.5x14 SHEET: 1-6N-5W SHL: 25-7N-5W

GRADY _ County Oklahoma 310' FNL-1569' FWL Section 6N Range <u>5W</u> I.M. _____Township



Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact PLS promptly if any inconsistency is determined. GPS data is observed from RTK-GPS. NOTE: X and Y data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey. Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true Boundary Survey.

CERTIFICATE:

I<u>, RANDALL J. BILYEU</u> an Oklahoma Licensed Land Surveyor and an authorized agent of Petro Land Services South, LLC, do hereby certify to the information shown herein.



Oklahoma PLS No.1196