API NUMBER: 011 24343

OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

**OKLAHOMA CORPORATION COMMISSION** 

Approval Date: 12/06/2022 Expiration Date: 06/06/2024

Multi Unit Oil & Gas

## **PERMIT TO DRILL**

				<u>                                     </u>	IZIVII I	IO DIVILL					
WELL LOCATION:	Section:	16 Township	: 15N F	Range: 11W	County: Bl	AINE					
SPOT LOCATION:	NW SW	SW SE	FEET FROM Q	UARTER: FROM	SOUTH	FROM EAST					
			SECTIO	N LINES:	455	2634					
Lease Name:	REDWOOD 21_	28_33-15N-11W		Well No:	4HXX		Well will be	455	feet from	n nearest unit or le	ase boundary.
Operator Name:	DEVON ENERG	Y PRODUCTION (	CO LP	Telephone:	405235361	1; 4052353611;			ОТО	C/OCC Number:	20751 0
DEVON ENERGY PRODUCTION CO LP						RODNEY E. CO	OWAN				
333 W SHERIDAN AVE						85651 N. 2610	RD.				
OKLAHOMA CITY, OK 73102-5015						WATONGA			ОК	73772	
		•				WATONGA			OIC	13112	
	(B. 11.) ( II										
Formation(s)	(Permit Valid	d for Listed For		ly):							
Name		Code	9	Depth							
1 MISSISSIPF			/ISSP	10324							
2 WOODFORI		3190	VDFD	11982							
Spacing Orders:	661836 723411			Location Excep	otion Orders:	730130		Inc	reased De	•	2696
	663276										3744
	730127									72	9891
Pending CD Number	ers: No Per			Working int	erest owners	' notified: ***			Sp	ecial Orders: No	Special
· · · · · · · · · · · · · · · · · · ·						Donth	to book	of Trootoble		•	
Total Depth: 27365 Ground Elevation: 1451 Surface Casing:			Jasing:								
								D	eep surf	ace casing ha	s been approve
Under	Federal Jurisdiction	n: Yes				Approved Method for disposal of Drilling Fluids:					
Fresh Water Supply Well Drilled: No						D. One time land app	lication (REQUIF	RES PER	RMIT)	PERMIT I	NO: 22-38750
Surface	e Water used to Dr	.II: Yes				H. (Other)		see mei	mo		
PIT 1 INFOR	MATION					Catego	ry of Pit: C				
Type of Pit System: CLOSED Closed System Means Steel Pits						Liner not required f					
Type of Mud System: WATER BASED						Pit Loc	ation is: ALLUV	AL			
Chlorides Max: 8000 Average: 5000						Pit Location For	rmation: alluviun	า			
Is depth to	top of ground water	r greater than 10ft	below base of p	oit? Y							
Within 1 i	mile of municipal w	ater well? N									
	Wellhead Protect	ion Area? N									
Pit <u>is</u> lo	ocated in a Hydrolo	gically Sensitive A	rea.								
PIT 2 INFOR	MATION					Catego	ry of Pit: C				
Type of Pit System: CLOSED Closed System Means Steel Pits						Liner not required for Category: C					
Type of Mud System: OIL BASED						Pit Location is: ALLUVIAL					
Chlorides Max: 300000 Average: 200000						Pit Location For	rmation: alluviun	า			
Is depth to	top of ground water	r greater than 10ft	below base of p	oit? Y							
Within 1 i	mile of municipal w										
	Wellhead Protect	ion Area? N									
Pit is lo	ocated in a Hydrolo	gically Sensitive A	rea.								

**MULTI UNIT HOLE 1** 

Section: 33 Township: 15N Range: 11W Meridian: IM Total Length: 15752

> County: BLAINE Measured Total Depth: 27365

> > True Vertical Depth: 12000

Spot Location of End Point: SW SE SW SE

> Feet From: SOUTH 1/4 Section Line: 50 End Point Location from Lease, Unit, or Property Line: 50 Feet From: EAST 1/4 Section Line: 1730

NOTES:	
Category	Description
DEEP SURFACE CASING	[12/6/2022 - G56] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[12/6/2022 - G56] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 722696	[12/6/2022 - G56] - 21-15N-11W X661836 MSSP 4 WELLS DEVON ENERGY PROD CO, LP 1/7/2022
INCREASED DENSITY - 723744	[12/6/2022 - G56] - 28-15N-11W X723411 MSSP 3 WELLS DEVON ENERGY PROD CO, LP 2/24/2022
INCREASED DENSITY - 729891	[12/6/2022 - G56] - 33-15N-11W X663276 MSSP 3 WELLS DEVON ENERGY PROD CO, LP 11/15/2022
INTERMEDIATE CASING	[12/6/2022 - G56] - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER- PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES
LOCATION EXCEPTION - 730130	[12/6/2022 - G56] - (I.O.) 21, 28 & 33-15N-11W X661836 MSSP, WDFD 21-15N-11W X723411 MSSP, WDFD 28-15N-11W X663276 MSSP, WDFD 33-15N-11W X165:10-3-28(C)(2)(B) MSSP MAY BE CLOSER THAN 600' TO GREENFIELD 1-4-33 1411MHX (011-23877) WELL COMPL INT (21-15N-11W) NCT 165' FNL, NCT 0' FSL, NCT 990' FEL COMPL INT (28-15N-11W) NCT 0' FNL, NCT 0' FSL, NCT 990' FEL COMPL INT (33-15N-11W) NCT 0' FNL, NCT 165' FSL, NCT 990' FEL DEVON ENERGY PROD CO, LP 11/28/2022
MEMO	[12/6/2022 - G56] - CLOSED SYSTEM=STEEL PITS (REQUIRED - NORTH CANADIAN RIVER), OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 661836	[12/6/2022 - G56] - (640)(HOR) 21-15N-11W EXT 649479 MSSP, WDFD COMPL INT (MSSP) NCT 660' FB COMPL INT (WDFD) NCT 165' FNL/FSL, NCT 330' FEL/FWL

SPACING - 663276	[12/6/2022 - G56] - (640)(HOR) 33-15N-11W EST MSSP, WDFD COMPL INT (MSSP) NLT 660' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL
SPACING - 723411	[12/6/2022 - G56] - (640)(HOR) 28-15N-11W EXT 661836 MSSP, WDFD POE TO BHL (MSSP) NLT 660' FB POE TO BHL (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL (COEXIST WITH SP # 656151 MSSP, WDFD)
SPACING - 730127	[12/6/2022 - G56] - (I.O.) 21, 28 & 33-15N-11W EST MULTIUNIT HORIZONTAL WELL X661836 MSSP, WDFD 21-15N-11W X723411 MSSP, WDFD 28-15N-11W X663276 MSSP, WDFD 33-15N-11W (WDFD IS ADJACENT CSS TO MSSP) 33% 21-15N-11W 34% 28-15N-11W 33% 33-15N-11W DEVON ENERGY PROD CO, LP 11/28/2022