API NUMBER: 017 25934 A

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 03/16/2023

Expiration Date: 09/16/2024

Multi Unit Oil & Gas

Amend reason: AMEND SHL AND BHL

## **AMEND PERMIT TO DRILL**

	AMEND PER	WIII IO DRILL	
WELL LOCATION: Section: 31 Township: 11N	Range: 7W County: C	ANADIAN	
SPOT LOCATION: NE NE NW NE FEET FRO	OM QUARTER: FROM NORTH	FROM <b>EAST</b>	
SE	CTION LINES: 260	1470	
Lease Name: GATZ	Well No: 4H-3019X	Well will	be 260 feet from nearest unit or lease boundary.
Operator Name: CIMAREX ENERGY CO	Telephone: 918585110	00	OTC/OCC Number: 21194 0
CIMAREX ENERGY CO		MIKE GATZ	
		1715 74TH STREET SW	
TULSA, OK 74103-	3001	UNION CITY	OK 73090
		ONION CITT	OK 73090
Formation(s) (Permit Valid for Listed Formations	Only):		
Name Code	Depth		
1 MISSISSIPPIAN 359MSSP	10888		
2 WOODFORD 319WDFD	11142		
3 HUNTON 269HNTN	11292		
Spacing Orders: 646343	Location Exception Orders:	730294	Increased Density Orders: 728689
653817			728690
730288			
Pending CD Numbers: No Pending	Working interest owners	s' notified: DNA	Special Orders: No Special
Total Depth: 21180 Ground Elevation: 1291 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 370			
			Deep surface casing has been approve
Under Federal Jurisdiction: No		Approved Method for disposal of I	Drilling Fluids
Fresh Water Supply Well Drilled: No		D. One time land application (REC	
Surface Water used to Drill: Yes		H. (Other)	SEE MEMO
		(2.7.2)	
PIT 1 INFORMATION  Type of Pit System: CLOSED Closed System Means S	tool Pito	Category of Pit: C Liner not required for Category: 0	
Type of Mud System: WATER BASED	teer Pits	Pit Location is: NO	
Chlorides Max: 5000 Average: 3000		Pit Location Formation: DO	
Is depth to top of ground water greater than 10ft below base	of pit? Y		
Within 1 mile of municipal water well? N	•		
Wellhead Protection Area? N			
Pit <u>is not</u> located in a Hydrologically Sensitive Area.			
PIT 2 INFORMATION		Category of Pit: C	
Type of Pit System: CLOSED Closed System Means S	teel Pits	Liner not required for Category: (	•
Type of Mud System: OIL BASED		Pit Location is: NO	
Chlorides Max: 300000 Average: 200000		Pit Location Formation: DOG	
Is depth to top of ground water greater than 10ft below base	of pit? Y		
Within 1 mile of municipal water well? N			
Wellhead Protection Area? N			
Pit <u>is not</u> located in a Hydrologically Sensitive Area.			

**MULTI UNIT HOLE 1** 

Section: 19 Township: 11N Range: 7W Meridian: IM Total Length: 10260

County: CANADIAN Measured Total Depth: 21180

Spot Location of End Point: NE NW NW NE True Vertical Depth: 11392

Feet From: NORTH 1/4 Section Line: 150 End Point Location from
Feet From: EAST 1/4 Section Line: 2160 Lease,Unit, or Property Line: 150

NOTES:

Category	Description
DEEP SURFACE CASING	[3/10/2023 - GC2] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[3/10/2023 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 728689	[3/16/2023 - G56] - 19-11N7W X646343 WDFD 3 WELLS CIMAREX ENERGY CO 9/23/2022
INCREASED DENSITY - 728690	[3/16/2023 - G56] - 30-11N-7W X653817 WDFD 3 WELLS CIMAREX ENERGY CO 9/23/2022
LOCATION EXCEPTION - 730294	[3/16/2023 - G56] - (I.O.) 19 & 30-11N-7W X646343 MSSP, WDFD, HNTN 19-11N-7W X653817 MSSP, WDFD, HNTN 30-11N-7W COMPL. INT. (30-11N-7W) NCT 150' FSL, NCT 0 FNL, 1320' FEL COMPL. INT. (19-11N-7W) NCT 0 FSL, NCT 150' FNL, NCT 1320' FEL CIMAREX ENERGY CO 12/5/2022
MEMO	[3/10/2023 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 646343	[3/16/2023 - G56] - (640)(HOR) 19-11N-7W EXT 631118 MSSP, WDFD EST HNTN COMPL. INT. (MSSP, HNTN) NLT 660' FB COMPL. INT. (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL (COEXIST SP. ORDER # 127075/128028 HNTN & ORDER # 541138 MSSP, WDFD)
SPACING - 653817	[3/16/2023 - G56] - (640)(HOR) 30-11N-7W EXT 646343 MSSP, WDFD, HNTN COMPL. INT. (MSSP, HNTN) NLT 660' FB COMPL. INT. (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL (COEXIST SP. ORDER # 134313 HNTN & ORDER # 260940 MSSLM)
SPACING - 730288	[3/16/2023 - G56] - (I.O.) 19 & 30-11N-7W EST MULTIUNIT HORIZONTAL WELL X646343 MSSP, WDFD, HNTN 19-11N-7W X653817 MSSP, WDFD, HNTN 30-11N-7W (MSSP, HNTN IS ADJACENT COMMON SOURCES OF SUPPLY TO WDFD) 50% 19-11N-7W 50% 30-11N-7W CIMAREX ENERGY CO. 12/5/2022