API NUMBER: 017 25929

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	03/03/2023
Expiration Date:	09/03/2024

Multi Unit Oil & Gas

## **PERMIT TO DRILL**

WELL LOCATION: Section: 16 Township: 13N Range: 10W County: C	CANADIAN
	FROM WEST
	·· <del>·····</del>
SECTION LINES: 418	1676
Lease Name: SHARRY 16_21-13N-10W Well No: 5HX	Well will be 418 feet from nearest unit or lease boundary.
Operator Name: DEVON ENERGY PRODUCTION CO LP Telephone: 40523536	ott; 4052353611; OTC/OCC Number: 20751 0
DEVON ENERGY PRODUCTION CO LP	COMMISSIONERS OF THE LAND OFFICE OF THE STATE OF
333 W SHERIDAN AVE	OKLAHOMA
OKLAHOMA CITY, OK 73102-5015	120 N. ROBINSON SUITE 1000W
OR 75102-3013	OKLAHOMA CITY OK 73102
	51.2 4.61 51.1
Formation(s) (Permit Valid for Listed Formations Only):	
Name Code Depth	
1 MISSISSIPPIAN 359MSSP 11348	
2 MISSISSIPPI LIME 351MSSLM 12405	
3 WOODFORD 319WDFD 13025	
Spacing Orders: 545877 Location Exception Orders	No Exceptions Increased Density Orders: No Density
93260	140 Exceptions
545438	
Pending CD Numbers: 202300513 Working interest owner	rs' notified: *** Special Orders: No Special
	is notined.
202300508	
202300514	
202300516	
Total Depth: 23281 Ground Elevation: 1598 Surface Casing:	<b>1500</b> Depth to base of Treatable Water-Bearing FM: 110
	Deep surface casing has been approved
Under Federal Jurisdiction: No	Approved Method for disposal of Drilling Fluids:
Fresh Water Supply Well Drilled: No	D. One time land application (REQUIRES PERMIT) PERMIT NO: 23-38902
Surface Water used to Drill: Yes	
	H. (Other) SEE MEMO
PIT 1 INFORMATION	Category of Pit: C
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C
Type of Mud System: WATER BASED	Pit Location is: BED AQUIFER
Chlorides Max: 8000 Average: 5000	Pit Location Formation: MARLOW
Is depth to top of ground water greater than 10ft below base of pit? Y	
Within 1 mile of municipal water well? N	
Wellhead Protection Area? N	
Pit <u>is</u> located in a Hydrologically Sensitive Area.	
PIT 2 INFORMATION	Category of Pit: C
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C
Type of Mud System: OIL BASED	Pit Location is: BED AQUIFER
Chlorides Max: 300000 Average: 200000	Pit Location Formation: MARLOW
Is depth to top of ground water greater than 10ft below base of pit? Y	
Within 1 mile of municipal water well? N	
Wellhead Protection Area? N	
Pit <u>is</u> located in a Hydrologically Sensitive Area.	

MULTI UNIT HOLE 1

Section: 21 Township: 13N Range: 10W Meridian: IM Total Length: 10322

County: CANADIAN Measured Total Depth: 23281

Spot Location of End Point: SW SW SE SE True Vertical Depth: 13149

Feet From: SOUTH 1/4 Section Line: 50 End Point Location from
Feet From: EAST 1/4 Section Line: 1300 Lease,Unit, or Property Line: 50

NOTES:

Category	Description
DEEP SURFACE CASING	[3/1/2023 - GC2] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[3/1/2023 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
МЕМО	[3/1/2023 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 202300508	[3/3/2023 - G56] - (I.O.) 16 & 21-13N-10W EST MULTIUNIT HORIZONTAL WELL X545877 MSSLM, WDFD 16-13N-10W X93260 MSSP 21-13N-10W X545438 WDFD 21-13N-10W (MSSP, MSSLM ARE ADJACENT CSS TO WDFD) 50% 16-13N-10W 50% 21-13N-10W NO OP NAMED REC 2/28/2023 (HUBER)
PENDING CD - 202300513	[3/3/2023 - G56] - (I.O.) 16 & 21-13N-10W X545877 MSSLM, WDFD 16-13N-10W X93260 MSSP 21-13N-10W X545438 WDFD 21-13N-10W COMPL INT (16-13N-10W) NCT 165' FNL, 0' FSL, 990' FEL COMPL INT (21-13N-10W) NCT 0' FNL, 165' FSL, 990' FEL NO OP NAMED REC 02/28/2023 (HUBER)
PENDING CD - 202300514	[3/3/2023 - G56] - 16-13N-10W X545877 WDFD 3 WELLS NO OP NAMED REC 2/28/2023 (HUBER)
PENDING CD - 202300516	[3/3/2023 - G56] - 21-13N-10W X545438 WDFD 3 WELLS NO OP NAMED REC 2/28/2023 (HUBER)
SPACING - 545438	[3/3/2023 - G56] - (640) 21-13N-10W EST WDFD, OTHER
SPACING - 545877	[3/3/2023 - G56] - (640) 16-13N-10W EXT OTHERS EST MSSLM, WDFD, OTHER
SPACING - 93260	[3/3/2023 - G56] - (640) 21-13N-10W EXT 80322 MSSP, OTHERS