API NUMBER: 087 22388

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	09/08/2022	
Expiration Date:	03/08/2024	

Multi Unit Oil & Gas

PERMIT TO DRILL

			<u>1 L</u>	-1714111	IO DIVILL				
WELL LOCATION:	Section: 04	Township: 8N	Range: 4W	County: N	ICCLAIN				
SPOT LOCATION:	NW NW N	W NE FE	ET FROM QUARTER: FROM	NORTH	FROM EAST				
			SECTION LINES:	257	2386				
Lease Name:	LAUBHAN 0409		Well No	o: 6H	We	ll will be	257 feet from	nearest unit or leas	e boundary.
Operator Name:	EOG RESOURCES II	чС	Telephone	e: 40524632	48		ОТС	C/OCC Number:	16231 0
EOG RESOU	IRCES INC				LAUBHAN FAMILY LL	_C			
14701 BOGERT PARKWAY			C/O JUDITH LAUBHAN FEHLMANN, CO-TTEE						
OKLAHOMA CITY, OK 73134-2646			PO BOX 432						
	·				BROOMFIELD		СО	80038	
Formation(s)	(Permit Valid for	Listed Formation	one Only):						
Name	(i eiiiiit valid ioi	Code	Depth						
1 MISSISSIPP	PIAN	359MSSP	9150						
2 WOODFORE		319WDFD	9250						
3 HUNTON		269HNTN	9390						
Spacing Orders:	698391		Location Exc	eption Orders	: 702435		Increased Der	nsity Orders: 7019	94
	588047				719972			7024	31
	702434							7199	46
	719950							7199	47
Pending CD Number	Pending CD Numbers: No Pending Working interest owners' notified: *** Special Orders: No Special						Special		
Total Depth: 19800 Ground Elevation: 1261 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 590					590				
							Deep surfa	ace casing has b	peen approved
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes		Approved Method for disposal of Drilling Fluids:							
			D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38561						
			H. (Other)	S	EE MEMO				
					G. Haul to recycling/re-use fac	cility S	ec. 36 Twn. 5N R	ng. 11W Cnty. 15 Ord	er No: 727771
PIT 1 INFORI	MATION				Category of Pit:	С			
Type of Pit System: CLOSED Closed System Means Steel Pits			Liner not required for Category: C						
Type of Mud System: WATER BASED			Pit Location is: BED AQUIFER						
Chlorides Max: 5000 Average: 3000			Pit Location Formation: DUNCAN						
Is depth to	top of ground water gre	ater than 10ft below	pase of pit? Y						
Within 1 r	mile of municipal water								
	Wellhead Protection A								
Pit <u>is</u> lo	ocated in a Hydrological	ly Sensitive Area.							
PIT 2 INFOR	MATION				Category of Pit:	С			
Type of Pit System: CLOSED Closed System Means Steel Pits			Liner not required for Category: C						
Type of Mud System: OIL BASED			Pit Location is: BED AQUIFER						
Chlorides Max: 300000 Average: 200000				Pit Location Formation:	DUNCAN				
1	top of ground water gre		pase of pit? Y						
Within 1 r	mile of municipal water								
Dit in	Wellhead Protection A								
Pit <u>is</u> lo	ocated in a Hydrological	ıy serisiliye Area.							

MULTI UNIT HOLE 1

Section: 9 Township: 8N Range: 4W Meridian: IM Total Length: 10289

County: MCCLAIN Measured Total Depth: 19800

Spot Location of End Point: SW SE SW SW True Vertical Depth: 9525

Feet From: SOUTH 1/4 Section Line: 50 End Point Location from
Feet From: WEST 1/4 Section Line: 830 Lease,Unit, or Property Line: 50

NOTES:

Category	Description
DEEP SURFACE CASING	[8/31/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[8/31/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 701994	[9/8/2022 - G56] - (I.O.) W2 4-8N-4W X698391 WDFD 2 WELLS EOG RESOURCES, INC 9/10/2019
INCREASED DENSITY - 702431	[9/8/2022 - G56] - E2 8 & W2 9-8N-4W X588047 WDFD 3 WELLS EOG RESOURCES, INC 9/18/2019
INCREASED DENSITY - 719946	[9/8/2022 - G56] - EXT OF TIME FOR ORDER # 701994
INCREASED DENSITY - 719947	[9/8/2022 - G56] - EXT OF TIME FOR ORDER # 702431
LOCATION EXCEPTION - 702435	[9/8/2022 - G56] - (I.O.) W2 4, E2 8 & W2 9-8N-4W X698391 MSSP, WDFD, HNTN W2 4-8N-4W X588047 MSSP, WDFD, HNTN E2 8 & W2 9-8N-4W COMPL INT (W2 4-8N-4W) NCT 165' FNL, NCT 0' FSL, NCT 660' FWL COMPL INT (E2 8 & W2 9-8N-4W) NCT 0' FNL, NCT 165' FSL, NCT 1320' FEL EOG RESOURCES, INC 9/18/2019
LOCATION EXCEPTION - 719972	[9/8/2022 - G56] - EXT OF TIME FOR ORDER # 702435
МЕМО	[8/31/2022 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 588047	[9/8/2022 - G56] - (80/640/320)(IRR UNIT) E2 8 & W2 9-8N-4W SU NW/SE VAC OTHERS VAC 188079 HNTN, OTHERS EXT (80) OTHERS EST (320) E2 9-8N-4W HNTN, OTHERS EST (640) W2 9-8N-4W MSSP, WDFD, HNTN
SPACING - 698391	[9/8/2022 - G56] - (320)(HOR) W2 4-8N-4W VAC 684298 MSSP, WDFD, HNTN COMPL. INT. (MSSP, HNTN) NLT 660' FB COMPL. INT. (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL
SPACING - 702434	[9/8/2022 - G56] - (I.O.) W2 4, E2 8 & W2 9-8N-4W EST MULTIUNIT HORIZONTAL WELL X698391 MSSP, WDFD, HNTN W2 4-8N-4W X588047 MSSP, WDFD, HNTN E2 8 & W2 9-8N-4W (MSSP, HNTN ARE ADJACENT CSS TO WDFD) 50% W2 4-8N-4W 50% E2 8 & W2 9-8N-4W EOG RESOURCES, INC 9/18/2019
SPACING - 719950	[9/8/2022 - G56] - EXT OF TIME FOR ORDER # 702434