API NUMBER:	051	24939	

Multi Unit

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 05/17/2022 Expiration Date: 11/17/2023

PERMIT TO DRILL

WELL LOCATION:	Section:	27	Township:	8N Rang	e: 5W	County: (GRADY	(
SPOT LOCATION:	SESE	SE	SW	FEET FROM QUARTE	R: FROM	SOUTH	FROM	WEST							
				SECTION LINE	S:	162		2605							
Lease Name:	DAVIS 0805				Well No	: 3HW-34X	Ĩ		Well w	ill be	162	feet from	nearest unit or lea	se boundary.	
Operator Name:	OVINTIV USA IN	IC			Telephone	: 28121051	100					ОТС	C/OCC Number:	21713 0	
OVINTIV USA	A INC														
THE WOODL	ANDS,		ТΧ	77380-3197				010 N. ROBI DKLAHOMA (ENUE	, SUI	ТЕ 900 ОК	73102		

Formation(s) (Permit Valid for Listed Formations Only):

Oil & Gas

	Name			Code	Depth			
1	MISSISSIP	PIAN		359MSSP	10650			
2	WOODFOF	RD		319WDFD	10790			
Spaci	ng Orders:	634535			Location Exception Orders	s:	s: 717001	s: 717001 Increased Density Orders
		670375					722564	722564
		717000						
Pendi	ng CD Num	oers: NC	Pending		Working interest owner	rs'	rs' notified: ***	rs' notified: *** Special Orders
То	otal Depth:	21345	Ground Eleva	ition: 1339	Surface Casing:	1	1500	1500 Depth to base of Treatable Water-Bea
								Deep surface casir

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

	Deep surfa	ace casing has been approved					
Approved Method for disposal of Drilling Fluids:							
D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37734							
E. Haul to Commercial pit facility Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498							
H. (Other)	SEE MEMO						


	Category of Pit: C
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C
Type of Mud System: WATER BASED	Pit Location is: NON HSA
hlorides Max: 5000 Average: 3000	Pit Location Formation: CHICKASHA
Is depth to top of ground water greater than 10ft below base of pit? Y	
Within 1 mile of municipal water well? N	
Wellhead Protection Area? N	
Pit <u>is not</u> located in a Hydrologically Sensitive Area.	
PIT 2 INFORMATION	Category of Pit: C
PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits	Category of Pit: C Liner not required for Category: C
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C
Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED	Liner not required for Category: C Pit Location is: NON HSA
Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000	Liner not required for Category: C Pit Location is: NON HSA
Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y	Liner not required for Category: C Pit Location is: NON HSA


MULTIUNIT HOLE I				
Section: 3 Township:	7N Rang	ge: 5W Meridian:	IM Total Length:	10237
County:	GRADY		Measured Total Depth:	21345
Spot Location of End Point:	SE SW	SW SE	True Vertical Depth:	10994
Feet From:	SOUTH	1/4 Section Line: 85	End Point Location from	
Feet From:	EAST	1/4 Section Line: 2102	Lease, Unit, or Property Line:	85

NOTES:	
Category	Description
DEEP SURFACE CASING	[5/12/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[5/12/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 717102	[5/17/2022 - G56] - (I.O.) 3-7N-5W X670375 MSSP 3 WELLS OVINTIV MID CON INC (MERGED IN ITS ENTIRETY WITH OVINTIV USA INC) 2/26/2021
INCREASED DENSITY - 717103	[5/17/2022 - G56] - (I.O.) 3-7N-5W X670375 WDFD 4 WELLS OVINTIV MID CON INC (MERGED IN ITS ENTIRETY WITH OVINTIV USA INC) 2/26/2021
INCREASED DENSITY - 717104	[5/17/2022 - G56] - (I.O.) 34-8N-5W X634535 MSSP 3 WELLS OVINTIV MID-CON INC (MERGED IN ITS ENTIRETY WITH OVINTIV USA INC) 2/26/2021

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

INCREASED DENSITY - 717160	[5/17/2022 - G56] - (I.O.) 34-8N-5W X634535 WDFD 4 WELLS OVINTIV MID CON INC (MERGED IN ITS ENTIRETY WITH OVINTIV USA INC) 3/4/2021
INCREASED DENSITY - 722557	[5/17/2022 - G56] - EXT OF TIME FOR ORDER # 717102
INCREASED DENSITY - 722558	[5/17/2022 - G56] - EXT OF TIME FOR ORDER # 717103
INCREASED DENSITY - 722559	[5/17/2022 - G56] - EXT OF TIME FOR ORDER # 717104
INCREASED DENSITY - 722560	[5/17/2022 - G56] - EXT OF TIME FOR ORDER # 717160
LOCATION EXCEPTION - 717001	[5/17/2022 - G56] - (I.O.) 3-7N-5W & 34-8N-5W X670375 MSSP, WDFD 3-7N-5W X634535 MSSP, WDFD 34-8N-5W COMPL INT (34-8N-5W) NCT 0' FSL, NCT 165' FNL, NCT 1980' FEL COMPL INT (3-7N-5W) NCT 165' FSL, NCT 0' FNL, NCT 1980' FEL OVINTIV MID-CON INC (MERGED IN ITS'S ENTIRETY WITH OVINTIV USA INC) 2/23/2021
LOCATION EXCEPTION - 722564	[5/17/2022 - G56] - EXT OF TIME FOR ORDER # 717001
МЕМО	[5/12/2022 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 634535	[5/17/2022 - G56] - (640)(HOR) 34-8N-5W EST MSSP, WDFD, OTHER COMPL INT (MSSP) NLT 660' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL (COEXIST WITH SP # 261471 MSSLM)
SPACING - 670375	[5/17/2022 - G56] - (640)(HOR) 3-7N-5W VAC 236078 MSSLM EXT 634535 MSSP, WDFD COMPL INT (MSSP) NCT 660' FB COMPL INT (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL
SPACING - 717000	[5/17/2022 - G56] - (I.O.) 3-7N-5W & 34-8N-5W EST MULTIUNIT HORIZONTAL WELL X670375 MSSP, WDFD 3-7N-5W X634535 MSSP, WDFD 34-8N-5W 50% 34-8N-5W 50% 3-7N-5W OVINTIV MID-CON INC (MERGED IN ITS'S ENTIRETY WITH OVINTIV USA INC) 2/23/2021





COUNTY GRADY STATE OKLAHOMA DESCRIPTION 162' FSL & 2605' FWL DISTANCE & DIRECTION DISTANCE & DIRECTION OF US-62 & OK-76 GO ±2.2 MI. WEST ON US-62, THEN ±0.15 MI. NORTH ON COUNTY ROAD 2970, THEN ±1.1 MI. WEST THEN SOUTHWEST ON OLD HWY. 62, THEN ±1.0 MI. NORTH ON N2960 RD. TO THE SOUTHWEST CORNER OF SECTION 27-T8N-R5W.	SECTION 27	_ TWP_	8N	_ RGE_	5W	MERIDIAN	I.M.
DISTANCE & DIRECTION FROM THE INTERSECTION OF US-62 & OK-76 GO ±2.2 MI. WEST ON US-62, THEN ±0.15 MI. NORTH ON COUNTY ROAD 2970, THEN ±1.1 MI. WEST THEN SOUTHWEST ON OLD HWY. 62, THEN ±1.0 MI. NORTH ON N2960 RD. TO THE SOUTHWEST	COUNTY	GRA	DY		STATE _	OKLAH	OMA
FROM THE INTERSECTION OF US-62 & OK-76 GO ±2.2 MI. WESTON US-62, THEN ±0.15 MI. NORTH ON COUNTY ROAD 2970,THEN ±1.1 MI. WEST THEN SOUTHWEST ON OLD HWY. 62,THEN ±1.0 MI. NORTH ON N2960 RD. TO THE SOUTHWEST	DESCRIPTION _			162' FS	L & 2605	FWL	
ON US-62, THEN ±0.15 MI. NORTH ON COUNTY ROAD 2970, THEN ±1.1 MI. WEST THEN SOUTHWEST ON OLD HWY. 62, THEN ±1.0 MI. NORTH ON N2960 RD. TO THE SOUTHWEST	DISTANCE & DIRE	ECTION					
THEN ±1.1 MI. WEST THEN SOUTHWEST ON OLD HWY. 62, THEN ±1.0 MI. NORTH ON N2960 RD. TO THE SOUTHWEST	FROM THE INTE	RSECTIC	ON OF U	S-62 & (<u> 3K-76 GC</u>) ±2.2 MI. WES	ST
THEN ±1.0 MI. NORTH ON N2960 RD. TO THE SOUTHWEST	ON US-62, THEN	I ±0.15 M	I. NORT	H ON CO	OUNTY R	OAD 2970,	
	THEN ±1.1 MI. W	EST THE	EN SOUT	THWEST	r on old	HWY. 62,	
	THEN ±1.0 MI. N	ORTH O	N N2960	RD. TO	THE SOL	JTHWEST	
CORNER OF SECTION 27-18IN-RSW.	CORNER OF SE	CTION 27	7 - T8N-R	5W.			

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY OVINTIV MID-CONTINENT INC... THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, NORTH ZONE OF THE NORTH AMERICAN DATUM 1983, U.S. SURVEY FEET AND THE NORTH AMERICAN VERTICAL DATUM OF 1988.

