API NUMBER:	073	26942
-	0.0	

010 20012

Oil & Gas

Multi Unit

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 10/24/2022 Expiration Date: 04/24/2024

PERMIT TO DRILL

WELL LOCATION: Section:	19 Township: 15N Ra	inge: 8W County: K	INGFISHER		
SPOT LOCATION: NE NW	SW SE FEET FROM QUA	· · · ·			
			FROM EAST		
	SECTION	LINES: 1317	2242		
Lease Name: PSN&R 1508		Well No: 3H-18X	Well will b	be 1317 feet from nearest unit or lease boundary.	
Operator Name: OVINTIV USA IN	IC	Telephone: 281210510	00	OTC/OCC Number: 21713 0	
OVINTIV USA INC			ROTHER RANCH EHC, LL	C	
			PO BOX 10	-	
	TV 77000 040	-			
THE WOODLANDS,	TX 77380-319		OKARCHE	OK 73762	
Formation(s) (Permit Valio	for Listed Formations Only	/):			
Name	Code	Depth			
1 MISSISSIPPIAN	359MSSP	9408			
Spacing Orders: 642232					
728444		Location Exception Orders:		Increased Density Orders: 727992	
120111	-		728445	727993	
Pending CD Numbers: No Per	Pending CD Numbers: No Pending Working interest owners' notified: *** Special Orders: No Special				
Total Depth: 20163 G	Ground Elevation: 1179	Surface Casing:	1500 Dep	oth to base of Treatable Water-Bearing FM: 470	
		-		Deep surface casing has been approved	
Under Federal Jurisdiction: No			Approved Method for disposal of Drilling Fluids:		
Fresh Water Supply Well Drille Surface Water used to Dr			D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38621		
			E. Haul to Commercial pit facility	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498	
			H. (Other)	SEE MEMO	
PIT 1 INFORMATION			Category of Pit: C		
	SED Closed System Means Steel F	Pits	Liner not required for Category: C		
Type of Mud System: WAT	ER BASED		Pit Location is: NON	I HSA	
Chlorides Max: 5000 Average: 3000)		Pit Location Formation: CHIC	CKASHA	
Is depth to top of ground wate	er greater than 10ft below base of pit	? Y			
Within 1 mile of municipal w	ater well? N				
Wellhead Protect	ion Area? N				
Pit <u>is not</u> located in a Hydrolo	gically Sensitive Area.				
PIT 2 INFORMATION			Category of Pit: C		
	SED Closed System Means Steel F	Pits	Liner not required for Category: C	:	
Type of Mud System: OIL E			Pit Location is: NON		
Chlorides Max: 300000 Average: 20	00000		Pit Location Formation: CHIC	CKASHA	
Is depth to top of ground wate	er greater than 10ft below base of pit	? Y			
Within 1 mile of municipal w	ater well? N				
Wellhead Protect	ion Area? N				
Pit <u>is not</u> located in a Hydrolo	gically Sensitive Area.				

MULTI UNIT HOLE 1				
Section: 18 Township:	15N Rar	nge: 8W Meridian:	IM Total Length:	10210
County:	KINGFISHER		Measured Total Depth:	10163
Spot Location of End Point:	NW NW	NE NW	True Vertical Depth:	9500
Feet From:	NORTH	1/4 Section Line: 85	End Point Location from	
Feet From:	WEST	1/4 Section Line: 1470	Lease,Unit, or Property Line:	85

NOTES:

Category	Description
DEEP SURFACE CASING	[10/11/2022 - GC2] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[10/11/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 727992	[10/24/2022 - GB7] - 18-15N-8W X642232 MSSP 5 WELLS OVINTIV USA INC 8/30/2022
INCREASED DENSITY - 727993	[10/24/2022 - GB7] - 19-15N-8W X642232 MSSP 5 WELLS OVINTIV USA INC 8/30/2022
INTERMEDIATE CASING	[10/11/2022 - GC2] - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER- PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES
LOCATION EXCEPTION - 728445 (CD2022- 001719)	[10/24/2022 - GB7] - (I.O.) 18 & 19-15N-8W X642232 MSSP, OTHER COMPL. INT. (18-15N-8W) NCT 165' FNL, NCT 0' FSL, NCT 1650' FWL COMPL. INT. (19-15N-8W) NCT 0' FNL, NCT 165' FSL, NCT 1650' FWL OVINTIV USA INC 09/14/2022
LOCATION EXCEPTION - 728450 (CD2022- 001724)	[10/24/2022 - GB7] - (I.O.) 18 & 19-15N-8W X165:10-3-28(C)(2)(B) MSSP (PSN&R 1508 3H-18X) MAY BE CLOSER THAN 600' TO PSN&R 1508 2H-18X, PSN&R 1508 4H-18X, PSN&R 1508 5H-18X, PSN&R 1508 6H-18X, ERNEST A-1 (API# 073-22928), PSN&R 1H-18X (API# 073-25107), VOSS A-1 (API# 073-22813) OVINTIV USA INC 9/14/2022
МЕМО	[10/11/2022 - GC2] - CLOSED SYSTEM=STEEL PITS (REQUIRED - DEAD INDIAN CREEK), OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 642232	[10/24/2022 - GB7] - (640)(HOR) 18 & 19-15N-8W EXT 637835 MSSP, OTHER COMPL. INT. NLT 660' FB (COEXIST EXISTING NON-HORIZONTAL SPACING)
SPACING - 728444 (CD2022-001718)	[10/24/2022 - GB7] - (I.O.) 18 & 19-15N-8W EST MULTIUNIT HORIZONTAL WELL X642232 MSSP, OTHER 18 & 19-15N-8W 50% 18-15N-8W 50% 19-15N-8W OVINTIV USA INC 9/14/2022