## API NUMBER: 087 22245 Α

Oil & Gas

Is depth to top of ground water greater than 10ft below base of pit? Y

is located in a Hydrologically Sensitive Area.

Within 1 mile of municipal water well? N

Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation: DUNCAN

Wellhead Protection Area?

Category of Pit: C

**OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

06/05/2019 Approval Date: Expiration Date: 12/05/2020

Horizontal Hole Multi Unit

Amend reason: MOVE SHL AND BHL

## AMEND PERMIT TO DRILL

WELL LOCATION:	Sec: 07 Twp: 9N	Rge: 4W	County: MCC	LAIN					
SPOT LOCATION:	NW SE NE	1444	OM QUARTER: FROM	NORTH FROM	WEST				
		SECTION	LINES:	809	2084				
Lease Name: W	VARHAWK 0631		Well No:	3H		Well will be	809 feet from ne	earest unit or lease boundary.	
Operator Name:	EOG RESOURCES INC			Telephone:	405246322	24	OTC/OCC Number	er: 16231 0	
EOG RESOURCES INC					M	CMURTRY MANAG	EMENT & INVES	STMENTS, LLC	
3817 NW EXPRESSWAY STE 500					P.O. BOX 850467				
OKLAHOM	IA CITY,	OK 73112	-1483			JKON	ОК	73085	
1 M 2 W 3 H 4 5	(Permit Valid for Li ame IISSISSIPPIAN IOODFORD UNTON 645373	sico i omiailori	Depth 9000 9050 9180  Location Exception	Orders:	6 7 8 9 10	<b>Name</b> Ir	Concreased Density Orde	Depth rs: 699123	
Pending CD Numbe	689814  ors: 201902750 201902753 201902754	-				s	pecial Orders:		
Total Depth: 20480 Ground Elevation: 1354			Surface	Surface Casing: 1500			Depth to base of Treatable Water-Bearing FM: 1100		
Under Federal Jurisdiction: No			Fresh Water	Fresh Water Supply Well Drilled: No			Surface Water used to Drill: Yes		
PIT 1 INFORMATION					Approved Method for disposal of Drilling Fluids:				
	n: CLOSED Closed Syste	em Means Steel Pits							
Type of Mud System: WATER BASED  Chlorides May: 5000, Average: 3000					D. One time land application (REQUIRES PERMIT) PERMIT NO: 19-36 H. SEE MEMO				

G. Haul to recycling/re-use facility: Sec. 1 Twn. 15N Rng. 11W Cnty. 11 Order No: 662791

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: DUNCAN

## **HORIZONTAL HOLE 1**

Sec 31 Twp 10N Rge 4W County MCCLAIN

Spot Location of End Point: NW NW NE NW
Feet From: NORTH 1/4 Section Line: 165
Feet From: WEST 1/4 Section Line: 1407

Depth of Deviation: 8680 Radius of Turn: 500 Direction: 359

Total Length: 10169

Measured Total Depth: 19634

True Vertical Depth: 9180

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

DEEP SURFACE CASING 5/31/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 5/31/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE

HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 699123 7/30/2019 - GB6 - 6-9N-4W

X689814 MSSP, WDFD, HNTN 3 WELLS EOG RESOURCES, INC.

7/12/2019

MEMO 5/31/2019 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 1 -

WBM & CUTTINGS TO BE SOIL FARMED; PIT 2 - OBM TO VENDOR, OBM CUTTINGS TO

HEARTLAND ENVIRONMENTAL RESOURCES (ORDER # 662791) OR DEQ APPROVED FACILITY

(SOUTHERN PLAINS LANDFILL, 3-5N-6W, GRADY CO., # 3526013)

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

087 22245 WARHAWK 0631 3H

Category Description

PENDING CD - 201902750 6/4/2019 - G75 - 31-10N-4W

X645373 MSSP, WDFD, HNTN

3 WELLS

NO OP. NAMED REC 6-3-2019 (NORRIS)

PENDING CD - 201902753 6/4/2019 - G75 - (I.O.) 6-9N-4W & 31-10N-4W

EST MULTIUNIT HORIZONTAL WELL X689814 MSSP, WDFD, HNTN 6-9N-4W X645373 MSSP, WDFD, HNTN 31-10N-4W

(MSSP, HNTN ADJACENT COMMON SOURCES OF SUPPLY TO WDFD; HOWEVER, DUE TO DRILLING PROBLEMS ENCOUNTERED ON PREVIOUS WELL IN AREA BY OPERATOR, WDFD

MAY BE ADJACENT COMMON SOURCE OF SUPPLY TO MSSP)

50% 6-9N-4W 50% 31-10N-4W NO OP. NAMED

REC 6-3-2019 (NORRIS)

PENDING CD - 201902754 6/4/2019 - G75 - (I.O.) 6-9N-4W & 31-10N-4W

X689814 MSSP, WDFD, HNTN 6-9N-4W X645373 MSSP, WDFD, HNTN 31-10N-4W

X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO WARHAWK 0631 2H & 4H

COMPL. INT. (6-9N-4W) NCT 165' FSL, NCT 0' FNL, NCT 990' FWL COMPL. INT. (31-10N-4W) NCT 0' FSL, NCT 165' FNL, NCT 990' FWL

NO OP. NAMED

REC 6-3-2019 (NORRIS)

SPACING - 645373 6/4/2019 - G75 - (640) 31-10N-4W

VAC OTHERS VAC 103735 HNTN

EST MSSP, WDFD, HNTN, OTHERS

SPACING - 689814 6/4/2019 - G75 - (640)(HOR) 6-9N-4W

VAC 107502/270384 HNTN VAC 270384 MSSP, WDFD EST MSSP, WDFD, HNTN

POE TO BHL (MSSP, HNTN) NCT 660' FB

POE TO BHL (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL