API NUMBER: 011 24356

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 03/22/2023

Expiration Date: 09/22/2024

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Section: 15 Township: 19N Range: 12W Cour	nty: BLAINE
SECTION LINES: 577	687
Lease Name: COBRA 1015 Well No: 1MH	Well will be 577 feet from nearest unit or lease boundary.
Operator Name: LONGFELLOW ENERGY LP Telephone: 9725	5909900 OTC/OCC Number: 22113 0
LONGFELLOW ENERGY LP	TIMOTHY CRAVENS
	2018 GREENSTONE TRAIL
DALLAS, TX 75225-6335	
DALLAS, 17 73223-0333	CARROLTON TX 75010-4017
L	
Formation(s) (Permit Valid for Listed Formations Only):	
Name Code Depth	
1 MISSISSIPPIAN 359MSSP 8600	
Spacing Orders: 732512 Location Exception C	Orders: 732850 Increased Density Orders: No Density
731137	
732849	
Pending CD Numbers: No Pending Working interest of	owners' notified: *** Special Orders: No Special
Total Depth: 17009 Ground Elevation: 1430 Surface Casil	ng: 1500 Depth to base of Treatable Water-Bearing FM: 40
Glound Elevation. 1450 Surface Cash	·· g · ·····
	Deep surface casing has been approved
Under Federal Jurisdiction: No	Approved Method for disposal of Drilling Fluids:
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes	D. One time land application (REQUIRES PERMIT) PERMIT NO: 23-38931
Surface water used to Drill. Tes	H. (Other) SEE MEMO
PIT 1 INFORMATION	Category of Pit: C
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C
Type of Mud System: WATER BASED	Pit Location is: NON HSA
Chlorides Max: 8000 Average: 5000	Pit Location Formation: FLOWERPOT
Is depth to top of ground water greater than 10ft below base of pit? Y	
Within 1 mile of municipal water well? N	
Wellhead Protection Area? N	
Pit <u>is not</u> located in a Hydrologically Sensitive Area.	
PIT 2 INFORMATION	Category of Pit: C
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C
Type of Mud System: OIL BASED	Pit Location is: NON HSA
Chlorides Max: 300000 Average: 200000	Pit Location Formation: FLOWERPOT
Is depth to top of ground water greater than 10ft below base of pit? Y	
Within 1 mile of municipal water well? N	
Wellhead Protection Area? N	
Pit <u>is not</u> located in a Hydrologically Sensitive Area.	

MULTI UNIT HOLE 1

Section: 10 Township: 19N Range: 12W Meridian: IM Total Length: 7564

County: BLAINE Measured Total Depth: 17009

Spot Location of End Point: NE NW NW NW True Vertical Depth: 8637

Feet From: NORTH 1/4 Section Line: 65 End Point Location from
Feet From: WEST 1/4 Section Line: 370 Lease,Unit, or Property Line: 65

NOTES:

NOTES:	
Category	Description
DEEP SURFACE CASING	[3/15/2023 - GC2] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[3/15/2023 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INTERMEDIATE CASING	[3/15/2023 - GC2] - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER- PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES
LOCATION EXCEPTION - 732850	[3/22/2023 - GC2] - (I.O.) N2 15 & 10-19N-12W X732512 MSSP 10-19N-12W X731137 MSSP N2 15-19N-12W COMPL. INT. (N2 15-19N-12W) NCT 2094' FNL, NCT 0' FNL, NCT 370' FWL COMPL. INT. (10-19N-12W) NCT 0' FSL, NCT 165' FNL, NCT 370' FWL LONGFELLOW ENERGY, LP 3/15/2023
MEMO	[3/15/2023 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 731137	[3/22/2023 - GC2] - (640)(HOR) 15-19N-12W EXT 688725 MSSP, OTHER COMPL. INT. (MSSP) NCT 660' FB (COEXIST SPACING ORDER # 35526 CRUNC; ORDER # 106317 MISS & MNNG)
SPACING - 732512	[3/22/2023 - GC2] - (640)(HOR) 10-19N-12W EXT 688725 MSSP, OTHER COMPL. INT. (MSSP) NCT 660' FB (COEXIST SPACING ORDER # 35526 CRUNC; ORDER # 223041 MISS & MNNG)
SPACING - 732849	[3/22/2023 - GC2] - (I.O.) N2 15 & 10-19N-12W EST MULTIUNIT HORIZONTAL WELL X732512 MSSP 10-19N-12W X731137 MSSP N2 15-19N-12W 30% N2 15-19N-12W 70% 10-19N-12W LONGFELLOW ENERGY, LP 3/15/2023