API NUMBER:	045 23838	
AFI NUMBER.	045 23636	

Oil & Gas

Multi Unit

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 02/26/2021 Expiration Date: 08/26/2022

PERMIT TO DRILL

WELL LOCATION: Section: 22 Townshi	ip: 18N Range: 24W	County: ELLIS	
SPOT LOCATION: NE NW NW NE	FEET FROM QUARTER: FROM	NORTH FROM EAST	
		60 2240	
Lease Name: GROSS 22/27 BO	Well No:		160 feet from nearest unit or lease boundary.
Operator Name: MEWBOURNE OIL COMPANY	Telephone:	0035612900	OTC/OCC Number: 6722 0
MEWBOURNE OIL COMPANY		THE SARAH SHREWDER T	RACY CREDIT SHELTER TRUST
PO BOX 7698		15 WEST 6TH STREET	
TYLER, TX	75711-7698	STE 2700	
		TULSA	OK 74119
			010 74113
Formation(s) (Permit Valid for Listed Fo	ormations Only):		
Name Coo	de Depth		
1 CHEROKEE 404	ICHRK 10000		
Spacing Orders: 594643	Location Except	on Orders: 716529	Increased Density Orders: No Density Orders
577117 716528			
Pending CD Numbers: No Pending		est europail settion, ***	Special Orders: No Special Orders
Pending CD Numbers: No Pending	Working inte	est owners' notified: ***	
Total Depth: 20299 Ground Elevation:	2406 Surface C	asing: 1999 Depth	to base of Treatable Water-Bearing FM: 780
			Deep surface casing has been approved
Under Federal Jurisdiction: No		Approved Method for disposal of Dril	ling Fluids:
Fresh Water Supply Well Drilled: No		D. One time land application (REQUI	RES PERMIT) PERMIT NO: 21-37542
Surface Water used to Drill: No		H. (Other)	SEE MEMO
PIT 1 INFORMATION Type of Pit System: CLOSED Closed Sys	stem Means Steel Pits	Category of Pit: C Liner not required for Category: C	
Type of Mud System: WATER BASED		Pit Location is: BED A	QUIFER
Chlorides Max: 8000 Average: 5000		Pit Location Formation: OGALL	ALA
Is depth to top of ground water greater than 10	ft below base of pit? Y		
Within 1 mile of municipal water well? N			
Wellhead Protection Area? N			
Pit <u>is</u> located in a Hydrologically Sensitive	Area.		
PIT 2 INFORMATION		Category of Pit: C	
Type of Pit System: CLOSED Closed Sys	stem Means Steel Pits	Liner not required for Category: C	
Type of Mud System: OIL BASED		Pit Location is: BED A	QUIFER
Chlorides Max: 300000 Average: 200000		Pit Location Formation: OGALL	ALA
Is depth to top of ground water greater than 10	ft below base of pit? Y		
Within 1 mile of municipal water well? N			
Wellhead Protection Area? N			
Pit <u>is</u> located in a Hydrologically Sensitive .	Area.		

MULTI UNIT HOLE 1			
Section: 27 Township: 18N F	ange: 24W Meridian: IM	Total Length: 9599	
County: ELLIS		Measured Total Depth: 20299	9
Spot Location of End Point: C S2	S2 SE	True Vertical Depth: 10000)
Feet From: SOUTH	1/4 Section Line: 330	ine: 330 End Point Location from	
Feet From: EAST	1/4 Section Line: 1320	Lease, Unit, or Property Line: 330	

NOTES:	
Category	Description
DEEP SURFACE CASING	[2/25/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[2/25/2021 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
LOCATION EXCEPTION - 716529	[2/26/2021 - G56] - (I.O.) 22 & 27-18N-24W X594643 CHRK 22-18N-24W X577117 CHRK 27-18N-24W COMPL INT (22-18N-24W) NCT 330' FNL, NCT 0' FSL, NCT 1000' FEL COMPL INT (27-18N-24W) NCT 0' FNL, NCT 330' FSL, NCT 1000' FEL NO OP NAMED 1/25/2021
МЕМО	[2/25/2021 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 577117	[2/26/2021 - G56] - (640)(HOR) 27-18N-24W EST CHRK, OTHERS COMPL INT NCT 660' FB (COEXIST WITH PRODUCING NON HOR DR & SP UNITS, SUPERCEDE NON DEVELOPED NON HOR DR & SP UNITS)
SPACING - 594643	[2/26/2021 - G56] - (640)(HOR) 22-18N-24W EST CHRK, OTHERS COMPL INT NCT 660' FB (COEXIST WITH PRODUCING NON HOR DR & SP UNITS, SUPERCEDE NON DEVELOPED NON HOR DR & SP UNITS)
SPACING - 716528	[2/26/2021 - G56] - (I.O.) 22 & 27-18N-24W EST MULTIUNIT HORIZONTAL WELL X594643 CHRK 22-18N-24W X577117 CHRK 27-18N-24W 50% 22-18N-24W 50% 27-18N-24W NO OP NAMED 1/25/2021

