API NUMBER: 045 23781

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 01/24/2019 07/24/2020 **Expiration Date**

PERMIT TO DRILL

WELL LOCATION: Sec: Twp: 18N Rge: 25W County: ELLIS

FEET FROM QUARTER: SPOT LOCATION: NW FROM NORTH FROM WEST sw NW || NE SECTION LINES:

Lease Name: WALCK, H.I. 13 Well No: 4H Well will be 380 feet from nearest unit or lease boundary.

1505

EOG RESOURCES INC Operator OTC/OCC Number: Telephone: 4052463224 16231 0 Name:

380

EOG RESOURCES INC

3817 NW EXPRESSWAY STE 500

OKLAHOMA CITY. OK 73112-1483 P. DERYL PARKER 177145 E. COUNTY RD. 68

OKLAHOMA CITY OK 73112

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MARMATON 1 9250 6 2 7 3 8 4 9 10 617376 Spacing Orders: Location Exception Orders: Increased Density Orders: 684462

Pending CD Numbers: 201808218 Special Orders:

Ground Elevation: 2172 Depth to base of Treatable Water-Bearing FM: 440 Total Depth: 14800 Surface Casing: 1500

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 100000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER

Pit Location Formation: CLOUD CHIEF H. SEE MEMO

E. Haul to Commercial pit facility: Sec. 34 Twn. 14N Rng. 24W Cnty. 129 Order No: 563353

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: CLOUD CHIEF

HORIZONTAL HOLE 1

Sec. 13 Twp 18N Rge 25W County **ELLIS** NW Spot Location of End Point: ΝE NW NF Feet From: NORTH 1/4 Section Line: 165 WEST Feet From: 1/4 Section Line: 1707

Depth of Deviation: 8708 Radius of Turn: 714

Direction: 5

Total Length: 4971

Measured Total Depth: 14800
True Vertical Depth: 9250
End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

DEEP SURFACE CASING 11/18/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR

OR SURFACE CASING

HYDRAULIC FRACTURING 11/18/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 684462 1/23/2019 - G58 - 13-18N-25W

X617376 MRMN

2 WELLS

EOG RESOURCES, INC.

10/5/2018

MEMO 11/18/2018 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2

- OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

Category Description

PENDING CD - 201808218 1/23/2019 - G58 - (I.O.) 13-18N-25W

X617376 MRMN

COMPL. INT. NCT 165' FSL, NCT 165' FNL, NCT 1707' FWL

NO OP. NAMED

REC 11/5/2018 (MILLER)

1/23/2019 - G58 - (640)(HOR) 13-18N-25W EXT 586080 MRMN, OTHERS **SPACING - 617376**

POE TO BHL NCT 660' FB

(SUPERCEDE NON-DEVELOPED NON-HORIZONTAL SPACING UNITS; COEXIST WITH

PRODUCING NON-HORIZONTAL SPACING UNITS)

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA
13800 Wireless Way, Okla. City, OK, 73134 (405) 843-4847 • CUT OF STATE (800) 654-3219
Certificate of Authorization No. 1293 LS 045-23781 County, Oklahoma 380'FNL 1505'FWL 24 18N Range 25W I.M. Section Township X 1462484 Y 384463 X 1459875 Y 384493 X 1465094 Y 384433 165 PROMDED F 903' 1707 information POINT. BOTTOM HOLE OPERATOR NOTE: In shown her on purposes 2485' AND DRILL PATH D, NOT SURVEYED. herein ONLY. BOTTOM HOLE 165'FNL-1707'FWL 36'02'30.8" N 99'49'16.6" W 36.041895182' N 99.821267990' W X= 1461580 Y= 384309 DRILL for OK NORTH INFORMATION 1000 X 1465079 Y 381778 13 X 1459837 Y 381847 Best Acces Distance & from Hwy West to t Good Lease Operator: lopography Accessibility to Location From North of nce & Direction From Arnett, Oklahoma, the to the Northwest Corner of Section 24-Drill EOG 80 WALCK Vegetation LANDING POINT 165 FSL-1707 FWI 36 01 41.7 N 99 49 16.3 W 36.028238 720 N 99.521194344 W X= 1461508 Y= 379338 11 Loc. 11 NO ē LANDING POINT X 1465064 Y 379123 3. X 1462431 Y 379160 1/ 380' 24-18N-25W Reference S Stakes Set 1505 grass 1128 90 pasture ±1.0 Stakes or 11 Well mile GUIDE MERIDIAN 2263 9 No. East, Alternate then #41 ±7.5 X 1465049 Y 376467 24 miles X 1459777 Y 376559 2172' Gr. at South, T18N-R25W then ±4.0 Stake miles X 1465034 Y 373812 X 1459739 Y 373923 Revision X A Date of Drawing: Oct. 31, Invoice # 305327A Date Staked: Oct. 22, 2018 ESSIONAL DATUM: NAD-27 LAT: 36'01'36.3" N LONG: 99'49'18.7" W JP DATUM:_ **CERTIFICATE:** LAT: 36.026739030° N THOMAS L Thomas L. Howell ___an Oklahoma Licensed Land HOWELL LONG: 99.821861550° W Surveyor and an authorized agent of Topographic Land Surveyors of Oklahoma, do hereby certify to the information shown herein STATE PLANE 1433 COORDINATES: (US Feet) ZONE: OK NORTH 1461301 Z. Na OKLAHOMP Thomas 378796 Oklahoma Lic. No. 1433