API NUMBER: 073 26724

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 02/02/2021

Expiration Date: 08/02/2022

Multi Unit Oil & Gas

PERMIT TO DRILL

PERIMIT TO DRILL							
WELL LOCATION: Section: 19 Township: 16N Range:	: 7W County: KIN	GFISHER					
SPOT LOCATION: NW SW SE SW FEET FROM QUARTER	FROM SOUTH F	ROM WEST					
SECTION LINES	345	1640					
Lease Name: CAROL FED 1607	Well No: 4H-18X	Well wil	l be 345	feet from nearest unit o	lease boundary.		
Operator Names OVINTIV MID CONTINENT INC.		0.4.0070.4.000		OTO/OOO November	00044 0		
Operator Name: OVINTIV MID-CONTINENT INC. Telephone: 2812105100; 9188781290; OTC/OCC Number: 20944 0							
OVINTIV MID-CONTINENT INC.		ROYSE-SMITH, LLC					
4 WATERWAY AVE STE 100		P.O. BOX 204					
THE WOODLANDS, TX 77380-2764		KINGFISHER		OK 73750			
·				70700			
Formation(s) (Permit Valid for Listed Formations Only):							
	Depth						
	8147						
	8600						
	tion Exception Orders:	715415	Incre	eased Density Orders:	715408		
646110 715414					715409		
710414					lo Special Orders		
Pending CD Numbers: No Pending	Vorking interest owners'	notified: ***		Special Orders:	vo opeciai Orders		
Total Depth: 18554 Ground Elevation: 1084	urface Casing: 15	500 De	epth to base of	Treatable Water-Bearing	FM: 260		
			De	ep surface casing h	nas been approved		
Under Federal Jurisdiction: Yes		Approved Method for disposal of Drilling Fluids:					
Fresh Water Supply Well Drilled: No		D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37504					
Surface Water used to Drill: Yes		E. Haul to Commercial pit facility		wn. 12N Rng. 8W Cnty. 1	7 Order No: 587498		
		H. (Other)	SEE MEN				
PIT 1 INFORMATION		Category of Pit: C	_				
Type of Pit System: CLOSED Closed System Means Steel Pits		Liner not required for Category:					
Type of Mud System: WATER BASED		Pit Location is: NO Pit Location Formation: BIS					
Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y		Pit Location Formation: Bis	OUN				
Within 1 mile of municipal water well? N							
Within 1 mile of municipal water well? N Wellhead Protection Area? N							
Within 1 mile of municipal water well? N							
Within 1 mile of municipal water well? N Wellhead Protection Area? N		Category of Pit: C					
Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit <u>is not</u> located in a Hydrologically Sensitive Area.		Category of Pit: C Liner not required for Category:	с				
Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit <u>is not</u> located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED		Liner not required for Category: Pit Location is: NO	N HSA				
Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits		Liner not required for Category:	N HSA				
Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit <u>is not</u> located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED		Liner not required for Category: Pit Location is: NO	N HSA				
Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000		Liner not required for Category: Pit Location is: NO	N HSA				
Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y		Liner not required for Category: Pit Location is: NO	N HSA				

MULTI UNIT HOLE 1

Section: 19 Township: 16N Range: 7W Meridian: IM Total Length: 10256

County: KINGFISHER Measured Total Depth: 18554

Spot Location of End Point: N2 NW NE NW True Vertical Depth: 8600

Feet From: NORTH 1/4 Section Line: 85 End Point Location from
Feet From: WEST 1/4 Section Line: 1650 Lease,Unit, or Property Line: 85

 Additional Surface Owner(s)
 Address
 City, State, Zip

 CATHERINE LOUISE WOLFF
 104 AMARYLISS
 ORANGE, TX 77630

NOTES:	
Category	Description
DEEP SURFACE CASING	[1/21/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[1/21/2021 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 715408 (202001733)	[2/2/2021 - GB6] - 18-16N-7W X643998 MSNLC 4 WELLS OVINTIV MID-CONTINENT INC. 11/19/2020
INCREASED DENSITY – 715409 (202001734)	[2/2/2021 - GB6] - 19-16N-7W X646110 MSSP 4 WELLS OVINTIV MID-CONTINENT INC. 11/19/2020
LOCATION EXCEPTION – 715415 (202001740)	[2/2/2021 - GB6] - (I.O.) 18 & 19 -16N-7W X643998 MSNLC, WDFD 18-16N-7W X646110 MSSP, WDFD 19-16N-7W X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO DELLA WOLF UNIT 1 (API# 073-35777) COMPL. INT. (18-16N-7W) NCT 165' FNL, NCT 1600' FWL, NCT 0' FSL COMPL. INT. (19-16N-7W) NCT 0' FNL, NCT 1600' FWL, NCT 165' FSL OVINTIV MID-CONTINENT INC. 11/19/2020
MEMO	[1/21/2021 - GC2] - CLOSED SYSTEM=STEEL PITS (REQUIRED - DEAD INDIAN CREEK), OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING – 643998	[2/2/2021 - GB6] - (640)(HOR) 18-16N-7W EXT 642257 MSNLC, WDFD COMPL. INT. (MSNLC) NLT 660' FB COMPL. INT. (WDFD) NLT 165' FSL, NLT 165' FNL, NLT 330' FEL, NLT 330' FWL (COEXIST SP. ORDER # 77792/199460 MSSLM)
SPACING - 646110	[2/2/2021 - GB6] - (640)(HOR) 19-16N-7W VAC 41819 MSCST 19-16N-7W VAC OTHER EXT 638049 MSSP, WDFD EST OTHER COMPL. INT. (MSSP, OTHER) NCT 660' FB COMPL. INT. (WDFD) NCT 165' FSL, NCT 165' FNL, NCT 330' FEL, NCT 330' FWL

[2/2/2021 - GB6] - (I.O.) 18 & 19 -16N-7W	
EST MULTIUNIT HORÍZONTAL WELL X643998 MSNLC, WDFD 18-16N-7W X646110 MSSP, WDFD 19-16N-7W (WDFD ADJACENT COMMON SOURCE OF SUPPLY TO MSNLC, MSSP) 50% 18-16N-7W	
50% 19-16N-7W OVINTIV MID-CONTINENT, INC.	
	X643998 MSNLC, WDFD 18-16N-7W X646110 MSSP, WDFD 19-16N-7W (WDFD ADJACENT COMMON SOURCE OF SUPPLY TO MSNLC, MSSP) 50% 18-16N-7W 50% 19-16N-7W