API NUMBER: 087 22336

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 02/17/2022
Expiration Date: 08/17/2023

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Section: 30 Township: 6N Range: 4W County: M	MCCLAIN
SPOT LOCATION: NE NE SE NW FEET FROM QUARTER: FROM NORTH	FROM WEST
SECTION LINES: 1519	2339
Lease Name: DOG-STELLA Well No: 0604 30-1	19-18 3WXH Well will be 1519 feet from nearest unit or lease boundary.
Operator Name: CPRP SERVICES LLC Telephone: 40592236	OTC/OCC Number: 24506 0
CPRP SERVICES LLC	WILLIAM B. HOLLAND TRUST
123 NW 8TH ST	P.O. BOX 890244
OKLAHOMA CITY, OK 73102-5804	OKLAHOMA CITY OK 73189
Formation(s) (Permit Valid for Listed Formations Only):	
Name Code Depth	
1 WOODFORD 319WDFD 11630	
Spacing Orders: 667103 Location Exception Orders	S: No Exceptions Increased Density Orders: No Density
665172 664985	
	rs' notified: *** Special Orders: No Special
Pending CD Numbers: 202101195 Working interest owner	rs' notified: *** Special Orders: NO Special
202101194	
Total Depth: 19315 Ground Elevation: 1150 Surface Casing:	
	Deep surface casing has been approved
Under Federal Jurisdiction: No	Approved Method for disposal of Drilling Fluids:
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes	D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38130
	H. (Other) SEE MEMO
PIT 1 INFORMATION	Category of Pit: C
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C
Type of Mud System: WATER BASED	Pit Location is: BED AQUIFER
Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y	Pit Location Formation: DUNCAN
Within 1 mile of municipal water well? N	
Within 1 time of mariopal water well.	
Wellhead Protection Area? N	
Wellhead Protection Area? N Pit <u>is</u> located in a Hydrologically Sensitive Area.	
Pit <u>is</u> located in a Hydrologically Sensitive Area.	Category of Pit: C
	Category of Pit: C Liner not required for Category: C
Pit <u>is</u> located in a Hydrologically Sensitive Area. PIT 2 INFORMATION	
Pit <u>is</u> located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000	Liner not required for Category: C
Pit <u>is</u> located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y	Liner not required for Category: C Pit Location is: BED AQUIFER
PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N	Liner not required for Category: C Pit Location is: BED AQUIFER
Pit <u>is</u> located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y	Liner not required for Category: C Pit Location is: BED AQUIFER

MULTI UNIT HOLE 1

Section: 18 Township: 6N Range: 4W Meridian: IM Total Length: 7329


County: MCCLAIN Measured Total Depth: 19315


Spot Location of End Point: E2 NW SE SW True Vertical Depth: 11630

Feet From: SOUTH 1/4 Section Line: 990 End Point Location from
Feet From: WEST 1/4 Section Line: 1915 Lease,Unit, or Property Line: 990


NOTES:

NOTES:	
Category	Description
DEEP SURFACE CASING	[2/17/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[2/17/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
МЕМО	[2/17/2022 - GC2] - CLOSED SYSTEM=STEEL PITS (REQUIRED - WINTER CREEK), OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 202101194	[2/17/2022 - G56] - (E.O.) 18, 19 & 30-6N-4W EST MULTIUNIT HORIZONTAL WELL X664985 WDFD, OTHER X665172 WDFD, OTHER X667103 WDFD, OTHER 5% 18-6N-4W 65% 19-6N-4W 30% 30-6N-4W NO OP NAMED REC 2/16/2022 (THOMAS)
PENDING CD - 202101195	[2/17/2022 - G56] - (E.O.) 18, 19 & 30-6N-4W X664985 WDFD, OTHER X665172 WDFD, OTHER X667103 WDFD, OTHER COMPL INT (30-6N-4W) NCT 2640' FSL, NCT 0' FNL, NCT 330' FWL COMPL INT (19-6N-4W) NCT 0' FSL, NCT 0' FNL, NCT 330' FWL COMPL INT (18-6N-4W) NCT 0' FSL, NCT 2640' FNL, NCT 330' FWL COMPL INT (18-6N-4W) NCT 0' FSL, NCT 2640' FNL, NCT 330' FWL NO OP NAMED REC 2/16/2022 (THOMAS)
SPACING - 664985	[2/17/2022 - G56] - (640)(HOR) 18-6N-4W EXT 629241 WDFD, OTHERS COMPL INT NCT 165' FNL & FSL, NCT 330' FEL & FWL (COEXIST SP. ORDER #598870)
SPACING - 665172	[2/17/2022 - G56] - (640)(HOR) 19-6N-4W EXT 629241 WDFD, OTHERS COMPL INT NCT 165' FNL & FSL, NCT 330' FEL & FWL (COEXIST SP. ORDER #588069)
SPACING - 667103	[2/17/2022 - G56] - (640)(HOR) 30-6N-4W VAC OTHER VAC 604782 WDFD, OTHER EST WDFD, OTHERS COMPL INT NCT 165' FNL & FSL, NCT 330' FEL & FWL





LOCATION & ELEVATION VERIFICATION MAP



LEASE NAME & WELL NO. DOG-STELLA 0604 30-19-18-3WXH

 SECTION
 30
 TWP
 6N
 RGE
 4W
 MERIDIAN
 I.M.

 COUNTY
 MCCLAIN
 STATE
 OKLAHOMA

 DESCRIPTION
 1519' FNL & 2339' FWL

ELEV.: 1150' (NGVD29)
ELEV.: 1150' (NAVD88)

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY CPRP SERVICES, LLC.. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.


ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, SOUTH ZONE OF THE NORTH AMERICAN DATUM, U.S. SURVEY FEET.





13800 WRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134 TELEPHONE: (405) 843-4847 OR (800) 654-3219 FAX: (405) 843-0975 CERTIFICATE OF AUTHORIZATION NO. 1292 LS WWW.TOPOGRAPHIC.COM

VICINITY MAP



LEASE NAME & WELL NO.

DOG-STELLA 0604 30-19-18-3WXH

SECTION 30 TWP 6N RGE 4W MERIDIAN I.M.

COUNTY MCCLAIN STATE OKLAHOMA

DESCRIPTION 1519' FNL & 2339' FWL

DISTANCE & DIRECTION
FROM THE INTERSECTION OF OLD TOWN 1ST ST AND OK-39 IN

DIBBLE, OKLA. GO WEST ON OK-39 FOR ±1.5 MILES

TURN SOUTH ON OK-76 FOR ±2.8 MILES TO THE NWC-29-T6N-R4W.

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY CPRP SERVICES, LLC.. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, SOUTH ZONE OF THE NORTH AMERICAN DATUM, U.S. SURVEY FEET.





13800 WRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134 TELEPHONE: (405) 843-4847 OR (800) 654-3219 FAX: (405) 843-0975 CERTIFICATE OF AUTHORIZATION NO. 1292 LS WWW.TOPOGRAPHIC.COM