

OKLAHOMA CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
P.O. BOX 52000  
OKLAHOMA CITY, OK 73152-2000  
(Rule 165:10-3-1)

API NUMBER: 073 26608

Approval Date: 07/26/2019

Expiration Date: 01/26/2021

Horizontal Hole  
Multi Unit

Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Sec: 05 Twp: 16N Rge: 9W County: KINGFISHER

SPOT LOCATION: ☐ NW ☐ NW ☐ NW ☐ NE FEET FROM QUARTER: FROM NORTH FROM EAST

SECTION LINES: 250 2373

Lease Name: BIEHLER Well No: 1709 6H-29X Well will be 250 feet from nearest unit or lease boundary.

Operator Name: NEWFIELD EXPLORATION MID-CON INC

Telephone: 2812105100; 9188781

OTC/OCC Number: 20944 0

NEWFIELD EXPLORATION MID-CON INC  
4 WATERWAY AVE STE 100  
THE WOODLANDS, TX 77380-2764

BRADLEY BOECKMAN  
2620 SE 8TH ST  
MOOER OK 73160

Formation(s) (Permit Valid for Listed Formations Only):

Name	Depth	Name	Depth
1 MISSISSIPPIAN (LESS CHESTER)	8925	6	
2 WOODFORD	9508	7	
3		8	
4		9	
5		10	

Spacing Orders: 639140  
692696

Location Exception Orders: 692700  
692697

Increased Density Orders: 690800  
690801

Pending CD Numbers:

Special Orders:

Total Depth: 19436

Ground Elevation: 1205

**Surface Casing: 1500**

Depth to base of Treatable Water-Bearing FM: 500

Under Federal Jurisdiction: No

Fresh Water Supply Well Drilled: No

Surface Water used to Drill: No

PIT 1 INFORMATION

Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: CHICKASHA

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 19-36601

E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498

H. SEE MEMO

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: CHICKASHA

HORIZONTAL HOLE 1

Sec 29 Twp 17N Rge 9W County KINGFISHER

Spot Location of End Point: NE NE NW NE

Feet From: NORTH 1/4 Section Line: 85

Feet From: EAST 1/4 Section Line: 1649

Depth of Deviation: 7996

Radius of Turn: 715

Direction: 2

Total Length: 10317

Measured Total Depth: 19436

True Vertical Depth: 9508

End Point Location from Lease,  
Unit, or Property Line: 85

Notes:

Category

Description

DEEP SURFACE CASING

7/12/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING

EXCEPTION TO RULE - 692700

7/26/2019 - GB6 - (I.O.) 29 & 32 -17N-9W  
X165:10-3-28(C)(2)(B) MSNLC (BIEHLER 1709 6H-29X)  
MAY BE CLOSER THAN 600' FROM THE EXISTING  
BIEHLER 1H-29X, TEDERS NO. 1, SPUD 1-29, OTTER CREEK #29-1, CALAVAN 1-32 AND  
LOUISE 1-32 WELLS IN THE UNIT AND/OR THE PROPOSED BIEHLER 1709 2H-29X, 3H-29X, 4H-  
29X, 5H-29X AND 7H-29X WELLS.

HYDRAULIC FRACTURING

7/12/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:  
OCCWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 690800

7/26/2019 - GB6 - 29-17N-9W  
X639140/640131 MSNLC  
6 WELLS  
NEWFIELD EXPLORATION MID-CONTINENT INC.  
2/1/2019

This permit does not address the right of entry or settlement of surface damages.

073 26608 BIEHLER 1709 6H-29X

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category	Description
INCREASED DENSITY - 690801	7/26/2019 - GB6 - 32-17N-9W X639140/640131 MSNLC 6 WELLS NEWFIELD EXPLORATION MID-CONTINENT INC. 2/1/2019
INTERMEDIATE CASING	7/12/2019 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES
LOCATION EXCEPTION - 692697	7/26/2019 - GB6 - (I.O.) 29 & 32 -17N-9W X639140/640131 MSNLC, WDFD (WDFD IS ADJACENT CSS TO MSNLC) COMPL. INT. (29-17N-9W) NCT 0' FSL, NCT 165' FNL, NCT 660' FEL COMPL. INT. (32-17N-9W) NCT 165' FSL, NCT 0' FNL, NCT 660' FEL NEWFIELD EXPLORATION MID-CONTINENT INC. 1/14/2019
MEMO	7/12/2019 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST, WBM/CUTTINGS & OBM CUTTINGS CAPTURED IN STEEL HALF PITS, WBM & WBM CUTTINGS WILL BE SOIL FARMED, OBM CUTTINGS TRANSFERRED TO R360 587498 (31-12N-8W), CANADIAN CO, PIT 2 - OBM TO VENDOR
SPACING - 639140	7/26/2019 - GB6 - (640)(HOR) 29 & 32 -17N-9W EXT* MSNLC, WDFD POE TO BHL (MSNLC) NCT 660' FB POE TO BHL (WDFD) NCT 165' FNL OR FSL, NCT 330' FEL OR FWL (COEXIST SP# 85148 MSSSD, MNNG** IN SEC 29; SP# 8892/88519 MSSSD, MNNG** IN SEC 32)  *CORRECTED BY NPT# 640131 TO EST FORMATIONS
SPACING - 640131	7/26/2019 - GB6 - NPT 639140 CLARIFY FORMATIONS TO BE ESTABLISHED NOT EXTENDED
SPACING - 644146	7/26/2019 - GB6 - NPT 639140/640131 COEXIST SP# 85148 MSSSD, MNNG; COEXIST SP# 88292 MSSSD, MNNG
SPACING - 692696	7/26/2019 - GB6 - (I.O.) 29 & 32 -17N-9W EST MULTIUNIT HORIZONTAL WELL X639140/640131 MSNLC, WDFD (WDFD IS ADJACENT CSS TO MSNLC) 50% 29-17N-9W 50% 32-17N-9W NEWFIELD EXPLORATION MID-CONTINENT INC. 3/11/2019

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

**PERMIT PLAT**

M & M Land Surveying, Inc.  
Phone (580) 226-0446  
520 E Street N.W.  
Ardmore, OK 73401

Company Name: **NEWFIELD EXPLORATION MID-CONTINENT INC.**

Lease Name: **BIEHLER 1709 6H-29X**

Section 5 Township 16 N Range 9 W, I.B.M. County of Kingfisher, State of Oklahoma

Original Location: 250'FNL - 2373'FEL 1205' GROUND YES

Distance & Direction From Nearest Town: 14.0 miles Northeast of Watonga.

SURFACE LOCATION	LANDING POINT
DATUM: NAD27	DATUM: NAD27
LAT: 35° 53' 52.36"N	LAT: 35° 53' 56.47"N
LONG: 98° 10' 47.21"W	LONG: 98° 10' 46.63"W
LAT: 35.897879°N	LAT: 35.899018°N
LONG: 98.179781°W	LONG: 98.179619°W
Y (N): 326883.77	Y (N): 327298.29
X (E): 1946751.32	X (E): 1946799.97
DATUM: NAD83	DATUM: NAD83
LAT: 35° 53' 52.51"N	LAT: 35° 53' 56.61"N
LONG: 98° 10' 48.44"W	LONG: 98° 10' 47.86"W
LAT: 35.897920°N	LAT: 35.899059°N
LONG: 98.180122°W	LONG: 98.179961°W
Y (N): 326907.41	Y (N): 327321.93
X (E): 1915151.44	X (E): 1915200.09

LAST TAKE POINT	BOTTOM HOLE
DATUM: NAD27	DATUM: NAD27
LAT: 35° 55' 37.71"N	LAT: 35° 55' 38.50"N
LONG: 98° 10' 47.04"W	LONG: 98° 10' 47.04"W
LAT: 35.927141°N	LAT: 35.927361°N
LONG: 98.179732°W	LONG: 98.179733°W
Y (N): 337535.36	Y (N): 337615.36
X (E): 1946785.44	X (E): 1946785.32
DATUM: NAD83	DATUM: NAD83
LAT: 35° 55' 37.85"N	LAT: 35° 55' 38.64"N
LONG: 98° 10' 48.27"W	LONG: 98° 10' 48.27"W
LAT: 35.927181°N	LAT: 35.927401°N
LONG: 98.180074°W	LONG: 98.180075°W
Y (N): 337558.98	Y (N): 337638.98
X (E): 1915185.41	X (E): 1915185.29


This location has been staked according to the best official survey records available to us. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified. Please review this plat and notify us immediately of any discrepancy. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified.

**CERTIFICATE:**

I Aaron Morris a Registered Land Surveyor in the State Of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown and that said plat meets or exceeds the Oklahoma Minimum Technical Standards for the practice of land surveying as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Land Surveyors.

*[Signature]* 7/10/2019

Aaron L. Morris R.P.L.S. No.1477  
Bennett-Morris & Associates Land  
Surveying P.C. ~ C.A. No. 5795 (LS)  
Phone (580) 226-5108  
Fax (888) 662-7778  
1010 Northwest Boulevard  
Ardmore, OK 73401



COORDINATES ARE AS SHOWN ARE  
DERIVED FROM OPUS SOLUTION.  
PROJECTION: OKLAHOMA NORTH  
ZONE, LAMBERT CONFORMAL  
HORIZONTAL: NAD27  
VERTICAL: NAVD88  
GEOID MODEL: GEOID 99  
UNITS: US SURVEY FEET



SURVEY BY: M & M Land Surveying, Inc. ~ C.A. No. 3093 (LS)	
DRAWING BY: Bennett-Morris And Associates Land Surveying, P.C.	
© COPYRIGHT 2019 C.A. No. 5795 (LS) ~ Aaron L. Morris, RPLS	
PROJECT NUMBER: 19183	SITE VISIT: (Explanation and Date)
	STAKING DATE: 06/10/2019
SHEET: 6 OF 9	DRAWING DATE: 06/13/2019