API NUMBER: 017 25761

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	01/11/2022
Expiration Date:	07/11/2023

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Section: 20 Township: 12N Range: 7W County: CA	ANADIAN
SPOT LOCATION: NW SE SE SE FEET FROM QUARTER: FROM SOUTH	FROM EAST
SECTION LINES: 599	386
Lease Name: TOMAHAWK 1207 20-17 Well No: 3MH Operator Name: REVOLUTION OPERATING COMPANY LLC Telephone: 405534523	Well will be 386 feet from nearest unit or lease boundary.
Тавриине. 400034023	2 OTO/OCC Number. 24010 0
REVOLUTION OPERATING COMPANY LLC	TOMAHAWK DEVELOPMENT IV OKLAHOMA
14301 CALIBER DR STE 110	116 SPINNER DR
OKLAHOMA CITY, OK 73134-1016	BROUSSARD LA 70518
	BROUSSARD LA 70516
Formation(s) (Permit Valid for Listed Formations Only):	
Name Code Depth	
1 MISSISSIPPIAN 359MSSP 9904	
Spacing Orders: 661894 Location Exception Orders:	No Exceptions Increased Density Orders: No Density
683787	
709998	
Pending CD Numbers: 202102869 Working interest owners	notified: *** Special Orders: No Special
202102871	
202102872	
202102873	
Total Donthy 10000 Cround Flourities, 1205 Confeed Continued	
TOTAL DEDUCT: 19000 Ground Elevation: 1395 Surface Casing: 1	1300 Depth to base of Treatable Water-Bearing FM: 380
Total Depth: 19000 Ground Elevation: 1395 Surface Casing: 1	
Total Deput: 19000 Ground Elevation: 1395 Surface Casing:	Depth to base of Treatable Water-Bearing FM: 380 Deep surface casing has been approved
Under Federal Jurisdiction: No	
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No	Deep surface casing has been approved
Under Federal Jurisdiction: No	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids:
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37965 H. (Other) SEE MEMO
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37965 H. (Other) SEE MEMO Category of Pit: C
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37965 H. (Other) SEE MEMO
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37965 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37965 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37965 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37965 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37965 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area.	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37965 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA Pit Location Formation: DOG CREEK
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37965 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area.	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37965 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA Pit Location Formation: DOG CREEK Category of Pit: C
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37965 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA Pit Location Formation: DOG CREEK Category of Pit: C Liner not required for Category: C
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37965 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA Pit Location Formation: DOG CREEK Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37965 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA Pit Location Formation: DOG CREEK Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37965 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA Pit Location Formation: DOG CREEK Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA

MULTI UNIT HOLE 1

Section: 17 Township: 12N Range: 7W Meridian: IM Total Length: 8657


County: CANADIAN Measured Total Depth: 19000


Spot Location of End Point: SW NW SW NE True Vertical Depth: 9904

Feet From: NORTH 1/4 Section Line: 1680 End Point Location from
Feet From: EAST 1/4 Section Line: 2480 Lease, Unit, or Property Line: 1680

NOTES:


NOTES:	
Category	Description
DEEP SURFACE CASING	[12/6/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[12/6/2021 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
МЕМО	[12/6/2021 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 202102869	[1/11/2022 - G56] - (I.O.) 17 & 20-12N-7W EST MULTIUNIT HORIZONTAL WELL X661894 MSSP 20-12N-7W X683787/709998 MSSP 17-12N-7W 67% 20-12N-7W 33% 17-12N-7W NO OP NAMED REC 1/10/2022 (HUBER)
PENDING CD - 202102871	[1/11/2022 - G56] - (I.O.) 17 & 20-12N-7W X661894 MSSP 20-12N-7W X683787/709998 MSSP 17-12N-7W COMPL INT (20-12N-7W) NCT 165' FSL, NCT 0' FNL, NCT 1320' FEL OR FWL COMPL INT (17-12N-7W) NCT 0' FSL, NCT 660' FNL, NCT 1320' FEL OR FWL NO OP NAMED REC 1/10/2022 (HUBER)
PENDING CD - 202102872	[1/11/2022 - G56] - 17-12N-7W X683787/709998 MSSP 2 WELLS NO OP NAMED REC 1/10/2022 (HUBER)
PENDING CD - 202102873	[1/11/2022 - G56] - 20-12N-7W X661894 MSSP 2 WELLS NO OP NAMED REC 1/10/2022 (HUBER)
SPACING - 661894	[1/11/2022 - G56] - (640)(HOR) 20-12N-7W EST MSSP, OTHERS COMPL INT NLT 660' FB (COEXIST WITH SP # 147489 MSSP)
SPACING - 683787	[1/11/2022 - G56] - (640)(HOR) 17-12N-7W EXT 661894 MSSP, OTHERS COMPL INT NLT 660' FB (COEXIST WITH SP # 146122 MSSP, # 147489 MSSP)
SPACING - 709998	[1/11/2022 - G56] - (640)(HOR) 17-12N-7W CONFIRM 683787 MSSP, OTHERS AS TO RESPONDENTS





1207 20 17 2MH	INT	DATE	THROUGH OPUS ON THE CONTROL POINT OCCUPIED WHILE MEASURING SAID LINES. OPUS RESULTS ARE CORRELATED TO
1207 20-17 3MH	JS	12/01/2021	OKLAHOMA, NORTH ZONE, NAD 27 - HORIZONTAL AND THE NATIONAL GEODETIC VERTICAL DATUM OF 1929. 3. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT/LOCATION, IN RELATION TO THE EVIDENCE FOUND DIVIDING A FIELD SUBJECT. WAS EQUILIBLE TO THE CONTROL OF THE
DATE: 11/16/2021			DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY REVOLUTION RESOURCES. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT/LOCATION, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THI CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE AND MADE FOR THIS TRANSACTION ONLY. 4. LANDING POINT, BOTTOM HOLE, AND DRILL PATH INFORMATION PROVIDED BY OPERATOR AS SHOWN AND ARE NOT SURVEYE LOCATIONS. 5. THE INFORMATION SHOWN HEREIN IS FOR CONSTRUCTION PURPOSES ONLY.
FILE:LO_TOMAHAWK_1207_20-17_3MH_REV1			
DRAWN BY: JM			
SHEET: 2 OF 2			
			O:\SURVEY\REVOLUTION RESOURCES\TBD 20-12N-7WEINAL PRODUCTS\LO TOMAHAWK 1207 20-17 3MH REV1.DWG 12/2/2021 11:37:02 AM tyler roge:

LOCATION & ELEVATION VERIFICATION MAP



LEASE NAME & WELL NO. TOMAHAWK 1207 20-17 3MH

 SECTION
 20
 TWP
 12N
 RGE
 7W
 MERIDIAN
 I.M.

 COUNTY
 CANADIAN
 STATE
 OKLAHOMA

 DESCRIPTION
 599' FSL & 386' FEL

ELEV.: 1394' (NGVD29) ELEV.: 1395' (NAVD88)

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY REVOLUTION RESOURCES. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.


ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, NORTH ZONE OF THE NORTH AMERICAN DATUM 1927, U.S. SURVEY FEET AND THE NATIONAL GEODETIC VERTICAL DATUM OF 1929.





13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134 TELEPHONE: (405) 843-4847 OR (800) 654-3219 CERTIFICATE OF AUTHORIZATION NO. 1292 LS WWW.TOPOGRAPHIC.COM

VICINITY MAP



TOMAHAWK 1207 20-17 3MH LEASE NAME & WELL NO. SECTION 20 TWP 12N 7W RGE_ _ MERIDIAN_ CANADIAN COUNTY ___ STATE **OKLAHOMA** DESCRIPTION 599' FSL & 386' FEL DISTANCE & DIRECTION FROM THE INTERSECTION OF I-40 & US-81 IN EL RENO, OK, GO ±0.25 MI. SOUTH ON US-81, THEN GO ±1.0 MI. WEST ON JENSEN RD E. TO THE SOUTHEAST CORNER OF 20-12N-7W.

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY REVOLUTION RESOURCES. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, NORTH ZONE OF THE NORTH AMERICAN DATUM 1927, U.S. SURVEY FEET AND THE NATIONAL GEODETIC VERTICAL DATUM OF 1929.





13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134 TELEPHONE: (405) 843-4847 OR (800) 654-3219 CERTIFICATE OF AUTHORIZATION NO. 1292 LS WWW.TOPOGRAPHIC.COM