API NUMBER:	083	24455

Horizontal Hole

Oil & Gas

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:08/25/2021Expiration Date:02/25/2023

PERMIT TO DRILL

WELL LOCATION: Section: 36 Township: 18N Range: 3W County:	LOGAN		
SPOT LOCATION: NW NW NE NW FEET FROM QUARTER: FROM NORTH	FROM WEST		
SECTION LINES: 226	1403		
Lease Name: MAYS Well No: 1-36H25	X24 Well will be 226 feet from nearest unit or lease boundary.		
Operator Name: OSO RESOURCES LLC Telephone: 4052321	719 OTC/OCC Number: 24580 0		
OSO RESOURCES LLC	CHARLES THOMAS AND GEORGIA MAE BRANCH		
4335 N CLASSEN BLVD STE 200	2727 S DIVISION STREET		
OKLAHOMA CITY, OK 73118-5022	GUTHRIE OK 73044		
	1		
Formation(s) (Permit Valid for Listed Formations Only):	1		
Name Code Depth			
1 OSWEGO 404OSWG 5160			
Spacing Orders: 403591 Location Exception Order	Increased Density Orders: No Density		
Pending CD Numbers: No Pending Working interest owners' notified: *** Special Orders: No Special			
Total Depth: 11933 Ground Elevation: 911 Surface Casing: 600 Depth to base of Treatable Water-Bearing FM: 40			
Deep surface casing has been approved			
	Deep surface casing has been approved		
Under Federal Jurisdiction: No			
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No	Approved Method for disposal of Drilling Fluids:		
	Approved Method for disposal of Drilling Fluids:         D. One time land application (REQUIRES PERMIT)         PERMIT NO: 21-37782         H. (Other)         CLOSED SYSTEM=STEEL PITS (REQUIRED SKELETON)		
Fresh Water Supply Well Drilled: No	Approved Method for disposal of Drilling Fluids:           D. One time land application (REQUIRES PERMIT)         PERMIT NO: 21-37782		
Fresh Water Supply Well Drilled: No	Approved Method for disposal of Drilling Fluids:         D. One time land application (REQUIRES PERMIT)         PERMIT NO: 21-37782         H. (Other)         CLOSED SYSTEM=STEEL PITS (REQUIRED SKELETON)		
Fresh Water Supply Well Drilled: No Surface Water used to Drill: No	Approved Method for disposal of Drilling Fluids:         D. One time land application (REQUIRES PERMIT)         PERMIT NO: 21-37782         H. (Other)         CLOSED SYSTEM=STEEL PITS (REQUIRED SKELETON CREEK)		
Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED	Approved Method for disposal of Drilling Fluids:         D. One time land application (REQUIRES PERMIT)         PERMIT NO: 21-37782         H. (Other)         CLOSED SYSTEM=STEEL PITS (REQUIRED SKELETON CREEK)         Category of Pit: C         Liner not required for Category: C         Pit Location is:       ALLUVIAL		
Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000	Approved Method for disposal of Drilling Fluids:         D. One time land application (REQUIRES PERMIT)         PERMIT NO: 21-37782         H. (Other)         CLOSED SYSTEM=STEEL PITS (REQUIRED SKELETON CREEK)         Category of Pit:         C         Liner not required for Category: C		
Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y	Approved Method for disposal of Drilling Fluids:         D. One time land application (REQUIRES PERMIT)         PERMIT NO: 21-37782         H. (Other)         CLOSED SYSTEM=STEEL PITS (REQUIRED SKELETON CREEK)         Category of Pit: C         Liner not required for Category: C         Pit Location is:       ALLUVIAL		
Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N	Approved Method for disposal of Drilling Fluids:         D. One time land application (REQUIRES PERMIT)         PERMIT NO: 21-37782         H. (Other)         CLOSED SYSTEM=STEEL PITS (REQUIRED SKELETON CREEK)         Category of Pit: C         Liner not required for Category: C         Pit Location is: ALLUVIAL		
Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N	Approved Method for disposal of Drilling Fluids:         D. One time land application (REQUIRES PERMIT)         PERMIT NO: 21-37782         H. (Other)         CLOSED SYSTEM=STEEL PITS (REQUIRED SKELETON CREEK)         Category of Pit: C         Liner not required for Category: C         Pit Location is:       ALLUVIAL		
Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N	Approved Method for disposal of Drilling Fluids:         D. One time land application (REQUIRES PERMIT)         PERMIT NO: 21-37782         H. (Other)         CLOSED SYSTEM=STEEL PITS (REQUIRED SKELETON CREEK)         Category of Pit: C         Liner not required for Category: C         Pit Location is:       ALLUVIAL		
Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N	Approved Method for disposal of Drilling Fluids:         D. One time land application (REQUIRES PERMIT)         PERMIT NO: 21-37782         H. (Other)         CLOSED SYSTEM=STEEL PITS (REQUIRED SKELETON CREEK)         Category of Pit: C         Liner not required for Category: C         Pit Location is:       ALLUVIAL		
Fresh Water Supply Well Drilled: No         Surface Water used to Drill: No         PIT 1 INFORMATION         Type of Pit System: CLOSED Closed System Means Steel Pits         Type of Mud System: WATER BASED         Chlorides Max: 5000 Average: 3000         Is depth to top of ground water greater than 10ft below base of pit? Y         Within 1 mile of municipal water well? N         Wellhead Protection Area? N         Pit       is         Iocated in a Hydrologically Sensitive Area.	Approved Method for disposal of Drilling Fluids:         D. One time land application (REQUIRES PERMIT)         PERMIT NO: 21-37782         H. (Other)         CLOSED SYSTEM=STEEL PITS (REQUIRED SKELETON CREEK)         Category of Pit: C         Liner not required for Category: C         Pit Location is:       ALLUVIAL		
Fresh Water Supply Well Drilled: No         Surface Water used to Drill: No         PIT 1 INFORMATION         Type of Pit System: CLOSED Closed System Means Steel Pits         Type of Mud System: WATER BASED         Chlorides Max: 5000 Average: 3000         Is depth to top of ground water greater than 10ft below base of pit? Y         Within 1 mile of municipal water well? N         Wellhead Protection Area? N         Pit       is         Is cated in a Hydrologically Sensitive Area.	Approved Method for disposal of Drilling Fluids:         D. One time land application (REQUIRES PERMIT)         PERMIT NO: 21-37782         H. (Other)         CLOSED SYSTEM=STEEL PITS (REQUIRED SKELETON CREEK)         Category of Pit:         C         Liner not required for Category: C         Pit Location is:         ALLUVIAL         Pit Location Formation:         ALLUVIUM		
Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit <u>is</u> located in a Hydrologically Sensitive Area. HORIZONTAL HOLE 1 Section: 24 Township: 18N Range: 3W Meridian: IM	Approved Method for disposal of Drilling Fluids:         D. One time land application (REQUIRES PERMIT)         PERMIT NO: 21-37782         H. (Other)       CLOSED SYSTEM=STEEL PITS (REQUIRED SKELETON CREEK)         Category of Pit: C         Liner not required for Category: C         Pit Location is:       ALLUVIAL         Pit Location Formation:       ALLUVIUM		
Fresh Water Supply Well Drilled: No         Surface Water used to Drill: No         PIT 1 INFORMATION         Type of Pit System: CLOSED Closed System Means Steel Pits         Type of Mud System: WATER BASED         Chlorides Max: 5000 Average: 3000         Is depth to top of ground water greater than 10ft below base of pit? Y         Within 1 mile of municipal water well? N         Wellhead Protection Area? N         Pit       is         Iocated in a Hydrologically Sensitive Area.         HORIZONTAL HOLE 1         Section: 24       Township: 18N       Range: 3W       Meridian: IM         County: LOGAN	Approved Method for disposal of Drilling Fluids:         D. One time land application (REQUIRES PERMIT)         PERMIT NO: 21-37782         H. (Other)       CLOSED SYSTEM=STEEL PITS (REQUIRED SKELETON CREEK)         Category of Pit: C         Liner not required for Category: C         Pit Location is:       ALLUVIAL         Pit Location Formation:       ALLUVIUM         Total Length:         6285         Measured Total Depth:       11933         True Vertical Depth:       5212		
Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit <u>is</u> located in a Hydrologically Sensitive Area. HORIZONTAL HOLE 1 Section: 24 Township: 18N Range: 3W Meridian: IM County: LOGAN Spot Location of End Point: C W2 W2 SW	Approved Method for disposal of Drilling Fluids:         D. One time land application (REQUIRES PERMIT)         PERMIT NO: 21-37782         H. (Other)         CloSED SYSTEM=STEEL PITS (REQUIRED SKELETON CREEK)         Category of Pit:         C         Liner not required for Category: C         Pit Location is:         ALLUVIAL         Pit Location Formation:         ALLUVIUM		

NOTES:

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category	Description
DEEP SURFACE CASING	[8/24/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	<ul> <li>[8/24/2021 - GC2] - OCC 165:10-3-10 REQUIRES:</li> <li>1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;</li> <li>2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,</li> <li>3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC</li> </ul>
	FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
SPACING - 403591	[8/25/2021 - GB1] - (UNIT) SW4 24, NW4 & S2 25, & 36-18N-3W EST NORTHWEST LAWRIE OSWEGO UNIT FOR OSWG

