API NUMBER: 063 24886 В

Oil & Gas

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 03/08/2019 09/08/2020 **Expiration Date**

Horizontal Hole Multi Unit

Amend reason: CHANGE SURFACE LOCATION & GROUND

AMEND PERMIT TO DRILL

WELL LOCATION:	Sec:	12	Twp:	8N	Rge:	11E	County:	HUGHES

FEET FROM QUARTER: SPOT LOCATION: NW NE NE sw SOUTH WEST FROM 2030 2447

Lease Name: BOSE Well No: 2-12/1H Well will be 2030 feet from nearest unit or lease boundary.

BRAVO ARKOMA LLC Operator Telephone: 9188944440; 9188944 OTC/OCC Number: 23562 0

ELEVATION; UPDATE ORDER

BRAVO ARKOMA LLC 1323 E 71ST ST STE 400

TULSA. OK 74136-5067 MICHAEL T. BOSE AND CHERYL A. BOSE

7056 HACKBERRY COURT

TULSA OK 74132

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN 1 4493 6 2 WOODFORD 4774 7 SYLVAN 4844 8 3 9 10 668135 Spacing Orders: Location Exception Orders: Increased Density Orders: 693598

Pending CD Numbers: 201900747 Special Orders:

> 201900748 201900753

Total Depth: 11818 Ground Elevation: 961 Surface Casing: 1300 Depth to base of Treatable Water-Bearing FM: 220

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION Type of Pit System: ON SITE A. Evaporation/dewater and backfilling of reserve pit.

Type of Mud System: AIR

Is depth to top of ground water greater than 10ft below base of pit? Y F. Haul to Commercial soil farming facility: Sec. 14 Twn. 7N Rng. 9E Cnty. 63 Order No: 551649

Within 1 mile of municipal water well? N H. SEE MEMO Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit:

Liner not required for Category: 4 Pit Location is BED AQUIFER Pit Location Formation:

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation: CALVIN

PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation: CALVIN

HORIZONTAL HOLE 1

Sec 01 Twp 8N Rge 11E County **HUGHES**

NW Spot Location of End Point: N2 NW Feet From: NORTH 1/4 Section Line: 165 Feet From: WEST 1/4 Section Line: 1650

Depth of Deviation: 4453 Radius of Turn: 573 Direction: 359

Total Length: 6465

Measured Total Depth: 11818 True Vertical Depth: 4844 End Point Location from Lease, Unit, or Property Line: 165

Notes:

Category Description

DEEP SURFACE CASING 3/4/2019 - G71 - APPROVED: NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

Category Description

HYDRAULIC FRACTURING 3/18/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 693598 4/11/2019 - G75 - 12-8N-11E

X668135 WDFD 5 WELLS

BRAVO ARKOMA, LLC

3-27-2019

MEMO 3/4/2019 - G71 - PIT 2 & 3 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, WBM &

OBM CUTTINGS CAPTURED IN CONCRETE-LINED PIT, SOLIDFIED AND HELD UNTIL DISPOSAL

APPROVED BY OCC; PIT 3 - OBM TO VENDOR

PENDING CD - 201900747 3/26/2019 - G75 - (I.O.) 12 & 1-8N-11E

EST MULTIUNIT HORIZONTAL WELL X668135 MSSP, WDFD, SLVN, OTHER

(MSSP, SLVN ADJACENT COMMON SOURCES OF SUPPLY TO WDFD)

30% 12-8N-11E 70% 1-8N-11E NO OP. NAMED

REC 2-22-2019 (JOHNSON)

PENDING CD - 201900748 3/26/2019 - G75 - (I.O.) 12 & 1-8N-11E

X668135 MSSP, WDFD, SLVN, OTHER

COMPL. INT. (12-8N-11E) NFT 2000' FNL, NCT 0' FNL, NCT 990' FWL COMPL. INT. (1-8N-11E) NCT 0' FSL, NCT 165' FNL, NCT 990' FWL

NO OP. NAMED

REC 2-22-2019 (JOHNSON)

PENDING CD - 201900753 3/26/2019 - G75 - 1-8N-11E

X668135 WDFD 2 WELLS NO OP. NAMED

REC 2-22-2019 (JOHNSON)

SPACING - 668135 3/26/2019 - G75 - (640)(HOR) 12 & 1-8N-11E

EXT 659541 MSSP, WDFD, SLVN, OTHER

COMPL. INT. (MSSP) NLT 660' FB COMPL. INT. (SLVN) NLT 330' FB

COMPL. INT. (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL



S.H.L. Sec. 12-8N-11E I.M. B.H.L. Sec. 1-8N-11E I.M.


Operator: BRAVO NATURAL RESOURCES, LLC

Lease Name and No.: BOSE 2-12/1H

Footage: 2447' FSL - 2030' FWL Gr. Elevation: 961'

Section: 12 Township: 8N Range: 11E I.M.

County: Hughes State of Oklahoma Terrain at Loc.: Location fell in timber, sloping down on the Northwest side.






GPS DATUM NAD 27 OK SOUTH ZONE

Surface Hole Loc.: Lat: 35°10'50.40"N Lon: 96°05'56.91"W Lat: 35.18066754 Lon: -96.09914252 X: 2568029 Y: 677632

Landing Point: Lat: 35°11'04.75"N Lon: 96°06'01.41"W Lat: 35.18465412 Lon: -96.10039153 X: 2567629 Y: 679076

Bottom Hole Loc.: Lat: 35°12'08.70"N Lon: 96°06'01.35"W Lat: 35.20241616 Lon: -96.10037628 X: 2567511 Y: 685540



Survey and plat by:
Arkoma Surveying and Mapping, PLLC
P.O. Box 238 Wilburton, OK 74578
Ph. 918-465-5711 Fax 918-465-5030
Certificate of Authorization No. 5348
Expires June 30, 2020

Invoice #8451-A-B
Date Staked: 02/15/19 By: H.S.
Date Drawn: 02/18/19 By: J.H.
Add I-P & BH. Revise Lease Name: 03/06/19 By: C.K.
Rev. SHL: 04/10/19 By: M.K.

Certification:

This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.



04/12/19 OK LPLS 1664

