API NUMBER: 043 23695 A

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 04/03/2019
Expiration Date: 10/03/2020

Horizontal Hole

Category of Pit: C

Pit Location Formation:

Liner not required for Category: C
Pit Location is BED AQUIFER

RUSH SPRINGS

Oil & Gas

Multi Unit

Amend reason: OCC CORRECTION - WELL NAME

AMEND PERMIT TO DRILL

OT LOCATION: NE NW NE NE	FEET FROM QUARTER: FROM SECTION LINES:	NORTH FROM	EAST	
Lease Name: BROWNIE	Well No:	185 1-32H28X21	740 Well will be	e 185 feet from nearest unit or lease boundary
Operator XTO ENERGY INC Name:	well No:		953193208; 8178852	o 185 feet from nearest unit or lease boundary OTC/OCC Number: 21003 0
XTO ENERGY INC 22777 SPRINGWOODS VILLAGE PKV SPRING, TX	VY 77389-1425		BROWNIE M. BROW 15009 DOURDAN CO OKLAHOMA CITY	
ormation(s) (Permit Valid for Listed Fo	Depth		Name	Depth
 MORROW-SPRINGER MISSISSIPPIAN 	10765 13299	6		
3 WOODFORD	14315	8		
4		9		
5		1	0	
acing Orders: 693693	Location Exception	n Orders:		Increased Density Orders:
nding CD Numbers: 201810571				Special Orders:
Total Depth: 23800 Ground Elevation: 1	876 Surface	Casing: 1990	Dept	h to base of Treatable Water-Bearing FM: 430
Under Federal Jurisdiction: No	Fresh Wate	er Supply Well Drilled:	No	Surface Water used to Drill: Yes
T 1 INFORMATION		Ар	proved Method for disposal of Drill	ling Fluids:
pe of Pit System: CLOSED Closed System Means	Steel Pits			
Type of Mud System: WATER BASED		D	D. One time land application (REQUIRES PERMIT) PERMIT NO: 19-363	
Chlorides Max: 8000 Average: 5000		н	H. SEE MEMO	
depth to top of ground water greater than 10ft below b thin 1 mile of municipal water well? N	ase of pit? Y	_		
/ellhead Protection Area? N it is located in a Hydrologically Sensitive Area.				
t is located in a Hydrologically Sensitive Area.				

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER

Pit Location Formation: RUSH SPRINGS

HORIZONTAL HOLE 1

Sec. 21 Twp 16N Rge 16W County **DEWEY** Spot Location of End Point: ΝE NW NW NW Feet From: NORTH 1/4 Section Line: 50 WEST Feet From: 1/4 Section Line: 430

Depth of Deviation: 11935 Radius of Turn: 1000

Direction: 10

Total Length: 10294

Measured Total Depth: 23800
True Vertical Depth: 14315
End Point Location from Lease,
Unit, or Property Line: 50

Notes:

MEMO

Category Description

DEEP SURFACE CASING 3/25/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 3/25/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG 3/25/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201810571 4/3/2019 - GA8 - (I.O.) 28 & 21-16N-16W

X693694 MWSPR, MSSP, WDFD

COMPL. INT. MSSP, WDFD (28-16N-16W) NCT 165' FSL, NCT 330' FWL COMPL. INT. MSSP, WDFD (21-16N-16W) NCT 165' FNL, NCT 330' FWL COMPL. INT. MWSPR (28-16N-16W) NCT 330' FSL, NCT 330' FWL COMPL. INT MWSPR (21-16N-16W) NCT 330' FNL, NCT 330' FWL

NO OP. NAMED

REC 1/28/2019 (M. PORTER)

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

043 23695 BROWNIE 1-32H28X21

Category

SPACING - 693694

Description

4/3/2019 - GA8 - (1280)(HOR) 28 & 21-16N-16W EST MWSPR, MSSP, WDFD POE TO BHL (MWSPR, MSSP) NLT 660' FB POE TO BHL (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL (COEXIST WITH ANY EXISTING NON-HORIZONTAL SPACING)