# OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000**

(Rule 165:10-3-1)

Approval Date: 03/08/2019 09/08/2020 **Expiration Date** 

693599

API NUMBER: 063 24889 Α

Horizontal Hole Multi Unit

Amend reason: CHANGE DRILLING OPERATION TO HORIZONTAL MULTI-UNIT; UPDATE ORDERS; UPDATE FORMATIONS; UPDATE BOTTOM HOLE LOCATION & SURFACE HOLE

Oil & Gas

## AMEND PERMIT TO DRILL

WELL LOCATION: Sec: 12 Twp: 8N Rge: 11E County: HUGHES FEET FROM QUARTER: SPOT LOCATION: NW NE sw FROM SOUTH WEST SECTION LINES 2447 2015 Lease Name: HOMSEY Well No: 3-12/13/24H Well will be 2030 feet from nearest unit or lease boundary. Operator **BRAVO ARKOMA LLC** Telephone: 9188944440: 9188944 OTC/OCC Number: 23562 0 Name: BRAVO ARKOMA LLC MICHAEL T. BOSE & CHERYL A. BOSE 1323 E 71ST ST STE 400 7056 HACKBERRY COURT TULSA. OK 74136-5067 **TULSA** OK 74132

Formation(s) (Permit Valid for Listed Formations Only): Name Depth Name Depth MISSISSIPPIAN 1 4493 6 2 WOODFORD 5014 7 SYLVAN 5084 8 3 9 10 668135 Spacing Orders: Location Exception Orders: Increased Density Orders: 693598 668322

Pending CD Numbers: 201900751 Special Orders:

> 201900752 201900756

Total Depth: 14473 Ground Elevation: 961 Surface Casing: 1300 Depth to base of Treatable Water-Bearing FM: 220

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION Type of Pit System: ON SITE A. Evaporation/dewater and backfilling of reserve pit.

Type of Mud System: AIR

F. Haul to Commercial soil farming facility: Sec. 14 Twn. 7N Rng. 9E Cnty. 63 Order No: Is depth to top of ground water greater than 10ft below base of pit? Y

551649 Within 1 mile of municipal water well? N H. SEE MEMO

Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: 4

Liner not required for Category: 4 Pit Location is BED AQUIFER Pit Location Formation: CALVIN

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

#### PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: CALVIN

### PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: CALVIN

## **HORIZONTAL HOLE 1**

Sec 24 Twp 8N Rge 11E County HUGHES

Spot Location of End Point: N2 N2 NW NE
Feet From: NORTH 1/4 Section Line: 200
Feet From: EAST 1/4 Section Line: 1980

Depth of Deviation: 4176 Radius of Turn: 715

Direction: 175

Total Length: 10488

Measured Total Depth: 15788

True Vertical Depth: 5084

End Point Location from Lease.

Unit, or Property Line: 200

Notes:

Category Description

DEEP SURFACE CASING 3/1/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

Category Description

HYDRAULIC FRACTURING 4/8/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 693598 4/9/2019 - G56 - 12-8N-11E

X668135 WDFD 5 WELLS

BRAVO ARKOMA, LLC

3/27/2019

INCREASED DENSITY - 693599 4/9/2019 - G56 - 13-8N-11E

X668322 WDFD 3 WELLS

BRAVO ARKOMA, LLC

3/27/2019

MEMO 3/1/2019 - G71 - PIT 2 & 3 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, WBM &

OBM CUTTINGS CAPTURED IN CONCRETE-LINED PIT, SOLIDFIED AND HELD UNTIL DISPOSAL

APPROVED BY OCC; PIT 3 - OBM TO VENDOR

PENDING CD - 201900751 4/8/2019 - G56 - (I.O.) 12, 13 & 24-8N-11E

ESTABLISH MULTIUNIT HORIZONTAL WELL X668135 MSSP, WDFD, SLVN, OTHER 12-8N-11E X668322 MSSP, WDFD, SLVN, OTHER 13 & 24-8N-11E

(MSSP, SLVN ARE ADJACENT COMMON SOURCES OF SUPPLY TO WDFD)

33% 12-8N-11E 34% 13-8N-11E 33% 24-8N-11E NO OP NAMED

REC 2/22/2019 (JOHNSON)

PENDING CD - 201900752 4/8/2019 - G56 - (I.O.) 12, 13 & 24-8N-11E

X668135 MSSP, WDFD, SLVN, OTHER 12-8N-11E X668322 MSSP, WDFD, SLVN, OTHER 13 & 24-8N-11E

COMPL INT (12-8N-11E) NCT 165' FNL, NCT 0' FSL, NCT 990' FWL COMPL INT (13-8N-11E) NCT 0' FSL, NCT 0' FNL, NCT 990' FWL COMPL INT (24-8N-11E) NCT 0' FNL, NCT 165' FSL, NCT 990' FWL

NO OP NAMÈD

REC 2/22/2019 (JOHNSON)

PENDING CD - 201900756 4/9/2019 - G56 - 24-8N-11E X668322 WDFD

3 WELLS NO OP NAMED

REC 2/22/2019 (JOHNSON)

SPACING - 668135 4/8/2019 - G56 - (640)(HOR) 12-8N-11E

EXT 659541 MSSP, WDFD, SLVN, OTHER COMPL INT (MSSP) NLT 660' FB

COMPLINT (MSSP) NLT 660 FB COMPLINT (SLVN) NLT 330' FB

COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL

SPACING - 668322 4/8/2019 - G56 - (640)(HOR) 13 & 24-8N-11E

X659541 MSSP, WDFD, SLVN, OTHER COMPL INT (MSSP) NLT 660' FB COMPL INT (SLVN) NLT 330' FB

COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL