

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

API NUMBER: 017 25469

Approval Date: 06/03/2019

Expiration Date: 12/03/2020

Horizontal Hole Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Sec: 06 Twp: 12N Rge: 7W

County: CANADIAN

SPOT LOCATION: ☐ SE ☐ NE ☐ SE ☐ SW

FEET FROM QUARTER: FROM SOUTH FROM WEST

SECTION LINES: 890 2344

Lease Name: PHOENIX 7-12-7

Well No: 3MH

Well will be 890 feet from nearest unit or lease boundary.

Operator Name: JONES ENERGY LLC

Telephone: 5123282953

OTC/OCC Number: 21043 0

JONES ENERGY LLC
807 LAS CIMAS PKWY STE 350
AUSTIN, TX 78746-6193

JONES ENERGY LLC
SUITE 350
807 LAS CIMAS PARKWAY
AUSTIN TX 78746

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MISSISSIPPIAN	9974	6	
2			7	
3			8	
4			9	
5			10	

Spacing Orders: No Spacing

Location Exception Orders:

Increased Density Orders:

Pending CD Numbers: 201902665
201902670
201902666

Special Orders:

Total Depth: 16000

Ground Elevation: 1348

Surface Casing: 1500

Depth to base of Treatable Water-Bearing FM: 310

Under Federal Jurisdiction: No

Fresh Water Supply Well Drilled: No

Surface Water used to Drill: Yes

PIT 1 INFORMATION

Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: BLAINE

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 19-36219

H. SEE MEMO

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: BLAINE

HORIZONTAL HOLE 1

Sec 07 Twp 12N Rge 7W County CANADIAN

Spot Location of End Point: S2 SE SW SE

Feet From: SOUTH 1/4 Section Line: 165

Feet From: EAST 1/4 Section Line: 1650

Depth of Deviation: 9654

Radius of Turn: 900

Direction: 170

Total Length: 4932

Measured Total Depth: 16000

True Vertical Depth: 10566

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category

Description

DEEP SURFACE CASING

5/22/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING

HYDRAULIC FRACTURING

5/22/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO

5/22/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201902665

5/31/2019 - G56 - (320)(HOR) E2 7-12N-7W
EST MSSP, OTHERS
COMPL INT (MSSP) NCT 660' FB
(COEXIST WITH SP # 146122 MSSP, OTHER; # 147489 MSSP, OTHER) REC 5/28/2019 (MOORE)

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

017 25469 PHOENIX 7-12-7 3MH

Category	Description
PENDING CD - 201902666	5/31/2019 - G56 - E2 7-12N-7W X201902665 MSSP 4 WELLS NO OP NAMED REC 5/28/2019 (MOORE)
PENDING CD - 201902670	5/31/2019 - G56 - (I.O.) E2 7-12N-7W X201902665 MSSP, OTHERS COMPL INT NCT 165' FNL, NCT 165' FSL, NCT 990' FWL NO OP NAMED REC 5/28/2019 (MOORE)
WATERSHED STRUCTURE	6/3/2019 - G56 - WELL WITHIN 1/2 MILE OF AN OKLAHOMA CONSERVATION COMMISSION WATERSHED STRUCTURE. CONTACT THE LOCAL CONSERVATION DISTRICT OFFICE AT (405) 224-0523 PRIOR TO DRILLING

Operator: JONES ENERGY, LTD.
Lease Name and No.: PHOENIX 7-12-7 3MH
Footage: 890' FSL - 2344' FVWL Gr. Elevation: 1348'
Section: 6 Township: 12N Range: 7W I.M.
County: Canadian State of Oklahoma
Terrain at Loc.: Location fell in flat open pasture.



All bearings shown
are geodetic bearings
unless noted

GPS DATUM
NAD 27
OK NORTH ZONE

Surface Hole Loc.:
Lat: 35°32'21.54"N
Lon: 97°58'54.68"W
Lat: 35.53931590
Lon: -97.98185460
X: 2005399
Y: 196317


Entry Point:
Lat: 35°32'10.97"N
Lon: 97°58'40.04"W
Lat: 35.53638068
Lon: -97.97778999
X: 2006608
Y: 195249

Bottom Hole Loc.:
Lat: 35°31'22.19"N
Lon: 97°58'40.29"W
Lat: 35.52283102
Lon: -97.97785852
X: 2006589
Y: 190317

whereas most likely this incident was related to the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Massena Surveying and Mapping promptly if you are unable to locate your monument or find it damaged.

If your monument is determined, GPS data is observed from R/LC - GPS, NOT from the monument itself. The monument has been there since 1970.

Client satisfaction may be assumed from a Government Survey that is assumed as a topographic distance from opposing section corners, or reciprocal bearings, and they will have been measured on-the-ground, and further, does not represent a true boundary survey.



Survey and plat by:
Arkoma Surveying and Mapping, PLLC
P.O. Box 238, Wilburton, OK 74578
Ph. 918-465-5711 Fax 918-465-5030
Certificate of Authorization No. 5348
Expires June 30, 2020

Invoice #7768-C-C
Date Staked: 12/11/18 By: D.K.
Date Drawn: 12/13/18 By: E.W.
Rev. LP & BHL: 05/08/19 By: C.K.

Certification:

This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.


LANCE G. MATHIS

05/31/19

OK LPLS 1664

