API NUMBER: 017 25976

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 07/12/2023

Expiration Date: 01/12/2025

Multi Unit Oil & Gas

PERMIT TO DRILL

	ty: CANADIAN
SPOT LOCATION: SE SW SE SE FEET FROM QUARTER: FROM SOU	TH FROM EAST
SECTION LINES: 274	704
Lease Name: JOHNSTON 1207 Well No: 30-3	-2MXH Well will be 274 feet from nearest unit or lease boundary.
Operator Name: CAMINO NATURAL RESOURCES LLC Telephone: 7204	052729 OTC/OCC Number: 24097 0
CAMINO NATURAL RESOURCES LLC	TED & RUTH MITTELSTAEDT
1401 17TH ST STE 1000	4000 S. COUNTRY CLUB RD
DENVER, CO 80202-1247	EL RENO OK 73036
Formation(s) (Permit Valid for Listed Formations Only):	
Name Code Depth	
1 MISSISSIPPIAN 359MSSP 9845	
Spacing Orders: 164795 Location Exception O 155968	rders: No Exceptions Increased Density Orders: No Density
Pending CD Numbers: 202302031 Working interest of	wners' notified: YES Special Orders: No Special
202302041	
202302040	
202302032	
202302033	
Total Depth: 20970 Ground Elevation: 1407 Surface Casir	1500 Depth to base of Treatable Water-Bearing FM: 370
	Deep surface casing has been approved
Under Federal Jurisdiction: No	Approved Method for disposal of Drilling Fluids:
Fresh Water Supply Well Drilled: No	D. One time land application (REQUIRES PERMIT) PERMIT NO: 23-39140
Surface Water used to Drill: Yes	b. One time land application (REQUINES ERMIT)
Guilace Water used to Dilli. 165	H. (Other) see memo
PIT 1 INFORMATION	
	H. (Other) see memo
PIT 1 INFORMATION	H. (Other) see memo Category of Pit: C
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000	H. (Other) see memo Category of Pit: C Liner not required for Category: C
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y	H. (Other) see memo Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N	H. (Other) see memo Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N	H. (Other) see memo Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N	H. (Other) see memo Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area.	Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA Pit Location Formation: Dog Creek Category of Pit: C
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits	Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA Pit Location Formation: Dog Creek Category of Pit: C Liner not required for Category: C
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED	Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA Pit Location Formation: Dog Creek Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits	Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA Pit Location Formation: Dog Creek Category of Pit: C Liner not required for Category: C
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000	Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA Pit Location Formation: Dog Creek Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y	Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA Pit Location Formation: Dog Creek Category of Pit: C Liner not required for Category: C Pit Location is: NON HSA

MULTI UNIT HOLE 1

Section: 31 Township: 12N Range: 7W Meridian: IM Total Length: 10000

County: CANADIAN Measured Total Depth: 20970

Spot Location of End Point: SE SE SW SE True Vertical Depth: 10331

Feet From: SOUTH 1/4 Section Line: 100 End Point Location from
Feet From: EAST 1/4 Section Line: 1480 Lease,Unit, or Property Line: 100

NOTES:

Category	Description
DEEP SURFACE CASING	[7/11/2023 - GE7] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[7/11/2023 - GE7] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
MEMO	[7/11/2023 - GE7] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING - CD2023-002031	[7/11/2023 - GB7] - (640) 30-12N-7W EST WDFD
PENDING - CD2023-002032	[7/11/2023 - GB7] - (E.O.) 30-12N-7W X155968 MSSP 3 WELLS CAMINO NATURAL RESOURCES LLC REC 07/11/2023 (NORRIS)
PENDING - CD2023-002033	[7/11/2023 - GB7] - (E.O.) 31-12N-7W X164795 MSSP 3 WELLS CAMINO NATURAL RESOURCES LLC REC 07/11/2023 (NORRIS)
PENDING - CD2023-002040	[7/11/2023 - GB7] - (E.O.) 30 & 31-12N-7W EST MULTIUNIT HORIZONTALL WELL X164795 MSSP (30-12N-7W) XCD2023-002031 WDFD (30-12N-7W) X155968 MSSP (31-12N-7W) X562095 WDFD (31-12N-7W) 50% 30-12N-7W CAMINO NATURAL RESOURCES LLC REC 07/11/2023 (NORRIS)
PENDING - CD2023-002041	[7/11/2023 - GB7] - (E.O.) 30 & 31-12N-7W X164795 MSSP 30-12N-7W XCD2023-002031 WDFD 30-12N-7W X155968 MSSP 31-12N-7W X562095 WDFD 31-12N-7W X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO MATHIES 30-1 (API# 017-21382), VIRGINIA 1-30 (API# 017-23960), MATHEIS 31-1 (API# 017-21412) COMPL INT NCT 165' FNL, NCT 0' FSL, NCT 1,150' FEL (30-12N-7W) COMPL INT NCT 0' FNL, NCT 165' FSL, NCT 1,150' FEL (31-12N-7W) CAMINO NATURAL RESOURCES LLC REC 07/11/2023 (NORRIS)
SPACING - 155968	[7/11/2023 - GB7] - (640) 31-12N-7W EST OTHERS EXT OTHER EXT 126170 MSSP
SPACING - 164795	[7/11/2023 - GB7] - (640) 30-12N-7W EXT 124533/158955 MSSP